

CRC LEME
Cooperative Research Centre for
Landscape Evolution & Mineral Exploration



**OPEN FILE
REPORT
SERIES**



AMIRA

Australian Mineral Industries Research Association Limited ACN 004 448 266

SELECTIVE AND PARTIAL EXTRACTION ANALYSES OF TRANSPORTED OVERBURDEN FOR EXPLORATION IN THE YILGARN CRATON AND ITS MARGINS

(Volume 2)

D. J. Gray, J. E. Wildman, and G. D. Longman

CRC LEME OPEN FILE REPORT 107

June 2001

(CRC LEME Restricted Report 16R/
CSIRO Division of Exploration and Mining Report 305R, 1996.
2nd Impression 2001.)

CRC LEME is an unincorporated joint venture between The Australian National University, University of Canberra, Australian Geological Survey Organisation and CSIRO Exploration and Mining, established and supported under the Australian Government's Cooperative Research Centres Program.





Australian Mineral Industries Research Association Limited ACN 004 448 266



CRC LEME

Cooperative Research Centre for
Landscape Evolution & Mineral Exploration



SELECTIVE AND PARTIAL EXTRACTION ANALYSES OF TRANSPORTED OVERBURDEN FOR EXPLORATION IN THE YILGARN CRATON AND ITS MARGINS

(Volume 2)

D. J. Gray, J. E. Wildman, and G. D. Longman

CRC LEME OPEN FILE REPORT 107

June 2001

(CRC LEME Restricted Report 16R/
CSIRO Division of Exploration and Mining Report 305R, 1996.
2nd Impression 2001.)

© CRC LEME 1996

RESEARCH ARISING FROM CSIRO/AMIRA YILGARN REGOLITH GEOCHEMISTRY PROJECTS 1987-1996

In 1987, CSIRO commenced a series of multi-client research projects in regolith geology and geochemistry which were sponsored by companies in the Australian mining industry, through the Australian Mineral Industries Research Association Limited (AMIRA). The initial research program, "Exploration for concealed gold deposits, Yilgarn Block, Western Australia" had the aim of developing improved geological, geochemical and geophysical methods for mineral exploration that would facilitate the location of blind, buried or deeply weathered gold deposits. The program commenced with the following projects:

P240: Laterite geochemistry for detecting concealed mineral deposits (1987-1991). Leader: Dr R.E. Smith.
Its scope was development of methods for sampling and interpretation of multi-element laterite geochemistry data and application of multi-element techniques to gold and polymetallic mineral exploration in weathered terrain. The project emphasised viewing laterite geochemical dispersion patterns in their regolith-landform context at local and district scales. It was supported by 30 companies.

P241: Gold and associated elements in the regolith - dispersion processes and implications for exploration (1987-1991). Leader: Dr C.R.M. Butt.
The project investigated the distribution of ore and indicator elements in the regolith. It included studies of the mineralogical and geochemical characteristics of weathered ore deposits and wall rocks, and the chemical controls on element dispersion and concentration during regolith evolution. This was to increase the effectiveness of geochemical exploration in weathered terrain through improved understanding of weathering processes. It was supported by 26 companies.

These projects represented 'an opportunity for the mineral industry to participate in a multi-disciplinary program of geoscience research aimed at developing new geological, geochemical and geophysical methods for exploration in deeply weathered Archaean terrains'. This initiative recognised the unique opportunities, created by exploration and open-cut mining, to conduct detailed studies of the weathered zone, with particular emphasis on the near-surface expression of gold mineralisation. The skills of existing and specially recruited research staff from the Floreat Park and North Ryde laboratories (of the then Divisions of Minerals and Geochemistry, and Mineral Physics and Mineralogy, subsequently Exploration Geoscience and later Exploration and Mining) were integrated to form a task force with expertise in geology, mineralogy, geochemistry and geophysics. Several staff participated in more than one project. Following completion of the original projects, two continuation projects were developed.

P240A: Geochemical exploration in complex lateritic environments of the Yilgarn Craton, Western Australia (1991-1993). Leaders: Drs R.E. Smith and R.R. Anand.

The approach of viewing geochemical dispersion within a well-controlled and well-understood regolith-landform and bedrock framework at detailed and district scales continued. In this extension, focus was particularly on areas of transported cover and on more complex lateritic environments typified by the Kalgoorlie regional study. This was supported by 17 companies.

P241A: Gold and associated elements in the regolith - dispersion processes and implications for exploration (1991-1993). Leader: Dr. C.R.M. Butt.

The significance of gold mobilisation under present-day conditions, particularly the important relationship with pedogenic carbonate, was investigated further. In addition, attention was focussed on the recognition of primary lithologies from their weathered equivalents. This project was supported by 14 companies.

Most reports related to the above research projects were published as CRC LEME Open File Reports Series (Nos 1-74), with an index (Report 75), by June 1999. Publication now continues with release of reports from further projects.

P252: Geochemical exploration for platinum group elements in weathered terrain. Leader: Dr C.R.M. Butt.

This project was designed to gather information on the geochemical behaviour of the platinum group elements under weathering conditions using both laboratory and field studies, to determine their dispersion in the regolith and to apply this to concepts for use in exploration. The research was commenced in 1988 by CSIRO Exploration Geoscience and the University of Wales (Cardiff). The Final Report was completed in December 1992. It was supported by 9 companies.

P409: Geochemical exploration in areas of transported overburden, Yilgarn Craton and environs, WA.

Leaders: Drs C.R.M. Butt and R.E. Smith.

About 50% or more of prospective terrain in the Yilgarn is obscured by substantial thicknesses of transported overburden that varies in age from Permian to Recent. Some of this cover has undergone substantial weathering. Exploration problems in these covered areas were the focus of Project 409. The research was commenced in June 1993 by CSIRO Exploration and Mining but was subsequently incorporated into the activities of CRC LEME in July 1995 and was concluded in July 1996. It was supported by 22 companies.

Although the confidentiality periods of Projects P252 and P409 expired in 1994 and 1998, respectively, the reports have not been released previously. CRC LEME acknowledges the Australian Mineral Industries Research Association and CSIRO Division of Exploration and Mining for authority to publish these reports. It is intended that publication of the reports will be a substantial additional factor in transferring technology to aid the Australian mineral industry.

This report (CRC LEME Open File Report 107) is a second impression (second printing) of CSIRO, Division of Exploration and Mining Restricted Report 305R, first issued in 1996/12, which formed part of the CSIRO/AMIRA Project P409.

Copies of this publication can be obtained from:

The Publication Officer, c/- CRC LEME, CSIRO Exploration and Mining, Private Bag 5, Wembley, WA 6913, Australia. Information on other publications in this series may be obtained from the above or from <http://leme.anu.edu.au/>

Cataloguing-in-Publication:

Gray, D.J.

Selective and partial extraction analyses of transported overburden for exploration in the Yilgarn Craton and its margins.

ISBN v1: 0 643 06733 7 v2: 0 643 06734 5 set: 0 643 06735 3

I. Geochemistry - Western Australia

I. Wildman, J.E. II. Longman, G.D. III. Title

CRC LEME Open File Report 107.

ISSN 1329-4768

Appendix 1: Compiled Analytical Data

Abbreviations

/T	Total concentration
/H1	4 <u>M</u> HCl extraction
/H2	10 <u>M</u> HCl extraction
(E)	Enhanced Au dissolution reagent
/A	pH 5 acetate
/B	0.1 <u>M</u> hydroxylamine
/C	0.25 <u>M</u> hydroxylamine
/E	Enzyme leach
/M	Mobile metal ion

	No.	East	North	Ag/H1 ppb	Ag/H2 ppb	Ag/A ppb	Ag/B ppb	Ag/C ppb	Ag/E ppb	Ag/M ppb	As/T ppm	As/H1 ppm	As/H2 ppm	As/A ppm	As/E ppm	Au/T ppb	Au/H1 ppb	Au(E)/H1 ppb	Au/H2 ppb	Au(E)/H2 ppb	Au/A ppb	Au/B ppb	Au/C ppb	Au/E ppb	Au/M ppb	Au/I ppb
Baxter	394	9920	12000	-1	-1	-19	-9	-9	-0.2	2.2	8.5	0.05	1.5	0.2	-0.005	2.5	-0.04	0.7	0.28	0.5	-0.4	0.18	0.18	-0.1	0.54	
Baxter	406	9680	12160	2	-1	-19	-9	-9	-0.2	2.0	9.6	0.05	1.1	0.2	-0.005	2.5	-0.04	0.7	0.44	0.6	-0.4	0.18	0.36	-0.1	0.55	
Baxter	409	9560	12320	7	3	-19	-9	-9	-0.2	4.8	12.5	0.1	1.2	0.2	0.009	2.5	-0.04	0.7	0.4	0.7	-0.4	0.18	0.18	-0.1	0.67	
Baxter	410	9460	12420	-1	-1	-19	-9	-9	-0.2	1.5	6	0.05	0.75	0.2	-0.005	13.3	-0.04	0.4	0.24	0.4	-0.4	0.18	0.18	-0.1	0.42	
Baxter	415	8550	12600	1	-1	-19	-9	-9	-0.2	3.2	10.5	0.1	1.2	0.2	-0.005	2.5	-0.04	0.6	0.6	0.8	-0.4	0.18	0.18	-0.1	0.62	
Baxter	416	8750	12600	1	-1	-19	-9	-9	-0.2	1.6	6.4	0.1	1.4	0.2	-0.005	2.5	0.16	0.5	0.44	0.5	-0.4	0.27	0.27	-0.1	0.35	
Baxter	417	8850	12600	3	-1	-19	-9	-9	-0.2	3.1	11.8	0.1	1.5	0.2	-0.005	2.5	0.08	1	0.76	0.8	-0.4	0.18	0.18	-0.1	1.27	
Baxter	418	9600	12600	4	-1	-19	-9	-9	-0.2	4.1	12.5	0.1	1.4	0.2	-0.005	2.5	0.08	0.7	0.16	0.6	-0.4	0.18	0.18	-0.1	0.6	
Baxter	419	9800	12640	5	4	-19	-9	-9	0.4	9.2	8.8	0.1	1.5	0.2	0.011	2.5	-0.04	0.4	0.16	0.2	-0.4	0.18	0.18	-0.1	0.7	
Baxter	423	9080	12800	4	2	-19	-9	-9	-0.2	3.2	7.3	0.1	1.1	0.2	0.009	2.5	-0.04	0.9	0.16	0.7	-0.4	0.18	0.18	-0.1	0.41	
Baxter	426	8760	12960	3	-1	-19	-9	-9	-0.2	3.2	11.6	0.05	1.3	0.2	-0.005	16.4	-0.04	0.7	0.36	0.9	-0.4	0.18	0.18	-0.1	0.6	
Baxter	427	9000	12960	3	-1	-19	-9	-9	-0.2	1.8	8.1	0.05	1.2	0.2	-0.005	5	-0.04	0.7	0.44	0.6	-0.4	0.18	0.18	-0.1	0.3	
Baxter	437	9100	12720	2	-1	-19	-9	-9	-0.2	1.8	6.8	0.1	1.2	0.2	-0.005	13.8	-0.04	0.7	0.4	0.6	-0.4	0.18	0.18	-0.1	0.44	
Baxter	440	9440	12620	5	3	-19	-9	-9	-0.2	3.3	12.5	0.1	1.5	0.2	0.006	15.3	-0.04	0.1	0.16	0.3	-0.4	0.18	0.18	-0.1	0.74	
Baxter	441	9360	12620	2	2	-19	-9	-9	-0.2	2.4	8.4	0.05	1.1	0.2	0.006	12.9	0.12	2.7	1.4	3.9	-0.4	0.18	0.18	-0.1	2.56	
Baxter	442	9260	12620	2	2	-19	-9	-9	0.4	2.0	9	-0.05	1	0.2	-0.005	10.4	-0.04	0.5	0.52	0.9	-0.4	0.18	0.18	-0.1	0.53	
Baxter	443	9160	12620	1	-1	-19	-9	-9	-0.2	1.3	7.1	0.05	1.1	0.2	-0.005	2.5	0.12	1.4	1	1.4	-0.4	0.18	0.18	-0.1	1.1	
Baxter	444	9052	12620	3	-1	-19	-9	-9	-0.2	3.1	9.6	0.05	1.1	0.2	0.005	2.5	0.08	0.6	0.4	1.2	-0.4	0.54	0.18	-0.1	0.88	
Baxter	445	8952	12620	3	-1	-19	-9	-9	-0.2	2.6	9.4	0.1	1.5	0.2	0.006	2.5	-0.04	1.7	0.6	1.1	-0.4	0.18	0.18	-0.1	0.62	
Baxter	448	9330	12540	4	-1	-19	-9	-9	-0.2	2.6	10.7	0.1	1.3	0.2	0.006	2.5	0.12	1	0.56	1.1	-0.4	0.18	0.18	-0.1	0.66	
Fender	4401	110	250	7	5	-19	-9	-9	-0.2	7.6	60.6	0.2	1.5	0.2	0.240	2.5	0.28	1	0.92	1	-0.4	0.72	0.36	-0.1	0.83	
Fender	4406	160	250	-1	-1	-19	-9	-9	-0.2	1.5	914	1.8	11	0.8	0.081	5	0.48	1.8	1.5	1.3	-0.4	0.54	0.18	-0.1	1.38	
Fender	4411	100	240	6	6	-19	-9	-9	-0.2	6.0	51.9	0.4	1.9	0.2	0.023	5	-0.04	2.5	0.44	12	-0.4	0.72	0.36	-0.1	3.18	
Fender	4412	150	240	12	8	-19	-9	9	-0.2	7.7	90.8	0.45	2.2	0.2	0.025	5	-0.04	7.5	0.28	6.7	-0.4	0.36	0.36	-0.1	4.33	
Fender	4413	200	240	8	5	-19	-9	9	-0.2	5.5	324	0.4	2.1	0.2	0.030	5	-0.04	2.8	0.28	4	-0.4	0.45	0.27	-0.1	2.85	
Fender	2649	200	400	2	3	-19	-9	9	-0.2	4.1	19.5	0.15	1	0.2	0.029	2.5	0.4	0.5	0.52	0.7	-0.4	0.36	0.18	-0.1	0.67	
Fender	2653	250	400	5	3	-19	-9	9	-0.2	2.5	20.9	0.1	0.65	0.2	0.024	2.5	0.24	0.7	0.68	1	-0.4	0.18	0.18	-0.1	0.61	
Fender	2658	270	400	11	11	-19	-9	9	-0.2	10.0	4.46	0.15	0.9	0.2	0.015	2.5	0.48	0.7	1.1	1.3	0.8	0.18	0.18	-0.1	0.73	
Fender	2663	290	400	7	9	-19	-9	9	-0.2	8.3	7.46	0.15	0.8	0.2	0.025	2.5	0.32	1.1	1.1	1.2	-0.4	0.18	0.18	-0.1	1.08	
Fender	2668	300	400	9	15	-19	-9	9	0.4	9.1	3.83	0.1	0.75	0.2	0.022	2.5	0.2	0.5	0.56	0.6	-0.4	0.18	0.18	-0.1	0.63	
Fender	2673	310	400	18	34	-19	-9	9	0.7	10.1	4.99	0.15	0.7	0.2	0.025	18.4	0.28	0.4	0.76	0.8	0.4	0.18	0.18	-0.1	1	
Fender	2680	330	400	15	8	-19	-9	9	-0.2	7.2	4.51	0.1	0.6	0.2	0.030	2.5	0.36	0.8	0.96	2.6	-0.4	0.18	0.18	-0.1	0.73	
Fender	2688	350	400	15	18	-19	-9	9	-0.2	6.5	4.36	0.1	0.6	0.2	0.014	5.8	0.16	0.3	0.36	0.6	-0.4	0.18	0.36	-0.1	0.72	
Fender	2696	375	400	23	60	-19	-9	18	0.9	8.5	9.03	0.1	0.9	0.2	0.022	2.5	0.28	0.7	0.76	1	0.4	0.18	0.18	-0.1	0.61	
Fender	2707	400	400	47	43	-19	-9	36	-0.2	28.8	5.19	0.1	0.6	0.2	0.013	2.5	0.08	0.3	0.2	0.4	-0.4	0.18	0.18	-0.1	0.36	
Fender	2718	500	400	43	28	-19	-9	27	-0.2	15.8	5	0.1	0.8	0.2	0.023	2.5	0.36	0.5	0.6	0.4	-0.4	0.18	0.18	-0.1	0.51	
Fender	2732	500	340	330	480	-19	-9	198	2	183.6	9.25	0.1	0.8	0.2	0.025	2.5	0.4	0.9	0.64	0.8	-0.4	0.36	0.18	-0.1	0.54	
Fender	2746	400	340	29	76	-19	-9	27	-0.2	16.0	4.47	-0.05	0.5	0.2	0.015	2.5	0.72	1.2	1.6	1.5	-0.4	0.18	0.36	-0.1	1.2	
Fender	2759	375	340	26	200	-19	-9	72	-0.2	16.0	14.1	0.1	0.85	0.2	0.043	2.5	0.4	1.1	1.5	1.4	-0.4	0.36	0.18	-0.1	0.99	
Fender	2771	350	340	29	38	-19	-9	27	-0.2	16.7	18.1	0.2	0.9	0.2	0.025	2.5	0.2	0.4	0.48	0.4	-0.4	0.18	0.36	-0.1	0.48	
Fender	2780	330	340	10	32	-19	-9	27	-0.2	23.1	14.7	0.15	2.4	0.2	0.064	2.5	0.12	0.3	0.44	0.4	-0.4	0.18	0.36	-0.1	0.52	

	No.	East	North	Ag/H1 ppb	Ag/H2 ppb	Ag/A ppb	Ag/B ppb	Ag/C ppb	Ag/E ppb	Ag/M ppb	As/T ppm	As/H1 ppm	As/H2 ppm	As/A ppm	As/E ppm	Au/T ppb	Au/H1 ppb	Au(E)/H1 ppb	Au/H2 ppb	Au(E)/H2 ppb	Au/A ppb	Au/B ppb	Au/C ppb	Au/E ppb	Au/M ppb	Au/I ppb
Fender	2788	310	340	33	19	-19	-9	18	-0.2	12.7	6.15	0.15	0.65	0.2	0.021	2.5	0.12	0.2	1.2	0.7	-0.4	0.18	0.18	-0.1	0.53	
Fender	2796	300	340	18	22	-19	-9	18	-0.2	11.9	10.7	0.15	0.6	0.2	0.020	2.5	0.72	1.2	1.1	1.3	-0.4	0.18	0.36	-0.1	1.08	
Fender	2802	290	340	16	28	-19	-9	18	-0.2	13.7	5.24	0.1	0.5	0.2	0.017	2.5	0.68	1.1	0.76	1.1	-0.4	0.36	0.36	-0.1	0.78	
Fender	2808	270	340	9	18	-19	-9	18	-0.2	11.3	13.9	0.1	0.65	0.2	0.017	2.5	0.28	0.6	0.48	0.4	-0.4	0.18	0.72	-0.1	0.45	
Fender	2813	250	340	8	10	-19	-9	18	-0.2	7.5	20.3	0.2	1	0.2	0.020	6.3	0.92	1.4	1.4	1.5	-0.4	0.18	0.9	-0.1	1.42	
Fender	2818	200	340	20	15	-19	-9	9	-0.2	10.9	0.25	1.1	0.2	0.025		0.32	0.4	0.48	0.4	-0.4	0.18	0.36	-0.1	0.5		
Fender	2822	200	240	9	28	-19	-9	18	-0.2	8.2	90	0.3	2.5	0.2	0.041	2.5	1.3	2	2.5	2.5	-0.4	0.18	0.54	-0.1	1.7	
Fender	2827	250	240	4	7	-19	-9	18	-0.2	4.5	16.6	0.15	1	0.2	0.018	25.6	5.1	11	13	13	-0.4	0.18	0.54	-0.1	8.28	
Fender	2832	270	240	5	13	-19	-9	18	-0.2	5.7	10.9	0.15	0.95	0.2	0.020	23.6	2.9	3.3	8.1	7.9	-0.4	0.54	0.54	-0.1	4.49	
Fender	2837	290	240	11	28	-19	-9	18	-0.2	12.2	11.6	0.1	0.75	0.2	0.020	27	4.9	7.2	10	11	-0.4	0.18	0.18	-0.1	5.9	
Fender	2842	300	240	11	27	-19	-9	18	-0.2	10.3	9.51	0.1	0.6	0.2	0.020	10.2	1.3	2.9	3	2.9	-0.4	0.18	0.36	-0.1	2.34	
Fender	2847	310	240	6	12	-19	-9	9	-0.2	4.7	7.32	0.15	0.75	0.2	0.024	27	3.3	5.3	5.7	5.8	-0.4	0.54	0.54	-0.1	4.57	
Fender	2853	330	240	5	18	-19	-9	9	-0.2	7.9	10.9	0.05	0.6	0.2	0.024	12.3	1.8	2.5	3.5	3.4	-0.4	0.36	0.54	-0.1	2.14	
Fender	2860	350	240	5	8	-19	-9	9	-0.2	6.6	6.87	0.05	0.55	0.2	0.011	20.8	4.9	9	9.7	9.9	-0.4	0.18	0.72	-0.1	8.01	
Fender	2867	375	240	7	10	-19	-9	9	-0.2	6.5	6.87	0.1	0.65	0.2	0.027	10.1	1.6	3.1	3.9	4.5	-0.4	0.18	0.18	-0.1	1.84	
Fender	2874	400	240	15	32	-19	-9	9	-0.2	7.1	7.04	0.1	0.6	0.2	0.020	2.5	1	2.3	3.8	3.7	-0.4	0.36	0.36	-0.1	2.17	
Fender	2882	500	240	19	34	-19	-9	27	-0.2	17.7	6.75	0.05	0.7	0.2	0.023	2.5	0.24	0.5	0.84	0.6	-0.4	0.18	0.36	-0.1	0.62	
Bronzewing	2718	16660	9800	-1	-1	-19	-9	-9	-0.2	0.7	5.87	-0.05	0.7	0.2	-0.005	5.2	0.16	0.5	0.24	0.4	-0.4	0.72	0.36	-0.1	0.33	
Bronzewing	2719	16800	9800	-1	-1	-19	-9	-9	-0.2	0.9	5.75	-0.05	0.7	0.2	-0.005	1.6	-0.04	0.2	0.28	0.3	-0.4	0.54	0.18	-0.1	0.28	
Bronzewing	2720	16860	9800	-1	-1	-19	-9	-9	-0.2	0.9	5.25	-0.05	0.7	0.2	-0.005	1.6	0.08	0.3	0.2	0.4	-0.4	0.9	0.18	-0.1	-0.25	
Bronzewing	2721	16820	9800	-1	-1	-19	-9	-9	-0.2	1.0	5.53	0.05	0.8	0.2	-0.005	1.6	0.04	0.3	0.12	0.2	-0.4	1.08	0.36	-0.1	-0.25	
Bronzewing	2722	16780	9800	-1	-1	-19	-9	-9	-0.2	0.5	5.81	-0.05	0.95	0.2	-0.005	1.6	0.08	0.2	0.24	0.3	-0.4	0.54	0.54	-0.1	0.28	
Bronzewing	2801	16680	9800	-1	-1	-19	-9	-9	-0.2	0.7	5.89	-0.05	0.95	0.2	-0.005	1.6	0.28	0.4	0.28	0.4	-0.4	0.54	0.18	-0.1	0.35	
Bronzewing	2802	16580	9800	4	-1	-19	-9	-9	-0.2	2.3	6.27	-0.05	1	0.2	-0.005	1.6	-0.04	0.2	0.4	0.7	-0.4	0.54	0.18	-0.1	0.49	
Bronzewing	2803	16840	9800	2	-1	-19	-9	-9	-0.2	2.7	5.41	-0.05	0.8	0.2	-0.005	1.6	0.08	0.4	0.32	0.3	-0.4	0.18	0.36	-0.1	0.32	
Bronzewing	2804	17000	9800	4	-1	-19	-9	-9	-0.2	2.1	5.75	-0.05	0.95	0.2	-0.005	1.6	0.08	0.2	0.32	0.6	-0.4	0.54	0.72	-0.1	0.29	
Bronzewing	2805	17080	9800	-1	-1	-19	-9	-9	-0.2	23.5	6.1	-0.05	1	0.2	-0.005	1.6	0.12	0.3	0.36	0.6	-0.4	0.36	0.36	-0.1	0.38	
Bronzewing	2806	16520	9800	2	-1	-19	-9	-9	-0.2	1.4	5.9	-0.05	1.1	0.2	-0.005	1.6	0.12	-0.1	0.28	0.4	-0.4	0.72	0.36	-0.1	0.54	
Bronzewing	2807	16480	9800	2	-1	-19	-9	-9	-0.2	2.0	6.85	-0.05	1.2	0.2	-0.005	1.6	0.08	0.4	0.72	1.1	-0.4	0.72	0.18	-0.1	0.64	
Bronzewing	2808	16620	9800	-1	-1	-19	-9	-9	-0.2	1.5	6.42	-0.05	1.2	0.2	-0.005	1.6	0.2	0.7	0.72	1.3	0.4	0.54	0.36	-0.1	0.43	
Bronzewing	2809	16940	9800	2	-1	-19	-9	-9	-0.2	1.3	5.78	-0.05	1.1	0.2	-0.005	1.6	0.16	0.2	0.28	0.3	-0.4	0.54	0.72	-0.1	0.29	
Bronzewing	2810	16760	9800	-1	-1	-19	-9	-9	-0.2	0.6	6.26	-0.05	0.9	0.2	-0.005	1.6	-0.04	0.3	0.2	0.2	0.4	0.72	0.36	-0.1	0.25	
Bronzewing	2811	16700	9800	-1	-1	-19	-9	-9	-0.2	0.5	5.53	-0.05	0.9	0.2	-0.005	1.6	-0.04	0.1	0.44	0.5	0.4	0.72	0.36	-0.1	-0.25	
Curara	1048	74300	27500	6	2	-19	-9	-9	-0.2	2.6	2.52	0.05	0.75	0.2	-0.005	2.5	0.12	0.4	0.04	0.3	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1050	74400	27500	1	-1	-19	-9	-9	-0.2	1.6	3.23	-0.05	0.65	0.2	-0.005	2.5	-0.04	-0.1	0.08	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1051	74450	27500	3	1	-19	-9	-9	-0.2	2.4	3.7	0.05	0.95	0.2	-0.005	2.5	-0.04	0.1	0.08	0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1052	74500	27500	2	-1	-19	-9	-9	-0.2	2.1	5.01	0.05	1.1	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1053	74550	27500	2	-1	-19	-9	-9	-0.2	2.1	3.76	-0.05	1	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1054	74600	27500	3	-1	-19	-9	-9	-0.2	2.8	4.94	0.05	1	0.2	-0.005	2.5	-0.04	0.4	0.12	-0.1	-0.4	0.18	0.18	-0.1	0.3	
Curara	1055	74650	27500	3	-1	-19	-9	-9	-0.2	2.2	4.54	0.05	0.95	0.2	0.006	2.5	-0.04	-0.1	0.08	0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1056	74700	27500	3	-1	-19	-9	-9	-0.2	2.6	4.82	0.05	0.9	0.2	0.007	2.5	-0.04	0.4	0.08	0.3	-0.4	0.18	0.18	-0.1	-0.25	

	No.	East	North	Ag/H1 ppb	Ag/H2 ppb	Ag/A ppb	Ag/B ppb	Ag/C ppb	Ag/E ppb	Ag/M ppb	As/T ppm	As/H1 ppm	As/H2 ppm	As/A ppm	As/E ppm	Au/T ppb	Au/H1 ppb	Au(E)/H1 ppb	Au/H2 ppb	Au(E)/H2 ppb	Au/A ppb	Au/B ppb	Au/C ppb	Au/E ppb	Au/M ppb	Au/I ppb
Curara	1057	74750	27500	2	-1	-19	-9	-9	-0.2	1.9	5.3	0.05	1	0.2	0.007	2.5	-0.04	0.2	0.08	0.2	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1058	74800	27500	3	-1	-19	-9	-9	-0.2	2.4	3.93	0.05	0.9	0.2	0.007	2.5	-0.04	0.2	0.16	0.3	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1059	74850	27500	2	-1	-19	-9	-9	-0.2	1.6	3.94	0.05	0.85	0.2	-0.005	2.5	-0.04	0.2	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1060	74900	27500	6	2	-19	-9	-9	-0.2	3.8	4.3	0.05	0.85	0.2	0.005	2.5	-0.04	-0.1	0.12	0.1	-0.4	0.18	0.18	-0.1	-0.25	0.36
Curara	1061	74950	27500	3	-1	-19	-9	-9	-0.2	2.2	4.31	0.05	0.85	0.2	0.020	2.5	-0.04	0.2	-0.04	0.2	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1062	75000	27500	2	-1	-19	-9	-9	-0.2	2.0	3.42	0.05	0.85	0.2	0.007	2.5	-0.04	0.1	0.12	0.2	-0.4	0.18	0.18	-0.1	-0.25	0.53
Curara	1063	75050	27500	2	-1	-19	-9	-9	0.9	1.9	3.7	0.1	0.7	0.2	-0.005	2.5	-0.04	-0.1	0.08	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1065	75150	27500	2	-1	-19	-9	-9	-0.2	2.1	3.54	-0.05	0.85	0.2	-0.005	2.5	-0.04	-0.1	0.12	0.2	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1067	75300	27500	1	-1	-19	-9	-9	-0.2	2.2	2.89	-0.05	0.75	0.2	-0.005	2.5	-0.04	-0.1	0.04	0.2	-0.4	0.18	0.18	-0.1	-0.25	
Curara	1070	75500	27500	1	-1	-19	-9	-9	-0.2	2.0	2.38	-0.05	0.65	0.2	-0.005	2.5	-0.04	-0.1	-0.04	0.3	-0.4	0.18	0.18	-0.1	-0.25	
Curara	2276	73500	27500	3	-1	-19	-9	-9	0.6	3.3	-0.05	0.7	0.2	0.007	2.5	-0.04	-0.1	-0.04	0.5	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2278	73700	27500	4	1	-19	-9	-9	-0.2	2.5	3.66	0.05	0.85	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25	
Curara	2280	73900	27500	3	1	-19	-9	-9	1.1	2.6	-0.05	0.9	0.2	-0.005	2.5	-0.04	0.1	-0.04	0.1	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2282	74100	27500	1	-1	-19	-9	-9	-0.2	2.8	-0.05	0.8	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2283	75700	27500	1	-1	-19	-9	-9	0.4	1.7	-0.05	0.85	0.2	-0.005	2.5	-0.04	0.2	0.04	0.5	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2285	75900	27500	3	-1	-19	-9	-9	1.1	2.2	0.05	1	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2288	76200	27500	2	-1	-19	-9	-9	0.4	2.4	-0.05	0.85	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2291	76500	27500	2	-1	-19	-9	-9	-0.2	2.4	-0.05	0.8	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.18	0.18	-0.1	-0.25		
Curara	2294	76800	27500	2	-1	-19	-9	-9	-0.2	2.5	0.05	0.85	0.2	-0.005	2.5	-0.04	0.1	-0.04	-0.1	-0.4	0.36	0.18	-0.1	-0.25		
Curara	2297	77100	27500	1	-1	-19	-9	-9	-0.2	1.5	-0.05	0.8	0.2	-0.005	2.5	-0.04	-0.1	-0.04	-0.1	-0.4	0.54	0.18	-0.1	-0.25		
Safari	2994	450300	6732300	5	-1	-19	-9	-9	-0.2	5.2	2.82	-0.05	0.95	0.2	0.013	2.5	0.24	1.7	1.5	2.4	1.2	1.98	2.16	0.1	1.67	1.76
Safari	3016	450400	6732300	3	-1	-19	-9	-9	-0.2	5.1	-0.05	0.85	0.2	0.013	2.5	0.64	1.8	2.6	4.3	3.1	1.08	1.98	0.3	2.68	3.25	
Safari	3038	450500	6732300	5	-1	-19	-9	-9	0.9	6.4	-0.05	0.8	0.2	0.015	6.8	0.8	2	2.6	4.7	2	0.9	1.44	0.4	2.63	2.69	
Safari	3060	450550	6732300	4	-1	-19	-9	-9	-0.2	6.0	0.05	0.95	0.2	0.017	2.5	1.7	4	5.4	6.3	1.6	0.36	1.44	0.6	5.35	5.14	
Safari	3082	450600	6732300	5	-1	-19	-9	-9	-0.2	6.2	4.23	0.05	0.75	0.2	0.015	5.8	1.2	3.9	3.8	5.5	1.6	1.44	0.9	0.7	4.79	4.56
Safari	3100	450625	6732300	5	-1	-19	-9	-9	-0.2	5.4	0.05	0.8	0.2	0.013	2.5	1	3.6	3.7	5	1.6	0.36	0.18	0.6	3.97	4	
Safari	3122	450650	6732300	5	6	-19	-9	9	-0.2	6.5	-0.05	0.75	0.2	0.017	8.6	2	6.2	7	8.9	0.8	0.54	1.26	1	6.49	7.1	
Safari	3140	450675	6732300	6	2	-19	-9	-9	-0.2	5.4	4.12	0.1	0.85	0.2	0.014	11.4	2.4	6.4	6.6	9.1	1.6	0.36	0.54	0.8	6.94	7.6
Safari	3158	450700	6732300	5	22	-19	-9	9	-0.2	5.5	-0.05	0.7	0.2	0.014	13.3	3	8.3	7.6	10	2	0.36	0.72	1.6	8.34	9.78	
Safari	3176	450725	6732300	5	-1	-19	-9	-9	-0.2	5.2	3.93	0.1	1.1	0.2	0.017	28.8	5.4	17	15	23	2.55	1.98	0.9	1.8	16.21	18.08
Safari	3192	450750	6732300	5	-1	-19	-9	-9	-0.2	4.2	-0.05	1	0.2	0.013	12.6	3.5	9.1	8.4	12	0.4	0.36	0.54	0.6	7.73	10.04	
Safari	3208	450775	6732300	5	-1	-19	-9	9	-0.2	5.0	0.05	0.85	0.2	0.020	9.4	1.1	3.8	4.6	7.3	1.6	0.54	0.36	0.7	5.33	6.33	
Safari	3224	450800	6732300	4	-1	-19	-9	-9	0.7	4.7	0.1	0.85	0.2	0.016	8.9	1.9	5.2	5.8	7.5	1.2	0.36	0.36	0.6	4.97	5.4	
Safari	3240	450825	6732300	2	-1	-19	-9	-9	0.4	3.3	-0.05	0.75	0.2	0.012	8.6	1.4	3.2	3.9	5.6	1.2	0.72	0.72	0.5	3.88	4.51	
Safari	3256	450850	6732300	3	-1	-19	-9	-9	-0.2	3.2	3.81	-0.05	0.7	0.2	0.019	8	2.1	2	4.5	4.3	0.4	0.18	0.36	0.1	4.46	4.82
Safari	3268	450875	6732300	4	-1	-19	-9	-9	-0.2	5.0	-0.05	0.8	0.2	0.025	11.4	1.8	4.8	5.5	8	0.4	0.36	0.36	0.4	5.66	5.68	
Safari	3284	450900	6732300	4	-1	-19	-9	9	-0.2	5.0	0.05	0.6	0.2	0.012	9.4	1.7	4.2	3.3	6.6	1.2	1.44	1.44	0.7	5.43	5.91	
Safari	3300	450925	6732300	5	-1	-19	-9	-9	-0.2	4.8	3.44	-0.05	0.65	0.2	0.011	14.5	4	9.7	4.8	12	1.6	1.08	1.44	1.5	9.08	10.67
Safari	3312	450950	6732300	3	-1	-19	-9	9	-0.2	3.1	-0.05	0.85	0.2	0.014	11.2	2.6	6.9	9.6	6.9	-0.4	0.72	1.44	0.3	5.46	5.86	
Safari	3324	450975	6732300	6	-1	-19	-9	9	-0.2	6.4	-0.05	0.5	0.2	0.012	22.1	5.2	14	5.3	19	2	0.36	1.44	2.5	14.05	15.96	
Safari	3336	451000	6732300	5	-1	-19	-9	9	-0.2	4.9	-0.05	0.8	0.2	0.012	12.3	1.7	1.9	16	4.5	0.7	0.36	0.54	0.6	4.99	5.78	

	No.	East	North	Ag/H1 ppb	Ag/H2 ppb	Ag/A ppb	Ag/B ppb	Ag/C ppb	Ag/E ppb	Ag/M ppb	As/T ppm	As/H1 ppm	As/H2 ppm	As/A ppm	As/E ppm	Au/T ppb	Au/H1 ppb	Au(E)/H1 ppb	Au/H2 ppb	Au(E)/H2 ppb	Au/A ppb	Au/B ppb	Au/C ppb	Au/E ppb	Au/M ppb	Au/I ppb
Safari	3348	451100	6732300	7	4	-19	-9	9	-0.2	6.4	0.05	0.85	0.2	0.012	2.5	1.5	3.4	4.5	5.3	0.8	0.36	0.36	0.3	3.94	4.16	
Safari	3360	451200	6732300	2	-1	-19	-9	-9	-0.2	2.7	3.6	-0.05	0.7	0.2	0.011	2.5	0.56	1.3	1.6	1.7	0.4	0.18	0.36	0.2	1.34	1.4
Safari	3372	451300	6732300	5	3	-19	-9	9	0.4	6.2	0.05	0.75	0.2	0.023	0.64	2.3	1.9	3.2	-0.4	0.36	0.36	0.4	2.88	2.8		
Safari	3384	451400	6732300	5	3	-19	-9	9	-0.2	5.4	0.05	0.55	0.2	0.020	0.96	2.2	1.8	2.5	-0.4	0.18	0.36	-0.1	2.1	2.06		
Steinway	6301	12000	4250	18	21	-19	-9	18	-0.2	17.9	46.3	-0.05	2.5	0.4	0.076	8.3	2.7	8.4	5.5	7.6	1.2	2.52	0.9	0.2	6.62	6.72
Steinway	6303	11750	4250	14	30	-19	-9	18	-0.2	25.7	37.5	0.3	4.1	0.8	0.121	13.9	1.2	6.7	6.1	8.9	0.8	1.26	0.72	0.5	8.55	7.08
Steinway	6306	11500	4250	7	12	-19	-9	9	-0.2	9.5	25.7	0.5	2.3	0.2	0.039	16.4	1.6	10	6.2	9.9	0.4	0.72	0.9	0.3	9.29	9.28
Steinway	6308	11250	4250	7	10	-19	-9	9	-0.2	8.4	18.5	-0.05	2.8	0.2	0.040	16.5	1.3	8.4	4	9	-0.4	0.72	0.54	0.3	9.16	8.92
Steinway	6309	11100	4250	21	31	-19	-9	27	-0.2	24.7	18.6	0.3	2.4	0.2	0.063	36.3	6.4	24	17	25	-0.4	3.42	0.9	0.7	25.99	23.52
Steinway	6310	11075	4250	32	31	-19	-9	27	-0.2	25.7	24.8	-0.05	2.1	0.2	0.059	27.4	5.4	23	17	25	1.2	2.34	1.08	1.4	23.75	17.28
Steinway	6311	11000	4250	35	38	-19	-9	36	-0.2	29.7	17.2	0.15	2.2	0.2	0.027	22.9	1.7	11	7.7	12	2	3.78	1.26	0.7	14.46	12.32
Steinway	6312	10950	4250	29	29	-19	-9	27	-0.2	23.7	28.1	-0.05	2.1	0.2	0.051	26.1	2.7	19	14	19	1.6	2.16	1.26	1	19.76	16.72
Steinway	6313	10900	4250	29	34	-19	-9	27	-0.2	33.9	25.3	0.1	2.2	0.2	0.069	41	18	40	29	36	3.1	9.72	2.52	2.4	38.96	25.88
Steinway	6314	10880	4250	28	27	-19	-9	27	-0.2	20.2	26	-0.05	2.2	0.3	0.054	152	20	16	69	57	4.1	6.93	4.23	2.7	112.92	100.8
Steinway	6315	10760	4250	340	250	-19	27	54	-0.2	197.3	26.1	0.5	1.9	0.2	0.056	50.7	19	49	32	43	2.7	16.92	3.42	0.9	44.27	33.76
Steinway	6316	10700	4250	46	36	-19	-9	36	-0.2	26.6	18.6	0.6	2	0.4	0.054	16.4	1.7	14	9.1	15	1.6	1.44	1.08	0.6	14.04	12
Steinway	6317	10650	4250	17	17	-19	-9	18	-0.2	15.7	18.5	-0.05	2.1	0.2	0.057	15.9	2.7	13	8.5	12	1.2	2.16	1.26	0.9	12.59	11.48
Steinway	6318	10600	4250	22	31	-19	-9	27	-0.2	33.5	17.4	-0.05	2.8	0.4	0.047	18.6	3.6	16	11	15	2	3.06	1.44	0.4	13.53	12.64
Steinway	6319	10550	4250	22	24	-19	-9	18	-0.2	21.3	15.6	-0.05	2.6	0.4	0.048	19.5	2.8	16	11	15	-0.4	0.9	1.8	0.6	14.64	12.92
Steinway	6324	10500	4250	34	31	-19	-9	36	-0.2	32.2	30.6	0.5	2.7	0.2	0.049	29.1	4	19	12	18	1.6	3.78	1.8	1.6	19.89	15.16
Steinway	6326			30	21	-19	-9	27	-0.2	23.8	19.9	-0.05	2.3	0.2	0.053	26.5	2.4	15	8	14	1.14	2.52	1.62	0.5	13.82	12.64
Steinway	6328	10300	4250	12	14	-19	-9	18	-0.2	17.6	34.4	-0.05	2.5	0.4	0.056	45.8	12	26	22	31	5.1	9.18	3.42	3.5	30.26	27.56
Apollo	3949	383901	526080	380	460	-19	63	324	4	388.9	6.63	0.15	1	0.2	0.024	10	1.5	6.3	2.7	7.2	-0.4	0.18	0.36	1	5.59	6.84
Apollo	3953	383926	526080	70	90	-19	18	72	1.8	90.7	6.76	0.3	0.7	0.2	0.031	6	2.6	5	4.5	6.4	0.8	0.36	0.36	0.6	5.09	5.48
Apollo	3955	383950	526080	34	32	-19	-9	27	-0.2	38.3	7.35	-0.05	0.75	0.4	0.028	8.5	3.1	5.5	5.4	6.7	1.2	0.36	0.36	0.4	6.78	6.08
Apollo	3957	383993	526080	39	36	-19	9	27	-0.2	47.7	7.78	-0.05	1.4	0.8	0.050	9	4.1	8	6.8	8.1	1.6	0.36	0.72	0.6	7.68	7.36
Apollo	3959	383975	526080	66	60	-19	18	54	-0.2	71.5	8.72	0.15	-0.05	0.8	0.045	9.2	3.4	5.4	5.6	6.8	0.8	0.72	0.36	0.8	5.83	5.2
Apollo	3961	384025	526080	190	170	-19	-9	45	0.4	199.8	8.58	0.15	0.4	0.8	0.043	9.6	3.2	7.8	8	10	0.8	0.18	0.36	1.2	8.65	6.76
Apollo	3963	384050	526080	47	56	-19	34	90	-0.2	72.6	9.51	0.15	2.3	0.5	0.040	13.7	4.4	9.8	6.7	9.8	1.25	0.45	0.36	0.3	8.14	7.6
Apollo	3965	384075	526080	200	260	-19	18	198	0.5	265.8	9.01	0.25	2.1	0.2	0.035	13.8	3.3	13	6.5	9	1.2	0.18	0.18	0.3	7.89	8.28
Apollo	3967	384100	526080	88	93	-19	18	81	0.4	123.4	7.65	0.3	1.8	0.2	0.037	13.3	1.3	1.6	5.5	5	2.7	0.36	0.18	0.6	7.86	8.08
Apollo	3969	384125	526080	66	93	-19	9	72	0.4	103.0	8.42	0.5	2.2	0.4	0.045	14.8	2	7.5	7	9.3	2	0.18	0.54	0.4	8.46	6.84
Apollo	3971	384150	526080	140	150	-19	18	90	1.5	158.6	7.94	0.2	1.7	0.2	0.026	11.8	3.1	6.8	5.4	8.3	3.1	0.36	0.18	0.5	7.03	8.92
Apollo	3973	384175	526080	55	90	-19	9	45	1.1	73.3	9.93	0.15	2.1	0.4	0.042	10	4.7	13	9	12	4.3	0.9	0.36	0.6	9.6	8.36
Apollo	3975	384200	526080	140	77	-19	45	90	1.1	177.5	10.2	0.1	2.3	0.4	0.050	17.4	4.5	12	9.5	11	3.9	0.18	0.18	0.8	10.99	8.36
Apollo	3977	384250	526080	93	120	-19	27	72	0.9	133.8	10.3	0.15	2.6	0.4	0.044	17.3	4.4	10	8.8	11	6.2	0.36	0.54	1.4	10.91	10.8
Apollo	3979	384300	526080	250	290	-19	63	198	2	330.6	11.4	0.25	2.5	0.4	0.038	15.1	4.6	11	8.9	11	4.7	0.18	0.18	0.6	8.58	9.64
Apollo	3981	384350	526080	110	80	-19	18	45	-0.2	76.6	9.55	0.3	2.3	0.4	0.093	14.3	7.1	11	11	12	2	0.18	0.18	0.9	11.23	5.84
Apollo	3983	384400	526080	120	120	-19	36	63	0.7	139.7	8.8	0.25	1.8	0.2	0.039	11.3	3.2	7.1	6.2	7.3	2.7	0.18	0.18	0.7	7.19	8.04
Apollo	3986	384450	526080	57	150	-19	18	45	0.7	73.4	10.7	0.3	2.2	0.2	0.045	16.9	5.2	8.5	9.8	10	4.7	0.18	0.18	1.1	9.29	10.24
Apollo	3989	384550	526080	110	170	-19	45	72	0.4	141.3	12	0.15	1.8	0.2	0.063	16.7	9	11	10	11	3.9	0.18	0.54	2.5	10.25	

	No.	Ba/H1 ppm	Ba/H2 ppm	Ba/A ppm	Ba/B ppm	Ba/C ppm	Ba/E ppm	Be/H1 ppm	Be/H2 ppm	Be/A ppm	Be/B ppm	Be/C ppm	Bi/H1 ppb	Bi/H2 ppb	Br/T ppm	Br/E ppm	Ca/T ppm	Ca/H1 ppm	Ca/H2 ppm	Ca/A ppm	Ca/B ppm	Ca/C ppm	Cd/H1 ppb	Cd/H2 ppb	Cd/A ppb	Cd/B ppb	Cd/C ppb	Cd/E ppb
Baxter	394	21	66	47	72	85	2.95	0.02	0.02	-0.02	-0.01	0.01	8.2	120	2.3	0.05	300	76	85	86	7	4	-2	2	-40	-18	18	0.3
Baxter	406	6	5	6	5	14	0.26	0.04	0.02	-0.02	-0.01	0.02	9.4	100	2.7	0.07	400	91	85	94	7	7	2	-2	-40	-18	18	-0.2
Baxter	409	6	12	4	3	6	0.29	0.08	0.06	0.02	-0.01	0.05	93	140	9.9	0.27	600	190	190	187	11	11	8	4	-40	-18	18	-0.2
Baxter	410	1	2	-2	-1	1	0.11	-0.02	-0.02	-0.02	-0.01	-0.01	10	94	2.7	-0.03	300	22	29	23	7	4	-2	-2	-40	-18	18	0.3
Baxter	415	11	18	18	6	7	1.29	-0.02	0.02	-0.02	-0.01	-0.01	8.6	97	3.9	-0.03	400	41	48	39	7	7	-2	-2	-40	-18	18	-0.2
Baxter	416	12	27	12	17	5	1.53	0.02	0.02	-0.02	-0.01	0.01	9.2	110	1	-0.03	400	54	65	62	5	4	-2	-2	-40	-18	18	0.3
Baxter	417	4	3	10	4	7	0.17	0.02	0.02	-0.02	-0.01	-0.01	9.4	110	1	0.08	400	110	130	117	11	7	-2	-2	-40	-18	18	-0.2
Baxter	418	2	3	-2	-1	-1	0.04	-0.02	-0.02	-0.02	-0.01	-0.01	16	130	4.9	0.06	300	54	58	47	4	7	-2	-2	-40	-18	18	-0.2
Baxter	419	26	49	12	43	14	1.44	0.1	0.08	0.02	0.02	0.02	12	100	1	0.05	700	180	200	179	18	7	20	24	39	-18	18	0.8
Baxter	423	4	6	2	2	4	0.23	0.02	0.02	-0.02	-0.01	-0.01	12	84	4.4	0.03	400	65	78	62	7	4	6	2	-40	-18	18	1.4
Baxter	426	20	18	43	8	20	1.85	-0.02	0.02	-0.02	-0.01	-0.01	10	98	1	0.03	400	50	61	55	11	7	-2	-2	-40	-18	18	0.3
Baxter	427	9	17	10	16	14	0.64	-0.02	0.02	-0.02	-0.01	-0.01	10	86	1	0.07	400	53	59	55	7	7	-2	-2	-40	-18	18	-0.2
Baxter	437	4	7	4	2	3	0.16	-0.02	0.02	-0.02	-0.01	-0.01	8.2	81	1	0.03	600	55	60	55	7	7	2	-2	-40	-18	18	-0.2
Baxter	440	3	3	-2	1	1	0.06	0.04	0.04	-0.02	-0.01	-0.01	13	120	7.3	0.10	500	160	160	125	11	7	-2	-2	-40	-18	18	0.6
Baxter	441	1	2	-2	-1	-1	0.08	0.02	0.04	-0.02	-0.01	-0.01	8.4	100	2.5	0.17	400	93	81	78	11	7	-2	-2	-40	-18	108	-0.2
Baxter	442	3	6	2	5	7	0.17	0.04	0.06	-0.02	-0.01	-0.01	8.4	94	5	0.07	400	110	250	86	7	7	2	4	-40	-18	18	0.5
Baxter	443	6	9	8	3	5	0.42	0.04	0.04	-0.02	-0.01	-0.02	10	77	3	0.03	400	92	80	78	7	7	2	-2	-40	-18	18	0.3
Baxter	444	6	9	8	2	2	0.33	-0.02	0.02	-0.02	-0.01	-0.01	10	94	3	0.05	500	110	98	78	7	7	2	-2	-40	-18	18	-0.2
Baxter	445	11	13	16	5	7	0.92	-0.02	0.02	-0.02	-0.01	-0.01	9.8	100	3.4	0.03	400	87	73	62	7	7	-2	-2	-40	-18	18	0.3
Baxter	448	4	8	2	11	8	0.24	0.02	0.04	-0.02	-0.01	-0.02	10	110	3.6	0.06	400	100	100	86	11	7	2	-2	-40	-18	18	0.5
Fender	4401	30	27	105	14	47	0.42	0.1	0.04	0.04	-0.01	0.04	2.4	12	2.4	0.13	1100	1200	1443	18	22	4	-2	-40	-18	18	-0.2	
Fender	4406	15	12	78	13	34	0.32	0.08	0.04	0.02	-0.01	0.04	3.2	17	5.3	0.06	450	500	624	25	18	2	-2	-40	-18	18	0.3	
Fender	4411	4	5	4	2	2	0.23	0.08	0.04	-0.02	-0.01	0.03	7.8	66	4.1	0.07	150	160	172	22	11	12	18	-40	-18	18	0.5	
Fender	4412	5	5	4	2	2	0.21	0.12	0.02	0.02	-0.01	0.04	15	91	3.6	0.11	160	160	226	11	14	12	10	-40	-18	18	0.8	
Fender	4413	6	4	5	2	4	0.16	0.12	0.04	0.03	0.01	0.05	12	81	6.8	0.17	370	320	319.5	16	22	20	20	-40	-18	18	1.2	
Fender	2649	10	12	78	14	38	0.65	0.24	0.12	0.08	0.02	0.12	3.4	38	2.9	1.20	1300	1200	1443	40	40	12	28	-40	-18	18	0.3	
Fender	2653	9	9	113	8	58	0.88	0.26	0.1	0.12	0.01	0.18	4.8	39	2.3	0.62	2000	2100	2301	25	25	12	20	-40	-18	18	-0.2	
Fender	2658	5	6	62	5	16	0.38	0.18	0.08	0.02	-0.01	0.11	4.8	38	2.8	1.09	1900	2100	2457	32	32	12	28	-40	-18	18	-0.2	
Fender	2663	6	3	37	4	6	0.33	0.16	0.08	0.04	-0.01	0.14	6.6	46	2.5	1.52	1000	1200	1170	18	14	4	6	-40	-18	18	-0.2	
Fender	2668	8	11	31	6	8	0.37	0.18	0.06	0.02	0.02	0.12	5.8	42	1	0.76	1100	1200	1287	43	25	10	30	-40	-18	18	0.5	
Fender	2673	10	7	133	10	85	0.87	0.2	0.08	0.04	-0.01	0.13	4.8	34	1	0.81	1800	2100	1950	32	25	10	18	-40	-18	18	0.3	
Fender	2680	8	6	37	5	12	0.27	0.24	0.1	0.06	0.01	0.15	7	52	2	0.51	2100	1100	1200	1131	22	18	10	12	-40	-18	18	-0.2
Fender	2688	14	11	140	10	67	1.04	0.28	0.1	0.08	0.01	0.16	5.4	43	1	0.26	1500	1600	1560	25	29	14	28	-40	-18	18	0.3	
Fender	2696	11	15	98	9	38	0.66	0.22	0.1	0.06	0.01	0.17	5.4	41	1	0.54	1700	2000	1911	40	36	14	34	-40	-18	18	0.3	
Fender	2707	6	3	22	3	4	0.11	0.14	0.06	0.04	0.01	0.08	4.2	37	2.1	0.81	1000	1000	1053	11	18	12	8	-40	-18	18	-0.2	
Fender	2718	10	11	70	11	29	0.62	0.2	0.08	0.08	0.04	0.14	5.6	64	3.2	1.74	2100	2400	2301	25	29	26	40	-40	-18	18	0.5	
Fender	2732	11	14	70	12	50	0.70	0.2	0.06	0.04	0.03	0.16	9.2	64	3.1	0.70	1800	2000	2067	22	25	110	180	78	36	36	0.8	
Fender	2746	7	10	51	9	34	0.49	0.2	0.08	0.06	0.03	0.14	3.4	37	2.2	0.92	1100	1100	1248	47	54	16	50	-40	-18	18	0.3	
Fender	2759	9	9	90	9	40	0.68	0.16	0.08	0.04	0.04	0.14	3.8	45	2.2	0.34	1200	1400	1482	43	40	12	80	-40	-18	18	0.3	
Fender	2771	7	5	35	5	10	0.42	0.22	0.06	0.06	0.04	0.14	8.4	50	2.3	0.79	2000	2200	2223	18	18	16	24	-40	-18	18	0.3	
Fender	2780	2	3	8	3	3	0.06	0.04	0.04	-0.02	0.02	0.07	5	52	1	1.74	510	920	975	7	11	2	12	-40	-18	18	-0.2	

	No.	Ba/H1 ppm	Ba/H2 ppm	Ba/A ppm	Ba/B ppm	Ba/C ppm	Ba/E ppm	Be/H1 ppm	Be/H2 ppm	Be/A ppm	Be/B ppm	Be/C ppm	Bi/H1 ppb	Bi/H2 ppb	Br/T ppm	Br/E ppm	Ca/T ppm	Ca/H1 ppm	Ca/H2 ppm	Ca/A ppm	Ca/B ppm	Ca/C ppm	Cd/H1 ppb	Cd/H2 ppb	Cd/A ppb	Cd/B ppb	Cd/C ppb	Cd/E ppb
Fender	2788	7	6	18	4	4	0.20	0.18	0.06	0.04	0.03	0.13	6.2	38	3.1	1.27	2500	1100	1400	1326	14	22	18	20	-40	-18	18	-0.2
Fender	2796	9	12	43	8	17	0.29	0.2	0.06	0.06	0.03	0.17	7.2	44	2.4	0.81	1500	1700	1677	14	29	14	30	-40	-18	18	-0.2	
Fender	2802	11	10	70	8	34	0.64	0.26	0.08	0.06	0.03	0.16	6	38	3.5	1.16	2100	2100	2301	32	43	28	60	-40	-18	18	0.3	
Fender	2808	17	17	78	11	40	1.01	0.24	0.08	0.06	0.04	0.13	4.6	36	1	0.11	1700	1600	1716	22	25	18	42	-40	-18	18	0.3	
Fender	2813	7	6	35	5	10	0.30	0.18	0.06	0.06	0.03	0.12	4.2	30	3.2	1.21	1300	1400	1521	25	32	12	26	-40	-18	18	0.3	
Fender	2818	8	11	47	9	15	0.31	0.36	0.08	0.06	0.06	0.22	4.6	35		1.16	1300	1500	1443	25	29	26	50	-40	-18	18	0.3	
Fender	2822	15	19	86	18	34	0.78	0.14	0.04	0.02	0.02	0.08	3.8	31	2.5	0.24	1100	1100	1170	36	25	20	62	-40	-36	18	0.3	
Fender	2827	9	8	47	6	13	0.33	0.22	0.06	0.06	0.03	0.12	4.4	32	2.2	0.71	1200	1300	1404	36	43	10	32	-40	-18	18	-0.2	
Fender	2832	6	8	51	5	14	0.26	0.2	0.08	0.06	0.03	0.13	3.8	34	1	0.50	1300	1100	1248	29	32	8	18	-40	-18	18	-0.2	
Fender	2837	8	14	70	17	47	0.59	0.2	0.06	0.06	0.03	0.10	3.6	30	2.2	0.82	1100	1300	1365	25	32	14	44	-40	-18	18	0.5	
Fender	2842	8	8	59	7	25	0.28	0.2	0.06	0.06	0.03	0.13	3.6	27	1	0.99	1000	1100	1170	36	36	8	22	-40	-18	18	0.3	
Fender	2847	10	13	62	9	23	0.53	0.28	0.08	0.08	0.03	0.17	3.2	29	3.8	0.81	2600	2700	3003	47	61	16	38	-40	-18	18	0.5	
Fender	2853	9	18	39	14	18	0.44	0.18	0.06	0.06	0.02	0.11	3.4	40	1	0.25	1200	1200	1287	36	40	16	52	-40	-36	18	0.5	
Fender	2860	10	10	37	5	12	0.39	0.18	0.08	0.06	0.02	0.11	4.2	38	1	0.35	1000	1000	1131	36	43	6	18	-40	-18	18	-0.2	
Fender	2867	9	9	31	6	14	0.33	0.26	0.08	0.06	0.03	0.14	8	40	2.9	1.11	1300	1400	1521	29	36	18	36	-40	-18	18	1	
Fender	2874	9	14	66	14	49	0.73	0.26	0.1	0.10	0.03	0.14	7	49	4.4	1.85	1100	1100	1209	22	25	14	36	-40	-18	18	0.5	
Fender	2882	19	20	78	18	43	0.94	0.24	0.08	0.08	0.04	0.13	7	51	1	0.18	1100	1200	1248	36	32	26	58	-40	-36	18	0.3	
Bronzewing	2718	3	6	-2	7	2	0.44	0.1	0.04	0.02	0.02	0.04	11	120	2.6	0.16	400	120	130	47	11	7	4	-2	-40	-18	18	0.5
Bronzewing	2719	3	5	-2	7	3	0.33	0.14	0.04	0.06	0.01	0.03	12	130	2.8	0.27	400	110	120	47	7	7	-2	-2	-40	-18	18	0.6
Bronzewing	2720	3	7	-2	8	1	1.06	0.08	0.04	0.04	-0.01	0.03	9.6	130	0.7	0.21	200	37	73	62	25	7	-2	-2	-40	-18	18	1.2
Bronzewing	2721	-1	-1	4	-1	-1	0.10	0.06	0.02	0.02	-0.01	0.01	12	130	5.9	2.08	600	200	210	226	11	11	-2	-2	-40	-18	18	0.8
Bronzewing	2722	3	5	2	4	2	0.24	0.14	0.04	0.10	0.02	0.04	12	150	2.5	0.13	400	120	160	156	4	18	2	-2	-40	-18	18	0.3
Bronzewing	2801	4	10	4	10	3	0.66	0.12	0.04	0.12	0.02	0.03	12	140	0.7	0.10	300	120	140	148	7	7	4	-2	-40	-18	18	0.8
Bronzewing	2802	3	5	2	3	-1	0.19	0.18	0.06	0.06	0.03	0.04	13	140	6.6	0.45	600	250	270	250	7	7	6	-2	-40	-18	18	1.6
Bronzewing	2803	3	5	-2	5	2	0.37	0.1	0.06	0.07	0.01	0.03	12	120	2.2	0.16	400	110	140	136.5	5	5	2	-2	-40	-18	18	3
Bronzewing	2804	7	17	8	20	5	0.75	0.12	0.06	0.04	0.01	0.04	11	120	2.2	0.34	500	220	240	250	7	7	4	-2	-40	-18	18	0.3
Bronzewing	2805	7	20	2	25	5	0.97	0.2	0.08	0.10	0.02	0.06	11	130	2.9	0.66	400	180	200	195	7	7	4	-2	-40	-18	18	0.6
Bronzewing	2806	2	4	4	3	3	0.09	0.14	0.06	0.06	-0.01	0.04	12	150	2.9	0.22	400	210	230	343	7	7	4	-2	-40	-18	18	-0.2
Bronzewing	2807	4	10	6	7	1	0.21	0.16	0.08	0.10	0.01	0.08	13	150	4	0.51	600	280	310	289	11	11	6	-2	-40	-18	18	0.5
Bronzewing	2808	5	10	2	10	3	0.62	0.14	0.08	0.08	0.01	0.03	12	150	3	0.22	500	200	230	218	7	7	-2	-2	-40	-18	18	-0.2
Bronzewing	2809	4	10	2	12	9	0.77	0.1	0.08	0.06	0.01	0.03	12	150	0.7	0.08	300	120	140	133	4	7	-2	-2	-40	-18	18	-0.2
Bronzewing	2810	3	5	-2	11	15	0.23	0.12	0.08	0.04	-0.01	0.04	12	150	2.5	0.20	400	100	110	117	7	7	2	-2	-40	-18	18	0.3
Bronzewing	2811	3	17	-2	11	3	0.66	0.16	0.12	0.08	0.01	0.05	11	130	0.7	0.21	400	120	140	133	11	7	-2	-2	-40	-18	18	0.8
Curara	1048	2	2	-2	-1	-1	0.07	0.08	0.02	0.02	-0.01	0.03	13	110	2.1	0.09	440	190	109	4	4	2	-2	-40	-18	18	-0.2	
Curara	1050	1	1	-2	-1	-1	0.05	0.04	-0.02	-0.02	-0.01	0.02	9	81	1	0.07	100	160	90	62	4	4	-2	-2	-40	-18	18	-0.2
Curara	1051	3	3	-2	1	-1	0.08	0.16	0.04	0.06	-0.01	0.05	21	130	3.9	0.12	410	360	367	4	7	8	4	-40	-18	18	-0.2	
Curara	1052	3	3	2	2	1	0.06	0.16	0.04	0.06	0.01	0.05	18	150	2.9	0.16	280	260	265	4	4	4	-2	-40	-18	18	-0.2	
Curara	1053	4	6	2	3	3	0.12	0.12	0.04	0.06	-0.01	0.05	15	140	2	0.13	250	250	242	4	7	4	-2	-40	-18	18	0.5	
Curara	1054	5	5	2	3	1	0.14	0.18	0.04	0.04	0.01	0.08	22	170	2.7	0.18	380	310	312	4	7	6	-2	-40	-18	18	0.5	
Curara	1055	5	5	2	3	4	0.12	0.16	0.04	0.06	0.01	0.06	24	170	1	0.05	540	430	468	11	18	14	8	-40	-18	18	0.5	
Curara	1056	3	3	-2	3	3	0.09	0.14	0.04	0.04	0.02	0.05	20	150	1	0.06	340	280	289	4	4	2	-2	-40	-18	18	-0.2	

	No.	Ba/H1 ppm	Ba/H2 ppm	Ba/A ppm	Ba/B ppm	Ba/C ppm	Ba/E ppm	Be/H1 ppm	Be/H2 ppm	Be/A ppm	Be/B ppm	Be/C ppm	Bi/H1 ppb	Bi/H2 ppb	Br/T ppm	Br/E ppm	Ca/T ppm	Ca/H1 ppm	Ca/H2 ppm	Ca/A ppm	Ca/B ppm	Ca/C ppm	Cd/H1 ppb	Cd/H2 ppb	Cd/A ppb	Cd/B ppb	Cd/C ppb	Cd/E ppb	
Curara	1057	10	14	4	13	3	0.19	0.16	0.04	0.06	0.02	0.08	20	150	2.1	0.11	200	290	250	257	7	11	20	24	-40	-18	18	0.6	
Curara	1058	4	5	2	4	2	0.10	0.16	0.06	0.06	0.02	0.05	16	150	2.1	0.14		210	240	242	4	4	6	6	-40	-18	18	0.3	
Curara	1059	3	3	-2	2	-1	0.11	0.14	0.06	0.04	0.02	0.05	14	130	2.2	0.11		250	300	289	4	4	8	6	-40	-18	18	-0.2	
Curara	1060	2	3	-2	1	-1	0.08	0.14	0.06	0.05	0.01	0.06	14	130	2.1	0.09	200	180	220	160	3	5	4	-2	-40	-18	18	-0.2	
Curara	1061	7	12	2	10	3	0.19	0.12	0.06	0.06	0.01	0.05	14	130	2.6	0.15		260	310	296	4	7	6	6	-40	36	18	0.3	
Curara	1062	9	13	6	8	5	0.75	0.12	0.06	0.06	0.01	0.06	14	140	1	0.07		250	360	359	4	4	8	16	-40	-18	18	1.4	
Curara	1063	3	4	4	-1	-1	0.13	0.12	0.06	0.06	0.01	0.07	15	120	1	-0.03		240	260	281	4	7	6	6	117	-18	18	0.6	
Curara	1065	3	2	-2	-1	-1	0.04	0.12	0.06	0.04	-0.01	0.05	17	140	2.3	0.07		300	270	265	4	7	4	-2	-40	-18	18	-0.2	
Curara	1067	-1	-1	-2	-1	-1	0.03	0.04	0.02	-0.02	-0.01	0.02	12	120	1	0.07		93	110	101	7	7	-2	-2	-40	-18	18	-0.2	
Curara	1070	-1	-1	-2	-1	-1	0.02	0.02	0.02	-0.02	-0.01	0.01	11	110	1	0.05		56	89	78	-4	7	-2	-2	-40	-18	18	-0.2	
Curara	2276	-1	-1	-2	-1	-1	0.07	0.06	0.04	-0.02	-0.01	0.04	12	100	4.88			240	300	304	4	7	-2	-2	-40	-18	18	1	
Curara	2278	2	2	-2	-1	-1	0.06	0.1	0.06	0.02	0.01	0.04	14	130	4.7	0.60	200	310	260	250	4	7	6	4	-40	-18	18	-0.2	
Curara	2280	-1	-1	-2	1	8	0.03	0.04	0.04	-0.02	-0.01	0.03	13	130	0.25			130	150	133	4	7	2	-2	-40	-18	18	0.6	
Curara	2282	-1	-1	-2	-1	-1	0.03	0.06	0.04	-0.02	-0.01	0.04	12	110	0.18			100	130	117	7	7	-2	-2	-40	-18	18	-0.2	
Curara	2283	1	1	-2	1	5	0.04	0.04	0.04	0.02	-0.01	0.03	11	120	0.12			90	120	109	4	7	-2	-2	-40	-18	18	0.3	
Curara	2285	2	2	-2	-1	-1	0.07	0.08	0.04	0.02	-0.01	0.04	11	120	0.17			270	270	265	7	11	4	-2	-40	-18	18	0.3	
Curara	2288	-1	-1	-2	-1	-1	0.03	0.04	0.04	-0.02	-0.01	0.02	9	110	0.08			36	63	47	11	4	-2	-2	-40	-18	18	0.3	
Curara	2291	-1	-1	-2	-1	-1	0.06	0.04	0.02	-0.02	-0.01	0.03	8.4	120	0.04			63	92	86	7	11	2	-2	-40	-18	18	-0.2	
Curara	2294	-1	-1	-2	-1	-1	0.04	0.04	0.02	-0.02	-0.01	0.02	9.2	110	0.20			81	110	94	7	7	-2	-2	-40	-18	18	-0.2	
Curara	2297	1	-1	-2	-1	-1	0.11	0.04	0.06	0.02	-0.01	0.04	6.8	93	0.16			75	110	109	7	11	-2	-2	-40	-18	18	-0.2	
Safari	2994	8	11	12	1	-1	0.34	0.04	-0.02	-0.02	-0.01	0.03	4	72	3.3	0.52		1100	1100	1900	1716	18	18	6	8	-40	-18	18	-0.2
Safari	3016	8	11	14	2	1	0.30	0.02	-0.02	0.02	0.02	0.04	3	67		0.28		1500	1500	2600	2886	22	22	6	10	-40	-18	18	-0.2
Safari	3038	9	11	16	2	1	0.33	0.02	-0.02	-0.02	0.01	0.03	3.8	61		0.29		1100	1100	1700	2028	22	22	6	12	-40	-18	18	0.5
Safari	3060	14	14	18	2	1	0.36	0.02	-0.02	-0.02	0.01	0.03	5.2	65		0.32		9100	9300	15000	15600	54	32	10	18	-40	-18	18	-0.2
Safari	3082	9	9	14	2	1	0.30	0.04	-0.02	0.02	0.01	0.03	5.2	64	4.7	0.26		1200	1200	2200	2418	25	22	4	8	-40	-18	18	-0.2
Safari	3100	10	11	16	3	1	0.35	0.04	-0.02	-0.02	0.01	0.03	4.6	88		0.22		1800	1800	3100	3705	32	25	6	14	-40	-18	18	-0.2
Safari	3122	13	16	16	2	1	0.36	0.04	-0.02	-0.02	0.01	0.04	5	69		0.30		5300	5200	8700	8580	36	29	8	20	-40	-18	18	-0.2
Safari	3140	10	8	14	2	1	0.29	0.04	-0.02	0.02	0.01	0.03	5.2	64	3.8	0.30		3500	3600	4900	6240	32	25	8	12	-40	-18	18	-0.2
Safari	3158	9	9	12	1	-1	0.20	0.04	-0.02	0.04	-0.01	0.04	5	73		0.33		1100	1200	1600	1833	22	18	6	12	-40	-18	18	-0.2
Safari	3176	11	11	16	1	1	0.29	0.04	-0.02	0.03	0.01	0.05	5.4	68	5.1	0.36		4000	4000	6600	7800	29	22	8	12	-40	-18	18	0.3
Safari	3192	12	13	14	4	1	0.26	0.06	-0.02	0.02	-0.01	0.05	6.6	76		0.23		1200	1400	2100	2106	22	18	8	12	-40	-18	18	-0.2
Safari	3208	14	15	18	5	2	0.21	0.04	-0.02	0.02	0.02	0.04	4.2	66		0.26		14000	1300	1800	2223	29	25	8	14	-40	-18	18	-0.2
Safari	3224	10	16	16	2	1	0.27	0.04	-0.02	-0.02	0.01	0.05	4.6	72		0.19		700	1100	1900	1638	22	29	8	16	-40	-18	18	0.3
Safari	3240	8	13	14	2	1	0.27	0.04	-0.02	0.02	-0.01	0.05	4.6	63		0.13		1200	860	1600	1989	18	18	6	12	-40	-18	18	-0.2
Safari	3256	9	11	14	4	2	0.22	0.06	-0.02	0.02	0.01	0.04	5.2	68	4.2	2.63		900	1400	1300	1521	22	18	6	10	-40	-18	18	0.3
Safari	3268	12	12	16	3	2	0.18	0.06	-0.02	0.02	-0.01	0.06	6.4	74		0.37		1000	1000	1500	1716	18	22	8	12	-40	-18	18	0.3
Safari	3284	9	5	14	2	1	0.21	0.04	-0.02	-0.02	0.01	0.08	5.6	46		0.68		1100	900	890	1950	14	18	8	4	-40	-18	18	-0.2
Safari	3300	9	8	10	2	1	0.16	0.04	-0.02	-0.02	0.02	0.07	4.4	63	2.8	0.21		700	690	1600	1053	11	14	6	14	-40	-18	18	0.3
Safari	3312	7	9	8	2	1	0.18	0.04	-0.02	0.02	0.02	0.07	4.8	65		0.18		600	590	1100	1131	11	14	6	10	-40	-18	18	-0.2
Safari	3324	9	6	10	2	1	0.20	0.04	-0.02	0.02	0.01	0.08	4.6	55		0.21		800	860	870	1404	14	14	6	10	-40	-18	18	0.3
Safari	3336	10	14	13	2	1	0.24	0.04	-0.02	0.03	0.01	0.08	4.6	77		0.21		1000	1400	1540.5	11	13	6	10	-40	-18	18	-0.2	

	No.	Ba/H1 ppm	Ba/H2 ppm	Ba/A ppm	Ba/B ppm	Ba/C ppm	Ba/E ppm	Be/H1 ppm	Be/H2 ppm	Be/A ppm	Be/B ppm	Be/C ppm	Bi/H1 ppb	Bi/H2 ppb	Br/T ppm	Br/E ppm	Ca/T ppm	Ca/H1 ppm	Ca/H2 ppm	Ca/A ppm	Ca/B ppm	Ca/C ppm	Cd/H1 ppb	Cd/H2 ppb	Cd/A ppb	Cd/B ppb	Cd/C ppb	Cd/E ppb
Safari	3348	10	12	12	1	1	0.25	0.04	-0.02	0.04	0.02	0.07	4.8	71	2.5	0.13	900	900	1400	1365	11	14	6	14	-40	-18	18	-0.2
Safari	3360	8	13	14	1	1	0.23	0.04	-0.02	0.02	0.01	0.07	4.2	78	0.13	800	680	1300	1326	11	14	4	12	-40	-18	18	-0.2	
Safari	3372	12	14	20	3	3	0.38	0.06	-0.02	0.02	0.02	0.10	6.2	66	0.40	2400	3300	3783	18	25	8	14	-40	-18	18	-0.2		
Safari	3384	10	9	12	2	-1	0.27	0.06	-0.02	0.02	0.02	0.05	6	66	0.21	1000	1300	1521	11	11	6	14	-40	-18	18	-0.2		
Steinway	6301	46	20	47	7	34	0.17	0.1	0.02	0.06	-0.01	0.07	14	75	14.7	5.94	81000	64000	74100	112	54	50	48	39	-18	18	-0.2	
Steinway	6303	27	25	51	8	14	0.18	0.14	0.04	0.08	-0.01	0.14	14	100	11.3	3.86	34000	40000	42900	58	50	38	72	39	-18	18	-0.2	
Steinway	6306	26	22	25	8	31	0.24	0.16	0.04	0.04	-0.01	0.12	21	99	24.8	7.53	45000	41000	50700	133	112	38	52	-40	-18	18	-0.2	
Steinway	6308	17	19	37	9	27	0.44	0.16	0.04	0.04	-0.01	0.09	15	100	22	4.33	22000	21000	29640	61	65	20	36	-40	-18	18	-0.2	
Steinway	6309	20	22	43	10	20	0.11	0.24	0.08	0.06	-0.01	0.17	22	120	20.2	7.30	25000	22000	25350	54	54	50	64	39	-18	18	-0.2	
Steinway	6310	53	41	39	9	12	0.13	0.24	0.06	0.10	-0.01	0.13	17	94	9.5	1.48	31000	29000	34320	58	54	54	72	39	-18	18	-0.2	
Steinway	6311	59	55	47	14	22	0.19	0.36	0.1	0.12	-0.01	0.20	21	120	15.5	2.85	17000	14000	17160	76	61	74	110	39	-18	18	-0.2	
Steinway	6312	53	36	43	8	14	0.13	0.16	0.06	0.08	-0.01	0.16	20	99	17.5	3.37	44000	38000	42900	79	97	72	86	39	-18	18	-0.2	
Steinway	6313	49	49	43	12	14	0.15	0.22	0.08	0.06	-0.01	0.15	24	100	12.9	3.91	32000	24000	27690	54	50	60	78	39	-18	18	0.3	
Steinway	6314	54	46	47	8	13	0.18	0.16	0.06	0.07	-0.01	0.15	19	90	12.1	2.08	51000	45000	54600	101	101	72	90	59	-18	18	-0.2	
Steinway	6315	48	37	39	12	13	0.10	0.22	0.06	0.10	-0.01	0.18	22	99	14.1	5.60	49000	37000	42900	61	65	110	110	78	-18	18	-0.2	
Steinway	6316	71	57	43	5	9	0.14	0.14	0.04	0.08	-0.01	0.18	20	96	14.8	1.66	69000	61000	54600	90	97	92	110	78	-18	18	-0.2	
Steinway	6317	64	64	43	5	7	0.15	0.18	0.06	0.08	-0.01	0.16	19	93	13.4	2.22	57000	51000	54600	68	65	70	92	78	-18	18	-0.2	
Steinway	6318	41	35	51	12	27	0.14	0.14	0.06	0.08	-0.01	0.20	17	94	17.3	6.08	66000	56000	62400	83	72	82	94	78	-18	18	-0.2	
Steinway	6319	48	58	47	8	14	0.11	0.12	0.04	0.06	-0.01	0.13	19	94	15.8	4.49	61000	56000	58500	79	72	76	96	78	-18	18	-0.2	
Steinway	6324	51	45	39	6	10	0.17	0.26	0.12	0.10	0.02	0.22	20	83	14	2.33	22000	19000	24570	58	79	56	72	39	-18	18	-0.2	
Steinway	6326	52	56	38	7	14	0.10	0.18	0.06	0.08	-0.01	0.20	23	79	18.2	3.15	52000	38000	45600	86	83	78	74	76	-18	18	-0.2	
Steinway	6328	35	28	51	9	20	0.12	0.18	0.06	0.08	-0.01	0.17	20	68	14.2	4.28	46000	38000	46800	68	58	64	64	39	-18	18	-0.2	
Apollo	3949	22	11	39	5	4	0.40	-0.02	-0.02	-0.02	0.02	0.04	5.2	35	4	0.58	25900	20000	27000	28470	25	22	140	170	156	-18	18	1
Apollo	3953	21	11	35	5	8	0.41	-0.02	-0.02	-0.02	0.01	0.04	4	25	4	1.87	34300	22000	24000	27690	22	11	28	38	-40	-18	18	0.3
Apollo	3955	28	14	39	5	7	0.44	0.02	-0.02	-0.02	-0.01	0.04	5	27	5.9	1.07	38400	28000	32000	39000	25	14	20	22	-40	-18	18	-0.2
Apollo	3957	47	20	51	5	5	0.36	0.02	-0.02	0.04	-0.01	0.05	6.6	28	4.7	0.37	47900	42000	42000	105300	25	18	26	28	39	-18	18	0.3
Apollo	3959	28	13	55	5	6	0.55	0.04	-0.02	0.04	-0.01	0.05	4.8	28	4.7	1.02	42200	26000	32000	89700	29	18	28	28	39	-18	18	-0.2
Apollo	3961	37	12	39	5	12	0.23	0.04	-0.02	0.04	-0.01	0.05	7	34	5.2	0.76	61700	40000	40000	113100	22	18	70	56	39	-18	18	-0.2
Apollo	3963	28	8	44	5	9	0.18	0.04	-0.02	0.04	-0.01	0.05	6	27	6.2	2.52	94700	48000	42000	79950	25	23	36	38	59	-18	18	-0.2
Apollo	3965	19	9	31	4	5	0.18	0.08	-0.02	0.06	0.01	0.07	8.2	42	6.8	2.52	44100	29000	23000	28080	22	18	88	98	78	-18	18	-0.2
Apollo	3967	34	19	35	2	2	0.34	0.08	-0.02	0.06	0.01	0.08	7.4	39	3.8	0.36	27200	18000	18000	21840	18	14	48	54	39	-18	18	0.3
Apollo	3969	26	18	39	5	4	0.25	0.08	-0.02	0.04	0.02	0.09	6.2	44	3.8	0.38	23900	17000	20000	24960	18	14	36	54	39	-18	18	-0.2
Apollo	3971	18	11	22	4	4	0.21	0.1	-0.02	0.06	0.02	0.07	6	41	4.8	1.64	13200	13000	9100	9750	14	14	58	64	39	-18	18	0.5
Apollo	3973	23	16	27	4	5	0.21	0.1	-0.02	0.06	0.02	0.09	7.4	45	6	1.71	25400	20000	20000	23400	22	18	36	60	39	-18	18	0.3
Apollo	3975	38	22	43	5	5	0.42	0.08	-0.02	0.06	0.02	0.10	7.8	54	4.6	0.77	31700	25000	7600	31980	25	18	56	50	39	-18	18	0.3
Apollo	3977	45	27	51	5	7	0.37	0.08	-0.02	0.08	0.01	0.12	8	47	5	1.57	35400	28000	33150	29	25	54	68	39	-18	18	-0.2	
Apollo	3979	23	11	31	5	10	0.15	0.08	-0.02	0.06	0.02	0.11	8.8	45	6.2	1.75	34900	27000	24000	24960	22	18	94	120	78	-18	18	0.3
Apollo	3981	35	25	43	4	4	0.50	0.12	-0.02	0.06	0.02	0.08	8	53	3.5	0.58	20800	17000	18000	20670	22	18	40	76	-40	-18	18	0.3
Apollo	3983	19	14	25	5	3	0.17	0.12	-0.02	0.06	0.02	0.06	7.6	43	3.6	0.94	10600	9400	8700	9360	14	14	40	48	-40	-18	18	-0.2
Apollo	3986	24	21	27	7	5	0.25	0.14	-0.02	0.06	0.02	0.09	9.2	44	4.5	1.37	13300	8300	25000	8190	14	14	32	74	-40	-18	18	0.5
Apollo	3989	29	25	29	13	10	0.10	0.12	-0.02	0.06	0.02	0.10	8.6	50	4.1	0.66	16500	12000	9000	10140	18	18	46	68	39	-18	18	-0.2

	No.	Cd/M ppb	Ce/T ppm	Ce/H1 ppm	Ce/H2 ppm	Ce/A ppm	Ce/B ppm	Ce/C ppm	Ce/E ppm	Co/T ppm	Co/H1 ppm	Co/H2 ppm	Co/A ppm	Co/B ppm	Co/C ppm	Co/E ppm	Co/M ppm	Cr/A ppm	Cr/B ppm	Cr/C ppm	Cs/T ppm	Cs/E ppm	Cu/T ppm	Cu/H1 ppm	Cu/H2 ppm	Cu/A ppm	Cu/B ppm	Cu/C ppm	Cu/E ppm
Baxter	394	-2	186	49	43	50.70	1.46	5.76	0.04	12.5	0.2	1.2	-0.4	0.7	0.5	0.033	0.096	-0.8	-0.4	1.1	5.3	-0.001	31	2.4	3.8	2.0	0.2	2.2	0.03
Baxter	406	-2	79.1	9	6.8	6.63	0.36	2.34	0.01	10.8	0.2	0.4	-0.4	-0.2	-0.2	0.024	0.086	-0.8	-0.4	0.7	4.3	-0.001	29	2.4	2.8	1.6	-0.2	1.6	0.02
Baxter	409	6	98.5	12	14	8.19	0.65	5.22	0.04	14.3	1	1.2	0.4	0.5	0.2	0.099	0.182	-0.8	-0.4	-0.4	5.9	-0.001	28	3.4	3.8	2.0	-0.2	2.2	0.03
Baxter	410	-2	57.8	2.2	2.8	1.83	0.11	0.56	0.01	7	-0.2	-0.2	-0.4	-0.2	-0.2	0.002	0.013	-0.8	-0.4	-0.4	4.1	-0.001	30	1.4	2.2	1.2	-0.2	0.9	0.02
Baxter	415	-2	79.7	7.3	7.3	7.80	0.22	0.85	0.01	8.8	-0.2	0.2	-0.4	-0.2	-0.2	0.006	0.018	-0.8	-0.4	-0.4	3.9	-0.001	32	2.2	3.2	2.3	-0.2	1.1	0.02
Baxter	416	-2	95.8	8.3	11	8.19	0.64	2.43	0.02	14	1	1	-0.4	0.7	-0.2	0.239	0.159	-0.8	0.3	-0.4	5.1	-0.001	26	1.8	2.4	1.4	-0.2	0.9	0.02
Baxter	417	4	80.7	6.6	6.9	5.07	0.45	1.98	0.01	10.7	-0.2	0.4	-0.4	-0.2	-0.2	0.015	0.052	-0.8	-0.4	-0.4	5.1	-0.001	33	2.2	2.6	1.6	-0.2	1.3	0.01
Baxter	418	2	71.5	5.2	4.7	3.35	0.18	1.62	0.00	9	-0.2	-0.2	-0.4	-0.2	-0.2	0.002	0.018	-0.8	-0.4	0.7	5.5	-0.001	36	3	3	2.7	-0.2	1.8	0.01
Baxter	419	10	102	6.8	9	2.46	1.62	5.94	0.01	22.1	3.4	3.2	-0.4	3.1	0.4	0.437	0.026	-0.8	-0.4	-0.4	4.2	0.001	40	5.6	5.8	1.6	0.7	2.7	0.05
Baxter	423	4	77.7	4.3	4.9	2.57	0.25	1.28	0.01	9.6	-0.2	0.2	-0.4	-0.2	-0.2	0.019	0.048	-0.8	-0.4	-0.4	5.3	-0.001	29	2.2	2.4	1.6	-0.2	0.9	0.02
Baxter	426	-2	80.6	7.7	6.4	7.41	0.31	1.73	-0.02	8.2	-0.2	0.2	-0.4	-0.2	-0.2	0.007	0.037	-0.8	-0.4	-0.4	5.9	-0.001	33	2.8	3.4	2.0	-0.2	1.8	0.02
Baxter	427	-2	107	13	11	12.48	0.65	2.88	-0.02	11.3	0.4	0.4	-0.4	0.2	-0.2	0.037	0.091	-0.8	-0.4	-0.4	5.2	-0.001	32	2.4	2.6	2.3	-0.2	1.3	0.02
Baxter	437	-2	84.6	6.7	5.8	5.85	0.29	1.17	0.01	10.2	-0.2	0.2	-0.4	-0.2	-0.2	-0.02	0.058	-0.8	-0.4	-0.4	4.9	-0.001	30	2	2.4	2.0	-0.2	0.7	0.01
Baxter	440	2	86.2	8.6	9.2	3.35	0.41	2.52	0.02	9.4	-0.2	0.4	-0.4	-0.2	-0.2	0.014	0.045	-0.8	-0.4	-0.4	5.5	-0.001	33	3.2	3.6	1.2	-0.2	0.9	0.03
Baxter	441	-2	73.5	3.4	4.3	2.30	0.22	1.03	0.01	9.7	-0.2	0.2	-0.4	-0.2	-0.2	0.013	0.029	-0.8	-0.4	-0.4	5.4	-0.001	28	2.2	2.8	1.6	-0.2	0.7	0.04
Baxter	442	2	80.7	5.4	5.3	4.68	0.34	1.33	0.02	10.1	-0.2	0.4	-0.4	-0.2	-0.2	0.013	0.093	-0.8	-0.4	-0.4	4.3	-0.001	29	2.2	2.8	1.2	-0.2	0.7	0.07
Baxter	443	2	78.5	6.2	5.9	6.24	0.23	1.17	0.01	9.6	-0.2	0.2	-0.4	-0.2	-0.2	0.013	0.091	-0.8	-0.4	-0.4	4.6	-0.001	35	2.8	3.4	2.0	-0.2	1.3	0.03
Baxter	444	2	78.2	4.7	4.8	4.68	0.27	1.12	0.01	9.8	-0.2	0.2	-0.4	-0.2	-0.2	0.007	0.044	-0.8	-0.4	-0.4	5.1	-0.001	34	2	3	1.6	-0.2	1.3	0.01
Baxter	445	-2	94.7	9.7	11	9.75	0.47	1.98	0.02	10.6	0.2	0.4	-0.4	-0.2	-0.2	0.033	0.053	-0.8	-0.4	-0.4	5.4	-0.001	32	2.2	2.6	2.0	-0.2	1.1	0.02
Baxter	448	-2	75.5	4.7	4.8	2.77	0.47	2.52	0.01	13	0.4	0.6	-0.4	0.2	-0.2	0.045	0.087	-0.8	-0.4	-0.4	4.1	-0.001	34	2.6	3	1.6	-0.2	1.3	0.02
Fender	4401	4	97.2	1.4	2.2	0.31	0.07	4.50	0.01	12.2	1.2	2	-0.4	1.8	1.1	0.02	0.12	0.8	-0.4	1.1	-1.0	-0.001	1.2	2	0.8	-0.2	0.9	0.02	
Fender	4406	4	26.1	1.3	2.6	0.51	0.29	3.60	0.02	11.8	1	1.6	-0.4	1.3	0.7	0.017	0.086	-0.8	-0.4	1.1	1.5	0.001	1.2	2	1.6	-0.2	1.1	0.02	
Fender	4411	10	14.9	1.7	2.5	1.13	0.18	1.30	0.00	6.77	0.4	0.4	-0.4	-0.2	-0.2	0.033	0.082	-0.8	-0.4	-0.4	-1.0	-0.001	1	1.4	1.2	-0.2	0.7	-0.01	
Fender	4412	8	30.7	4	3.8	1.95	0.22	2.52	0.00	7.49	0.4	0.4	-0.4	-0.2	-0.2	0.022	0.073	-0.8	-0.4	0.4	-1.0	-0.001	2	1.8	1.6	-0.2	1.3	0.01	
Fender	4413	14	20.7	4.6	4.9	2.96	0.22	2.97	0.01	11.1	1	0.8	0.8	-0.2	-0.2	0.089	0.432	-0.8	-0.4	0.5	-1.0	-0.001	1.6	1.8	1.1	-0.2	1.4	0.01	
Fender	2649	16	86.6	3.4	11	1.25	0.56	12.96	0.06	14.8	2	6	-0.4	4.3	2.2	0.089	0.062	-0.8	-0.4	0.7	3.1	0.003	1.4	2.6	0.8	-0.2	1.3	0.03	
Fender	2653	10	79	3.4	11	2.42	0.20	11.88	0.12	17.2	2.4	7.4	-0.4	6.3	4.9	0.113	0.047	-0.8	-0.4	-0.4	3.5	0.004	1.4	2.2	1.6	-0.2	1.6	0.07	
Fender	2658	16	64.7	4.2	7.4	1.48	0.25	6.66	0.03	7.29	1.6	2.4	-0.4	1.8	1.1	0.064	0.028	-0.8	0.4	0.4	3.8	-0.001	2	2.4	0.8	-0.2	1.8	0.04	
Fender	2663	6	73.5	4	6.2	2.03	0.09	5.76	0.08	4.41	1	1.6	-0.4	0.9	0.7	0.03	0.043	-0.8	-0.4	-0.4	3.7	0.005	1.6	2.2	1.2	-0.2	1.6	0.06	
Fender	2668	16	65.6	3.3	10	1.76	0.25	7.20	0.08	9.63	1.4	2.8	-0.4	2.2	1.1	0.048	0.027	0.8	-0.4	-0.4	3.4	0.005	1.4	2.2	0.8	-0.2	1.3	0.07	
Fender	2673	8	52.9	3.5	7.2	1.60	0.22	5.76	0.08	6.52	1.6	2	-0.4	1.6	0.9	0.035	0.033	-0.8	-0.4	-0.4	3.5	0.004	1.4	1.8	0.8	-0.2	1.1	0.08	
Fender	2680	8	61.6	3.9	6.6	1.37	0.18	8.82	0.08	8.83	2.4	2.8	-0.4	2.3	1.3	0.039	0.042	-0.8	-0.4	-0.4	3.4	0.005	27	1.6	1.8	0.8	-0.2	1.4	0.04
Fender	2688	12	75.3	4.2	10	1.48	0.20	9.18	0.05	10.9	2.4	4.2	-0.4	2.9	1.8	0.063	0.047	-0.8	-0.4	-0.4	3.4	0.002	1.4	2	1.2	-0.2	1.3	0.03	
Fender	2696	12	84.5	3	9.5	1.09	0.25	10.98	0.06	11.3	1.8	3.6	-0.4	2.5	1.8	0.052	0.082	-0.8	-0.4	-0.4	3.5	0.002	1.4	2.2	0.8	-0.2	1.4	0.03	
Fender	2707	8	50.8	3.4	4.9	0.31	0.05	5.40	0.02	7.06	1.8	1.8	0.4	0.9	1.1	0.022	0.308	-0.8	-0.4	0.4	3.5	0.002	1.4	2	0.4	-0.2	1.1	0.02	
Fender	2718	20	81.2	4.2	9.7	1.29	0.76	17.28	0.07	9.89	2.8	3.4	-0.4	3.6	1.4	0.069	0.034	-0.8	-0.4	-0.4	3.7	0.003	1.6	2.2	0.8	-0.2	1.8	0.07	
Fender	2732	76	65.6	4.2	11	1.64	0.81	12.42	0.10	9.82	2.8	3	-0.4	3.4	1.8	0.059	0.082	-0.8	-0.4	0.4	3.1	0.005	8	11	1.6	2.3	9.2	0.11	
Fender	2746	20	59.6	3.3	7.3	1.83	0.56	12.42	0.04	7	1.4	2.8	-0.4	2.5	1.3	0.055	0.044	-0.8	-0.4	-0.4	3.1	0.002	1	2	0.8	-0.2	1.6	0.04	
Fender	2759	18	61.9	2.7	7.2	1.05	0.43	8.64	0.08	7.65	1	2.4	-0.4	2.2	1.1	0.044	0.039	-0.8	-0.4	-0.4	2.5	0.004	1.2	2.2	0.8	-0.2	2.2	0.04	
Fender	2771	12	58.2	4.7	6.6	2.73	0.49	8.10	0.08	8.1	1.8	1.8	-0.4	2.0	0.9	0.036	0.028	0.8	-0.4	0.7	2.8	0.004	1.6	1.6	-0.4	-0.2	1.4	0.07	
Fender	2780	6	58.1	0.7	2.2	0.06	0.04	3.42	0.03	2.73	0.2	0.6	-0.4	0.4	0.5	-0.02	0.061	-0.8	-0.4	0.4	3.6	0.004	0.4	1.6	-0.4	-0.2	1.1	0.02	

	No.	Cd/M ppb	Ce/T ppm	Ce/H1 ppm	Ce/H2 ppm	Ce/A ppm	Ce/B ppm	Ce/C ppm	Ce/E ppm	Co/T ppm	Co/H1 ppm	Co/H2 ppm	Co/A ppm	Co/B ppm	Co/C ppm	Co/E ppm	Co/M ppm	Cr/A ppm	Cr/B ppm	Cr/C ppm	Cs/T ppm	Cs/E ppm	Cu/T ppm	Cu/H1 ppm	Cu/H2 ppm	Cu/A ppm	Cu/B ppm	Cu/C ppm	Cu/E ppm	
Fender	2788	6	63.5	4.6	7.8	1.40	0.34	8.28	0.04	7.17	2	2	-0.4	2.0	1.1	0.034	0.06	-0.8	-0.4	0.4	4.3	0.002	7	1.4	1.6	-0.4	0.2	1.4	0.03	
Fender	2796	12	86.9	4.5	13	1.60	0.40	14.04	0.07	10	2.4	3.4	-0.4	2.9	2.2	0.036	0.04	-0.8	-0.4	-0.4	4.5	0.003		1.6	2	-0.4	-0.2	1.6	0.05	
Fender	2802	26	98.7	5.3	12	1.76	0.52	15.84	0.07	13.3	2.6	4.2	-0.4	3.8	2.2	0.052	0.034	-0.8	-0.4	0.7	3.4	0.004		1.6	2	-0.4	-0.2	1.4	0.06	
Fender	2808	22	82.5	4.8	9.2	1.79	0.63	11.88	0.08	9.94	2.2	3.2	-0.4	2.9	1.4	0.068	0.044	-0.8	-0.4	0.4	3.5	0.002		1.2	1.6	0.4	-0.2	1.1	0.06	
Fender	2813	14	57.2	4	9.3	1.44	0.34	10.80	0.03	12	2.2	3.2	-0.4	3.4	2.2	0.073	0.086	-0.8	-0.4	0.7	2.8	0.002		1.4	1.8	0.8	-0.2	1.4	0.02	
Fender	2818	24		5.1	12	1.05	1.22	16.92	0.04		3.2	4.2	-0.4	4.1	1.6	0.067	0.071	-0.8	0.4	0.4		0.002		1.6	1.8	-0.4	-0.2	1.4	0.05	
Fender	2822	24	47.1	2.5	7.3	0.66	0.94	9.54	0.04	12.1	2	3.2	-0.4	3.8	1.3	0.063	0.036	-0.8	-0.4	0.7	2.6	0.002		1.4	2.2	0.4	0.2	1.1	0.04	
Fender	2827	14	54.4	2.9	7.3	1.83	0.43	8.82	0.05	13.6	1.4	3.8	-0.4	3.4	2.0	0.039	0.057	-0.8	-0.4	0.7	3.0	0.003		1.2	1.8	0.4	-0.2	1.1	0.03	
Fender	2832	6	69.6	2.9	9.3	1.17	0.25	11.16	0.06	12.7	2	4	-0.4	3.2	1.8	0.037	0.108	-0.8	-0.4	1.8	3.7	0.004		1.2	1.8	0.4	-0.2	1.1	0.04	
Fender	2837	26	96.2	3.9	10	2.07	0.79	12.96	0.05	15.8	2	4.4	-0.4	4.5	1.8	0.123	0.093	-0.8	-0.4	0.4	4.0	0.002		1	1.8	0.8	-0.2	1.1	0.03	
Fender	2842	10	67.1	3.5	8.8	1.17	0.34	9.00	0.03	9.82	1.6	3	-0.4	2.0	1.1	0.026	0.047	-0.8	-0.4	-0.4	3.3	0.002		1.2	1.6	0.8	-0.2	0.9	0.01	
Fender	2847	14	126	4.1	11	1.44	0.32	15.12	0.07	30.2	4.2	12	-0.4	12.6	8.5	0.114	0.045	-0.8	-0.4	-0.4	4.2	0.003		1.6	2.6	0.8	-0.2	1.4	0.07	
Fender	2853	22	85.9	2.8	10	1.25	0.65	10.26	0.07	13.6	2	4.4	-0.4	4.1	1.8	0.074	0.041	-0.8	-0.4	-0.4	3.3	0.004		1.6	2.6	1.2	0.2	1.4	0.08	
Fender	2860	10	59.1	3.3	7.4	2.11	0.20	7.02	0.02	10.6	1.2	2.8	-0.4	1.8	1.1	0.031	0.103	-0.8	-0.4	-0.4	3.4	0.002		1.4	2	0.4	-0.2	1.1	0.01	
Fender	2867	16	67.7	5.2	9.3	1.95	0.45	9.18	0.08	10.5	2.6	3.2	-0.4	3.1	1.4	0.049	0.066	-0.8	-0.4	-0.4	3.7	0.004		1.8	2.2	0.4	-0.2	1.4	0.05	
Fender	2874	16	86	6.2	12	2.96	0.41	11.16	0.05	11.5	2.6	4	-0.4	3.6	1.6	0.12	0.064	-0.8	-0.4	-0.4	3.2	0.005		1.6	2	0.4	-0.2	1.6	0.02	
Fender	2882	28	80.4	6.1	11	2.42	1.17	14.22	0.09	10.1	2.8	3.8	-0.4	3.8	1.3	0.064	0.033	-0.8	-0.4	-0.4	3.2	0.005		2	2.4	0.8	0.2	1.6	0.06	
Bronzewing	2718	2	44.5	5.9	8.1	2.81	0.72	2.70	0.01	13.7	2.2	1.6	-0.4	2.0	0.2	0.743	0.248	-0.8	-0.4	-0.4	3.0	-0.001	2.5	2	2.2	1.2	0.4	1.1	0.02	
Bronzewing	2719	2	45.3	13	9	3.63	0.74	2.88	0.03	14.7	2.6	1.8	0.4	2.2	-0.2	0.905	0.532	-0.8	-0.4	-0.4	2.6	-0.001	2.5	2.2	2.2	1.2	0.4	1.1	0.02	
Bronzewing	2720	-2	41.4	4.8	6.8	5.07	1.31	2.34	0.05	19	2.4	2.6	0.4	3.6	-0.2	2.216	0.319	-0.8	-0.4	-0.4	3.3	-0.001	2.5	1	1.6	1.2	0.2	0.5	0.03	
Bronzewing	2721	-2	31.6	4.1	3.9	2.18	0.23	1.44	0.02	6.9	0.4	0.4	-0.4	-0.2	-0.2	0.087	0.041	-0.8	-0.4	-0.4	3.1	-0.001	2.5	1.6	2	1.2	0.2	1.1	0.06	
Bronzewing	2722	-2	40.8	7.4	9.4	7.80	0.90	3.60	0.02	16.1	3.6	3.6	1.2	4.5	0.4	1.213	0.673	-0.8	-0.4	-0.4	3.1	-0.001	2.5	1.8	2.8	1.6	0.4	1.3	0.01	
Bronzewing	2801	-2	44.7	7.9	12	8.19	1.73	4.68	0.02	20.7	6.4	5.6	1.2	6.3	0.4	1.935	0.622	-0.8	-0.4	-0.4	2.9	-0.001	2.5	1.6	2.4	1.6	0.4	1.1	0.02	
Bronzewing	2802	4	55.2	23	16	9.36	0.65	4.32	0.03	12.9	1.8	2	-0.4	1.8	0.2	0.217	0.215	-0.8	-0.4	-0.4	3.7	-0.001	2.5	3.2	3.8	1.2	0.2	2.3	0.01	
Bronzewing	2803	2	36.9	7.1	8.6	7.41	1.13	3.42	0.02	12.9	3.4	3	0.8	4.1	0.3	1.112	0.359	-0.8	-0.4	-0.4	2.8	-0.001	2.5	1.6	2.4	1.2	0.2	1.1	0.01	
Bronzewing	2804	2	47.8	12	12	7.02	2.34	7.02	0.03	17.4	8	4.8	0.4	6.5	0.5	1	0.303	-0.8	-0.4	-0.4	2.8	-0.001	2.5	1.8	2.4	1.2	0.4	1.6	0.01	
Bronzewing	2805	2	44.5	10	11	5.85	2.34	6.30	0.02	19.1	6.4	6	0.8	6.8	0.5	2.014	0.488	-0.8	0.4	-0.4	2.9	-0.001	2.5	2	2.8	1.2	0.5	1.3	0.01	
Bronzewing	2806	-2	46.2	10	10	8.58	0.47	3.60	0.01	8.49	0.8	0.8	-0.4	0.4	-0.2	0.057	0.16	1.6	-0.4	-0.4	4.2	-0.001	2.5	2.8	3.6	1.2	0.2	2.3	0.01	
Bronzewing	2807	4	48.3	11	13	7.41	0.74	4.86	0.03	11.8	2.8	2.2	-0.4	2.0	0.4	0.141	0.159	-0.8	-0.4	-0.4	4.3	-0.001	2.5	3.2	4	1.6	0.2	2.5	0.01	
Bronzewing	2808	-2	52.4	11	12	7.80	1.30	5.40	0.01	14.9	3.8	3.4	0.4	3.6	0.4	0.927	0.339	-0.8	-0.4	0.4	3.2	-0.001	2.5	2.4	3.4	2.0	0.4	1.6	0.02	
Bronzewing	2809	-2	43.1	8.1	10	8.19	1.55	4.50	0.03	22.7	6.2	6.2	0.8	7.0	0.9	2.615	0.582	0.8	0.4	-0.4	2.1	-0.001	2.5	1.4	2.4	0.8	0.4	1.1	0.01	
Bronzewing	2810	-2	47.7	10	8.7	6.24	1.01	5.94	0.03	14.2	2.2	2.2	0.8	2.2	0.5	0.686	0.333	-0.8	-0.4	-0.4	3.3	-0.001	2.5	1.6	2.4	1.2	0.2	1.1	0.02	
Bronzewing	2811	-2	43.1	4.5	8.5	2.81	1.80	4.50	0.02	17.9	3.6	4	0.4	3.8	0.2	1.379	0.213	-0.8	-0.4	-0.4	3.1	-0.001	2.5	1.2	2.2	1.2	0.2	0.7	0.02	
Curara	1048	-2	29.9	6.9	7.2	6.63	0.27	3.24	0.02	5.27	0.8	1	-0.4	0.5	-0.2	0.088	0.102	-0.8	-0.4	-0.4	2.8	-0.001	13	1.6	2	2.7	0.2	1.1	0.02	
Curara	1050	-2	18.8	3.5	3.5	2.57	0.18	1.80	0.01	2.67	-0.2	-0.2	-0.4	-0.2	-0.2	0.004	0.026	-0.8	-0.4	-0.4	2.5	-0.001	6	0.6	1	0.8	-0.2	0.7	0.02	
Curara	1051	6	41.6	11	10	7.02	0.41	5.40	0.04	9.4	3	2.2	-0.4	2.3	0.4	0.284	0.07	-0.8	-0.4	-0.4	2.6	-0.001	21	3	3	3	1.2	-0.2	1.8	0.03
Curara	1052	4	48.2	12	12	9.75	0.74	5.76	0.03	9.64	2.2	1.8	0.4	2.0	0.4	0.175	0.125	-0.8	-0.4	-0.4	4.3	-0.001	27	3.8	3.8	2.3	0.4	2.3	0.02	
Curara	1053	6	46.2	9.5	13	9.36	0.32	6.48	0.03	11.5	3.2	3.2	-0.4	4.0	0.5	0.384	0.097	-0.8	-0.4	-0.4	3.5	-0.001	27	3.2	3.8	2.7	-0.2	2.7	0.05	
Curara	1054	6	53.2	13	13	8.97	0.67	7.02	0.05	14.2	4.8	3.6	0.4	4.7	0.7	0.374	0.104	-0.8	-0.4	-0.4	3.4	0.001	35	5	4.4	2.3	0.2	2.9	0.04	
Curara	1055	12	50.5	11	12	7.41	0.70	5.40	0.04	12.4	4	3	0.4	3.4	0.5	0.351	0.088	-0.8	-0.4	0.7	4.7	0.001	32	4.6	4.4	2.0	0.4	2.5	0.04	
Curara	1056	6	51.2	9.2	9.4	6.63	0.95	5.04	0.03	11.3	3	2.6	-0.4	3.1	0.4	0.194	0.084	-0.8	-0.4	0.4	3.8	0.002	29	4	3.8	2.0	0.4	2.3	0.03	

	No.	Cd/M ppb	Ce/T ppm	Ce/H1 ppm	Ce/H2 ppm	Ce/A ppm	Ce/B ppm	Ce/C ppm	Ce/E ppm	Co/T ppm	Co/H1 ppm	Co/H2 ppm	Co/A ppm	Co/B ppm	Co/C ppm	Co/E ppm	Co/M ppm	Cr/A ppm	Cr/B ppm	Cr/C ppm	Cs/T ppm	Cs/E ppm	Cu/T ppm	Cu/H1 ppm	Cu/H2 ppm	Cu/A ppm	Cu/B ppm	Cu/C ppm	Cu/E ppm
Curara	1057	18	56.9	11	13	7.02	1.60	10.62	0.05	15.3	6	4.8	-0.4	7.0	0.7	0.308	0.058	-0.8	-0.4	-0.4	4.5	0.002	33	4.8	4.4	2.7	0.5	3.6	0.05
Curara	1058	8	40.9	9	11	8.19	0.68	5.40	0.06	10.4	3.2	3	-0.4	3.4	0.4	0.183	0.071	-0.8	-0.4	-0.4	3.2	0.002	24	3.2	4	2.0	0.2	2.2	0.05
Curara	1059	4	35.2	7.8	8.8	6.24	0.50	3.96	0.04	8.58	2.4	2.4	0.4	2.0	0.4	0.224	0.142	-0.8	-0.4	-0.4	3.0	-0.001	18	2.6	3.4	1.2	-0.2	1.6	0.04
Curara	1060	4	35.3	7.6	8.6	6.05	0.59	4.59	0.03	8.78	2.2	2.4	0.3	2.3	0.4	0.22	0.083	-0.8	-0.4	0.5	2.6	-0.001	18	2.6	3	1.2	-0.2	1.7	0.03
Curara	1061	8	47.9	8.6	13	6.63	1.42	6.84	0.08	11.3	3.2	3.6	-0.4	4.0	0.5	0.181	0.041	-0.8	-0.4	-0.4	3.3	0.001	25	2.6	3.6	1.6	0.4	2.0	0.05
Curara	1062	12	41.1	8.2	12	7.02	0.92	7.38	0.20	8.95	2.6	3	-0.4	3.4	0.5	0.385	0.037	-0.8	-0.4	-0.4	3.5	-0.001	22	2.4	3.6	1.6	0.2	2.0	0.09
Curara	1063	6	34.5	6.4	9.2	5.85	0.49	5.22	0.04	7.26	1.6	1.6	-0.4	1.6	0.2	0.237	0.034	-0.8	-0.4	0.7	3.2	-0.001	14	1.8	2.6	1.6	-0.2	1.8	0.05
Curara	1065	4	33.5	9.9	9.3	6.24	0.16	3.60	0.04	5.64	0.6	0.8	-0.4	-0.2	-0.2	0.024	0.099	-0.8	-0.4	-0.4	3.6	-0.001	16	2.2	2.6	1.2	-0.2	1.4	0.02
Curara	1067	-2	29	5.3	6.9	4.68	0.18	3.06	0.02	3.92	-0.2	0.4	-0.4	-0.2	-0.2	0.012	0.04	-0.8	-0.4	-0.4	2.8	-0.001	11	1.6	2.2	1.2	-0.2	1.4	0.02
Curara	1070	-2	22.5	3.2	4.5	3.35	0.13	1.78	0.01	3.92	-0.2	0.2	-0.4	-0.2	-0.2	-0.02	0.039	-0.8	-0.4	-0.4	2.7	-0.001	7	1	1.8	1.2	-0.2	0.9	0.02
Curara	2276	4		4.3	4.8	3.00	0.20	3.06	0.02		0.2	0.4	-0.4	-0.2	-0.2	0.067	0.069	-0.8	-0.4	-0.4		-0.001		1.2	1.8	0.8	-0.2	1.4	0.02
Curara	2278	6	36.9	7.1	8.1	5.07	0.23	4.86	0.03	5.12	0.6	0.8	-0.4	0.2	-0.2	0.031	0.09	-0.8	-0.4	-0.4	3.0	-0.001		1.8	2.4	0.8	-0.2	2.3	0.02
Curara	2280	2		5.4	5.8	3.90	0.27	4.14	0.02		-0.2	0.4	-0.4	-0.2	-0.2	0.013	0.061	-0.8	-0.4	-0.4		-0.001		1.4	2.2	0.8	-0.2	1.3	0.04
Curara	2282	4		4.6	6.5	4.29	0.31	3.24	0.02		-0.2	0.4	-0.4	-0.2	-0.2	0.013	0.058	-0.8	-0.4	-0.4		-0.001		1.2	2	1.2	-0.2	1.1	0.02
Curara	2283	-2		4.2	5.4	4.29	0.25	3.42	0.02		-0.2	0.4	-0.4	-0.2	-0.2	0.018	0.059	-0.8	-0.4	-0.4		-0.001		1.2	2.2	0.8	-0.2	1.3	0.01
Curara	2285	4		5	6.2	3.90	0.32	3.42	0.03		0.6	0.8	-0.4	-0.2	-0.2	0.044	0.092	-0.8	-0.4	-0.4		-0.001		1.6	2.4	0.4	-0.2	1.3	0.03
Curara	2288	2		5.1	5.8	3.82	-0.01	1.98	0.02		-0.2	0.2	-0.4	-0.2	-0.2	0.012	0.042	-0.8	-0.4	-0.4		-0.001		1.2	2.2	1.6	-0.2	0.9	0.02
Curara	2291	4		5	5.8	4.68	-0.01	2.52	0.01		-0.2	0.4	-0.4	-0.2	-0.2	0.013	0.026	-0.8	-0.4	-0.4		-0.001		1.4	2.2	1.6	-0.2	1.3	0.01
Curara	2294	4		4.6	5.8	4.68	0.27	2.34	0.02		-0.2	0.2	-0.4	-0.2	-0.2	-0.02	0.035	-0.8	-0.4	-0.4		-0.001		1.4	2.2	1.6	-0.2	1.1	0.02
Curara	2297	4		4.5	5.7	4.68	0.32	3.06	0.02		0.2	0.6	-0.4	-0.2	-0.2	0.04	0.078	-0.8	-0.4	-0.4		-0.001		0.8	1.8	1.2	-0.2	0.7	0.02
Safari	2994	4	15.3	1.7	6.1	1.09	0.45	4.14	0.02	5.27	1.6	1.6	0.8	1.6	0.4	0.095	0.275	-0.8	-0.4	0.4	1.4	-0.001		2	3.4	1.2	0.5	2.7	0.06
Safari	3016	4		1.1	5.8	0.90	0.38	4.86	0.01		1.2	1.8	-0.4	2.2	0.4	0.066	0.13	-0.8	-0.4	-0.4		-0.001		1.4	3.4	1.2	0.5	2.7	0.05
Safari	3038	4		1.3	4.6	0.78	0.52	4.68	0.02		1.4	1.6	-0.4	2.3	0.4	0.09	0.075	-0.8	-0.4	-0.4		0.001		1.8	3.2	1.2	0.7	3.1	0.06
Safari	3060	-2		1.7	5.2	1.60	0.34	3.78	0.01		1.4	1.4	-0.4	2.2	0.4	0.049	0.123	-0.8	-0.4	0.4		0.001		2	3.4	1.2	0.5	2.9	0.05
Safari	3082	4	13.9	1.7	4.5	0.86	0.43	4.32	0.02	5.24	1.4	1.4	-0.4	1.8	0.4	0.063	0.062	-0.8	-0.4	-0.4	1.7	0.001		1.8	2.8	1.2	0.5	2.5	0.05
Safari	3100	4		1.5	5.1	0.82	0.38	4.50	0.02		1.4	1.6	-0.4	2.2	0.4	0.074	0.137	-0.8	-0.4	-0.4		0.001		2	3.4	0.8	0.5	2.7	0.05
Safari	3122	-2		1.6	6.5	1.29	0.36	4.50	0.02		1.6	1.6	-0.4	1.8	0.4	0.1	0.217	-0.8	-0.4	0.4		0.001		1.8	3	1.6	0.7	3.2	0.07
Safari	3140	-2	14.8	1.7	4.3	1.40	0.47	5.94	0.01	5.99	1.8	1.4	-0.4	2.2	0.4	0.082	0.204	-0.8	-0.4	1.4	1.7	-0.001		2	2.6	1.2	0.5	3.4	0.07
Safari	3158	6		1.7	4.9	1.13	0.36	4.50	0.02		1.8	1.6	0.4	1.4	0.5	0.076	0.087	2.3	-0.4	-0.4		0.002		2.2	3	1.2	0.5	3.1	0.06
Safari	3176	-2	15.8	1.8	6.3	1.50	0.14	4.68	0.02	6.09	2	1.4	0.3	1.7	0.9	0.074	0.175	-0.8	-0.4	0.4	1.7	0.001		2.4	3.2	0.8	0.2	2.5	0.07
Safari	3192	4		2.1	5.9	1.29	0.49	6.12	0.01		2.4	1.8	-0.4	2.7	0.5	0.081	0.077	-0.8	-0.4	0.4		-0.001		2.6	3.2	1.2	0.5	3.1	0.06
Safari	3208	8		1.9	5.7	0.66	0.38	6.48	0.03		2	1.8	-0.4	3.1	0.7	0.072	0.102	-0.8	-0.4	-0.4		0.002		2.2	3	1.2	0.5	4.0	0.05
Safari	3224	4		1.6	6	1.25	0.47	5.04	0.02		1.8	1.8	-0.4	2.2	0.4	0.089	0.141	-0.8	0.4	-0.4		0.001		2	3.2	1.2	0.5	2.5	0.06
Safari	3240	6		1.4	5.6	1.37	0.43	5.04	0.02		1.6	1.4	-0.4	2.3	0.5	0.077	0.083	-0.8	-0.4	-0.4		-0.001		1.6	2.6	1.6	0.5	2.9	0.04
Safari	3256	6	15.3	2.1	6.3	1.72	0.65	6.66	0.04	5.64	2	1.6	-0.4	2.3	0.5	0.08	0.061	-0.8	-0.4	-0.4	1.3	0.003		2	2.6	1.2	0.5	2.9	0.06
Safari	3268	6		2	6.3	1.37	0.50	8.46	0.05		2.8	2.2	-0.4	3.1	0.9	0.08	0.119	-0.8	-0.4	1.1		0.003		2.4	3	0.8	0.4	3.2	0.08
Safari	3284	8		2.1	3.9	1.44	0.54	7.38	0.02		2.2	1.4	-0.4	2.5	0.7	0.098	0.09	-0.8	0.4	1.8		-0.001		2.2	2	1.2	0.7	2.9	0.04
Safari	3300	8	15.4	1.7	5.9	1.09	0.61	6.12	0.01	6.39	2.2	1.8	-0.4	2.5	0.5	0.071	0.125	-0.8	-0.4	-0.4	1.2	-0.001		1.8	2.6	1.6	0.7	2.9	0.02
Safari	3312	6		2.2	5.3	2.07	0.52	5.04	0.04		2.6	1.8	-0.4	3.1	0.7	0.13	0.103	-0.8	-0.4	1.8		0.002		2.4	2.4	1.6	0.7	2.5	0.05
Safari	3324	6		2.1	4.4	1.87	0.40	5.40	0.03		2	1.6	-0.4	2.5	0.7	0.093	0.092	-0.8	-0.4	1.4		0.001		2	2.2	1.2	0.4	2.5	0.05
Safari	3336	6		1.7	6.9	1.09	0.29	6.12	0.02		1.8	1.8	-0.4	2.3	0.7	0.075	0.091	-0.8	-0.4	2.2	-0.001		1.8	2.8	0.8	0.4	3.0	0.03	

	No.	Cd/M ppb	Ce/T ppm	Ce/H1 ppm	Ce/H2 ppm	Ce/A ppm	Ce/B ppm	Ce/C ppm	Ce/E ppm	Co/T ppm	Co/H1 ppm	Co/H2 ppm	Co/A ppm	Co/B ppm	Co/C ppm	Co/E ppm	Co/M ppm	Cr/A ppm	Cr/B ppm	Cr/C ppm	Cs/T ppm	Cs/E ppm	Cu/T ppm	Cu/H1 ppm	Cu/H2 ppm	Cu/A ppm	Cu/B ppm	Cu/C ppm	Cu/E ppm
Safari	3348	4		1.6	5.6	0.86	0.45	5.94	0.01		2	1.6	-0.4	2.3	0.5	0.09	0.089	-0.8	-0.4	2.2		-0.001		2.2	2.6	0.8	0.4	2.5	0.02
Safari	3360	4	12.3	1.3	6.7	1.13	0.45	5.94	0.01	5.78	1.8	1.8	-0.4	2.7	0.5	0.09	0.064	-0.8	-0.4	1.8	1.1	-0.001		1.6	2.4	2.0	0.7	2.5	0.02
Safari	3372	6		2.2	5.4	1.48	0.18	7.02	0.02		2.4	1.6	0.8	2.2	1.1	0.064	0.102	-0.8	-0.4	2.2		-0.001		2.6	2.8	0.8	0.4	3.6	0.06
Safari	3384	6		2	5	1.25	0.68	5.76	0.02		2.4	1.4	-0.4	2.7	0.5	0.094	0.101	-0.8	-0.4	0.4		-0.001		2.6	2.4	1.2	0.7	2.2	0.03
Steinway	6301	-2	45.3	7.8	9.7	5.85	0.03	6.66	0.02	27.5	5.4	3.8	0.4	3.4	3.8	0.038	0.075	2.3	0.4	2.9	2.0	-0.001	77	13	8.8	3.5	-0.2	6.5	0.12
Steinway	6303	-2	42.2	10	13	6.24	0.03	10.98	0.02	28.1	7.2	5.6	0.4	3.4	6.1	0.049	0.147	1.6	-0.4	7.2	4.5	-0.001	70	13	12	3.1	-0.2	11.9	0.18
Steinway	6306	-2	43.9	12	14	5.85	0.03	8.10	0.01	23.8	9.8	4.6	0.4	2.2	4.9	0.021	0.157	-0.8	-0.4	3.6	4.0	-0.001	78	17	11	2.0	-0.2	7.7	0.12
Steinway	6308	-2	34.7	8.4	13	3.90	0.02	7.20	0.01	20.7	6	4.2	0.4	1.8	4.1	0.021	0.259	1.6	-0.4	4.7	4.5	-0.001	65	13	9.8	2.0	-0.2	7.7	0.13
Steinway	6309	4	53.7	15	22	5.07	0.02	16.02	0.02	31	11	7.2	-0.4	4.1	7.4	0.03	0.241	1.6	-0.4	5.8	5.1	-0.001	80	16	12	2.0	-0.2	10.8	0.14
Steinway	6310	4	41.2	12	15	4.29	0.04	10.80	0.01	30.3	10	6	-0.4	4.0	5.9	0.024	0.339	1.6	-0.4	4.7	6.4	-0.001	83	18	13	2.7	-0.2	10.4	0.13
Steinway	6311	10	65.3	22	27	5.07	0.04	19.80	0.02	37.4	17	11	-0.4	9.0	9.0	0.066	0.264	0.8	-0.4	5.0	6.7	-0.001	85	21	17	2.3	-0.2	14.0	0.18
Steinway	6312	2	46.2	17	18	7.02	0.03	12.06	0.02	31.2	12	6.4	0.8	2.3	7.0	0.042	0.504	0.8	-0.4	7.9	4.0	-0.001	80	20	14	2.7	-0.2	12.4	0.19
Steinway	6313	2	53.2	16	23	4.68	0.05	16.02	0.03	31.8	12	7.4	-0.4	4.7	6.3	0.049	0.11	1.6	-0.4	8.3	3.7	-0.001	78	21	13	1.6	-0.2	13.5	0.11
Steinway	6314	-2	47.2	14	20	6.24	0.05	12.96	0.02	31.4	9.6	6.2	1.0	2.6	7.1	0.036	0.49	1.6	0.3	7.0	4.6	-0.001	77	16	11	2.2	-0.2	9.7	0.14
Steinway	6315	6	48.4	16	19	5.46	0.06	16.38	0.02	32.8	12	7.8	2.7	9.0	18.0	0.033	0.177	1.6	-0.4	9.7	4.0	-0.001	84	23	14	4.3	-0.2	16.0	0.16
Steinway	6316	4	45.9	16	24	6.24	0.05	12.60	0.01	30.5	11	5.4	-0.4	2.3	7.0	0.037	0.365	1.6	-0.4	9.0	4.9	-0.001	75	21	14	3.5	-0.2	15.3	0.16
Steinway	6317	-2	42.9	14	24	6.24	0.03	11.52	0.01	29.7	9.2	6	-0.4	3.1	5.4	0.032	0.222	1.6	-0.4	9.0	4.0	-0.001	75	18	14	3.5	-0.2	14.0	0.14
Steinway	6318	-2	38.7	14	18	7.02	0.03	10.80	0.01	28.1	8.4	6.6	0.4	4.0	7.2	0.019	0.121	2.3	-0.4	11.5	3.5	-0.001	74	17	13	3.5	-0.2	14.6	0.12
Steinway	6319	-2	33.2	14	26	6.63	0.04	7.92	0.01	24.8	7.4	5.6	0.4	2.3	5.2	0.023	0.197	1.6	-0.4	9.0	3.4	-0.001	68	17	15	3.1	-0.2	12.2	0.12
Steinway	6324	4	43.6	13	17	3.12	0.03	12.60	0.01	43.8	12	8.8	-0.4	4.5	6.8	0.04	0.328	0.8	-0.4	11.9	6.1	-0.001	99	19	17	3.1	-0.2	15.1	0.13
Steinway	6326	-2	40.7	17	24	6.08	0.04	11.16	0.01	32.5	10	6.2	0.4	2.5	6.8	0.027	0.199	1.6	-0.4	10.4	5.5	-0.001	82	21	15	3.1	-0.2	14.6	0.14
Steinway	6328	-2	51.2	16	18	7.80	0.05	16.20	0.02	45	10	7.8	0.8	4.1	7.7	0.031	0.131	2.3	-0.4	9.4	3.2	-0.001	88	17	13	2.7	-0.2	11.9	0.12
Apollo	3949	14	10	2.7	2.5	2.42	0.16	2.16	0.02	6.49	1.8	1.2	1.2	0.7	0.5	0.023	0.339	0.8	-0.4	1.8	-1.0	0.001	41	14	12	15.6	1.1	5.4	0.38
Apollo	3953	2	10.8	1.9	2.3	2.26	0.25	1.64	0.02	5.83	1.8	1	-0.4	1.4	0.5	0.028	0.031	0.8	-0.4	2.2	-1.0	0.001	24	4.6	4	4.7	0.7	2.5	0.11
Apollo	3955	2	10.6	2.6	2.7	2.65	0.14	1.98	0.01	6.94	2.2	1.4	0.8	1.4	0.7	0.03	0.052	0.8	-0.4	2.2	-1.0	-0.001	26	6.2	4.8	4.3	0.7	3.2	0.11
Apollo	3957	-2	15.1	3.1	3.2	4.29	0.03	2.88	0.01	7.36	3.2	1.6	0.8	1.8	1.4	0.03	0.05	1.6	-0.4	2.9	-1.0	-0.001	34	8.2	6	7.0	0.4	5.4	0.08
Apollo	3959	2	11.5	2.5	2.8	3.90	0.04	3.06	-0.02	8.33	2.6	1.6	0.8	1.6	1.4	0.022	0.079	2.3	-0.4	2.5	-1.0	-0.001	27	6.4	5.2	6.2	0.4	4.3	0.07
Apollo	3961	-2	16.8	3.8	3.3	4.68	0.05	3.06	0.01	9.76	4.4	2.4	1.2	1.6	2.2	0.041	0.11	1.6	-0.4	2.9	1.1	-0.001	33	10	7.2	7.0	-0.2	2.9	0.12
Apollo	3963	-2	16	3	3.2	4.27	0.03	3.42	0.01	11.4	3.8	2.2	1.2	1.4	2.2	0.027	0.151	1.6	-0.4	2.2	1.6	-0.001	38	8.8	6.6	5.9	0.2	3.5	0.09
Apollo	3965	18	21.5	4.4	5.3	3.78	0.22	5.58	0.01	14.3	6.4	3.4	2.7	2.0	1.8	0.041	0.265	0.8	-0.4	4.3	1.3	-0.001	38	10	7.2	5.5	-0.2	4.5	0.10
Apollo	3967	6	21.2	5.4	5.6	4.29	0.25	6.30	-0.02	14.6	7	4	3.1	2.9	2.2	0.058	0.296	1.6	-0.4	4.3	1.0	-0.001	38	9.2	7	5.5	-0.2	5.2	0.10
Apollo	3969	6	23.3	4.8	6.1	4.29	0.40	7.92	0.01	15.1	6	4.6	2.7	4.0	2.3	0.037	0.297	-0.8	-0.4	5.0	1.2	-0.001	43	8.2	7.8	5.1	0.4	6.3	0.10
Apollo	3971	10	22.4	4.5	6.6	3.82	0.45	6.84	0.03	14.3	7.2	5.2	2.3	3.8	2.0	0.102	0.195	0.8	-0.4	4.0	1.3	0.001	39	9.4	8	4.7	0.4	5.4	0.15
Apollo	3973	4	26.8	5.6	7.7	4.68	0.43	9.00	0.02	18.7	8.8	6	2.3	5.4	3.1	0.086	0.133	1.6	-0.4	5.8	1.4	-0.001	44	9.6	8.4	5.1	0.2	6.7	0.11
Apollo	3975	6	26.7	5.9	10	4.29	0.41	7.92	0.02	18.7	8.6	8	2.0	5.6	2.7	0.067	0.15	1.6	-0.4	5.8	1.4	-0.001	44	11	8.8	6.2	0.2	6.8	0.11
Apollo	3977	8	28.6	6.1	7.6	5.07	0.22	10.26	0.02	19.2	9.2	5.6	1.6	6.1	3.6	0.071	0.16	1.6	-0.4	6.8	1.3	-0.001	52	11	9	5.9	-0.2	8.3	0.13
Apollo	3979	16	26.2	5.3	6.4	4.29	0.38	9.54	0.02	20	8.8	5	3.1	4.7	3.6	0.056	0.194	1.6	-0.4	5.8	1.6	-0.001	49	11	8.2	6.6	0.2	6.5	0.14
Apollo	3981	4	27.1	5.4	7.1	3.86	0.67	8.28	0.02	19.9	8.6	5.4	1.2	6.7	2.9	0.088	0.129	1.6	-0.4	6.1	1.3	-0.001	51	10	8.8	3.9	0.2	6.1	0.11
Apollo	3983	10	23.5	5.5	8.5	3.74	0.49	6.48	0.02	17.6	8.4	5.8	2.3	5.0	2.2	0.084	0.158	-0.8	-0.4	4.3	1.4	-0.001	44	9.2	8	3.9	-0.2	4.5	0.13
Apollo	3986	8	30.5	4.9	6.3	3.04	0.79	10.62	0.03	23.8	10	4.8	1.2	8.8	3.4	0.093	0.097	0.8	0.4	5.4	2.3	-0.001	48	9.4	8	3.1	0.2	5.6	0.11
Apollo	3989	12	33.6	5.9	9.2	2.96	0.79	11.34	0.02	27	11	8.4	0.4	11.2	3.8	0.056	0.081	0.8	-0.4	6.8	1.5	-0.001	61	11	10	3.9	0.5	7.2	0.13

	No.	Cu/M ppm	Eu/T ppm	Eu/E ppm	Fe/T ppm	Fe/H1 ppm	Fe/H2 ppm	Fe/A ppm	Fe/B ppm	Fe/C ppm	Fe/E ppm	Hf/T ppm	Hf/H1 ppm	Hf/H2 ppm	Hf/E ppm	Hg/H1 ppb	Hg/H2 ppb	La/T ppm	La/E ppm	Li/H1 ppm	Li/H2 ppm	Li/A ppm	Li/B ppm	Li/C ppm	Li/E ppm	Mn/T ppm	Mn/H1 ppm	Mn/H2 ppm
Baxter	394	0.70	2.28	0.001	70000	430	16000	8	20	790	0.2	8.8	0.04	0.13	-0.001	4	5	66.3	0.01	0.02	-0.02	-0.04	0.04	0.04	0.01	1271	41	1100
Baxter	406	0.22	0.96	-0.001	66000	330	12000	4	5	374	0.2	14.8	-0.02	0.04	-0.001	2	3	37.7	0.00	0.02	-0.02	-0.04	-0.02	0.04	0.01	496	30	110
Baxter	409	0.16	1.65	-0.001	67000	690	15000	39	14	565	0.4	10.8	0.01	0.05	-0.001	9	11	47.0	0.01	0.02	-0.02	-0.04	-0.02	0.04	0.01	705	93	280
Baxter	410	0.14	0.81	-0.001	64000	280	9900	4	4	297	0.4	15.8	-0.02	0.05	-0.001	1	2	31.0	0.00	-0.02	-0.02	-0.04	-0.02	0.02	-0.01	388	4	48
Baxter	415	0.30	1.16	-0.001	70000	620	14000	8	6	283	0.4	14.2	0.02	0.06	-0.001	2	3	40.5	0.00	-0.02	-0.02	-0.04	-0.02	0.02	0.02	442	8	180
Baxter	416	0.06	1.13	-0.001	68000	320	12000	7	26	262	0.7	16.8	0.01	0.05	-0.001	4	5	39.8	0.00	0.02	-0.02	0.03	-0.02	0.04	0.01	992	88	290
Baxter	417	0.20	0.93	-0.001	69000	340	14000	8	5	292	0.3	14.6	0.01	0.04	-0.001	3	3	38.6	0.00	-0.02	-0.02	-0.04	-0.02	0.04	0.02	558	36	140
Baxter	418	0.26	0.94	-0.001	70000	640	15000	8	6	614	0.3	12.9	0.01	0.05	-0.001	3	4	36.6	0.00	0.02	-0.02	-0.04	-0.02	0.02	-0.01	419	9	75
Baxter	419	0.28	1.53	-0.001	67000	360	11000	4	48	356	6.7	16.0	0.01	0.05	-0.001	13	13	44.4	0.00	0.02	0.02	-0.04	0.02	0.04	-0.01	2155	300	630
Baxter	423	0.14	0.79	-0.001	67000	370	8600	12	7	281	0.5	15.6	0.01	0.02	-0.001	8	7	36.0	0.00	0.02	-0.02	-0.04	-0.02	0.04	-0.01	488	26	88
Baxter	426	0.22	0.88	-0.001	71000	340	12000	16	9	387	0.4	12.8	0.01	0.04	-0.001	4	5	37.8	0.00	-0.02	-0.02	-0.04	-0.02	0.04	0.02	473	13	96
Baxter	427	0.30	1.12	-0.001	69000	300	10000	8	13	356	0.5	15.7	0.01	0.03	-0.001	3	4	43.8	0.00	0.02	-0.02	-0.04	-0.02	0.02	0.01	752	41	270
Baxter	437	0.18	1.06	-0.001	68000	230	8900	4	6	86	-0.1	18.8	0.01	0.03	-0.001	2	3	39.4	0.00	0.02	-0.02	-0.04	0.02	0.02	0.01	558	16	170
Baxter	440	0.14	1.2	-0.001	68000	470	12000	12	7	111	0.3	15.0	0.01	0.04	-0.001	4	4	42.0	0.01	-0.02	-0.02	-0.04	-0.02	0.02	0.01	450	27	88
Baxter	441	0.16	1.27	-0.001	67000	240	10000	4	4	93	0.9	16.1	0.01	0.03	-0.001	3	4	39.1	0.00	-0.02	-0.02	-0.04	-0.02	0.02	-0.01	550	11	91
Baxter	442	0.14	1.36	-0.001	67000	230	9600	8	5	92	0.3	16.9	0.01	0.03	-0.001	4	4	40.5	0.01	-0.02	-0.02	-0.04	-0.02	0.02	0.01	535	15	150
Baxter	443	0.22	1.32	-0.001	64000	360	9100	20	7	166	0.4	16.4	0.01	0.03	-0.001	2	3	38.9	0.00	-0.02	-0.02	-0.04	0.02	0.02	-0.01	457	18	110
Baxter	444	0.24	0.96	-0.001	70000	360	9700	16	11	187	0.2	14.7	0.01	0.03	-0.001	3	5	38.7	0.00	-0.02	-0.02	-0.04	-0.02	0.02	-0.01	473	16	96
Baxter	445	0.26	1.21	-0.001	70000	290	12000	8	6	154	0.2	14.6	-0.02	0.04	-0.001	5	5	40.3	0.00	0.02	-0.02	-0.04	0.02	0.02	0.02	628	41	150
Baxter	448	0.20	1.16	-0.001	71000	330	11000	8	11	191	0.2	13.5	0.01	0.03	-0.001	4	4	38.6	0.00	0.02	-0.02	-0.04	-0.02	0.02	0.02	783	47	250
Fender	4401	0.26	0.64	-0.001	162000	210	2600	16	8	236	11.3	6.4	0.01	0.05	-0.001	2	3	23.9	0.00	0.06	-0.02	-0.04	-0.02	0.02	-0.01	25	78	
Fender	4406	0.30	0.54	-0.001	193000	160	2700	23	6	185	20.9	6.9	0.02	0.05	-0.001	3	4	15.6	0.02	0.04	-0.02	-0.04	-0.02	0.02	-0.01	21	76	
Fender	4411	0.04	0.25	-0.001	200000	210	5600	12	5	140	-0.1	6.0	0.00	0.01	-0.001	12	11	9.8	0.00	0.06	-0.02	0.04	-0.02	0.02	0.02	14	42	
Fender	4412	0.10	0.25	-0.001	183000	420	7300	16	7	234	-0.1	7.8	0.01	0.01	-0.001	9	10	16.1	0.00	0.08	-0.02	0.08	-0.02	0.02	0.02	15	44	
Fender	4413	0.06	0.25	-0.001	257000	280	6200	16	14	225	0.8	7.3	0.00	0.01	-0.001	10	11	11.4	0.00	0.06	0.02	0.06	0.01	0.04	0.01	62	88	
Fender	2649	0.38	0.58	-0.001	40400	230	2900	10	20	256	17.0	4.0	0.01	0.01	-0.001	3	7	33.0	0.03	0.06	0.04	0.08	-0.02	0.04	0.02	66	240	
Fender	2653	0.34	0.83	0.001	57500	220	2700	2	6	151	31.7	4.8	0.00	0.01	0.002	2	6	32.1	0.04	0.10	0.06	-0.04	0.13	0.13	0.06	42	160	
Fender	2658	0.58	0.71	-0.001	26700	270	2400	2	8	198	2.8	5.3	0.01	0.01	-0.001	3	6	39.5	0.01	0.06	0.02	-0.04	-0.02	0.05	-0.01	61	170	
Fender	2663	0.46	0.57	0.001	23900	270	2600	4	5	202	29.3	4.6	0.01	0.01	0.002	3	6	43.6	0.05	0.06	0.04	-0.04	-0.02	0.05	0.04	28	63	
Fender	2668	0.40	0.7	-0.001	26800	310	3200	4	15	232	31.2	4.2	0.00	0.01	0.002	4	6	35.3	0.04	0.06	-0.02	-0.04	-0.02	0.05	0.04	57	230	
Fender	2673	0.38	0.25	-0.001	24900	260	2200	4	7	209	28.2	3.7	0.01	0.01	0.002	6	8	34.6	0.04	0.06	0.02	-0.04	0.02	0.07	0.03	53	110	
Fender	2680	0.28	0.72	-0.001	29500	290	2900	4	10	243	32.3	4.6	0.01	0.02	0.003	6	10	33.2	0.04	0.08	0.02	-0.04	0.02	0.07	0.04	260	63	
Fender	2688	0.36	0.73	-0.001	30100	260	3300	4	11	214	12.4	4.2	0.01	0.02	-0.001	3	6	43.0	0.02	0.10	0.04	-0.04	0.04	0.07	0.02	54	160	
Fender	2696	0.40	0.89	-0.001	36000	290	2800	6	12	281	9.8	4.9	0.01	0.02	-0.001	3	8	44.6	0.02	0.10	0.04	-0.04	0.04	0.11	0.02	57	190	
Fender	2707	0.30	0.25	-0.001	28300	170	1600	2	9	191	11.1	5.9	0.01	0.05	-0.001	1	4	30.9	0.01	0.10	0.04	0.04	0.02	0.09	0.02	23	51	
Fender	2718	0.46	0.71	-0.001	30600	270	3900	4	21	353	19.7	4.9	-0.02	0.02	0.002	5	8	40.4	0.03	0.06	-0.02	0.08	-0.02	0.07	0.02	110	270	
Fender	2732	1.76	0.76	0.001	40600	270	5100	2	18	387	35.1	5.5	0.01	0.01	0.003	4	9	35.2	0.06	0.18	0.06	0.20	-0.02	0.07	0.05	110	290	
Fender	2746	0.28	0.84	-0.001	26200	160	2300	2	15	250	9.0	3.3	0.01	0.01	-0.001	2	6	34.6	0.02	0.06	0.02	0.04	0.02	0.09	0.01	44	180	
Fender	2759	0.28	0.55	0.001	34700	300	2900	2	27	369	24.1	3.6	0.00	0.01	0.002	3	8	36.9	0.05	0.06	0.02	0.04	0.02	0.09	0.03	34	150	
Fender	2771	0.24	0.25	0.001	66800	360	3700	2	15	315	26.6	5.2	0.01	0.01	0.002	4	5	32.1	0.05	0.06	-0.02	-0.04	-0.02	0.05	0.03	55	110	
Fender	2780	0.16	0.25	-0.001	40700	140	4900	2	5	266	29.2	2.7	0.02	0.07	0.002	-1	3	31.3	0.02	0.02	-0.02	-0.04	-0.02	0.05	0.03	4	28	

	No.	Cu/M ppm	Eu/T ppm	Eu/E ppm	Fe/T ppm	Fe/H1 ppm	Fe/H2 ppm	Fe/A ppm	Fe/B ppm	Fe/C ppm	Fe/E ppm	Hf/T ppm	Hf/H1 ppm	Hf/H2 ppm	Hf/E ppm	Hg/H1 ppb	Hg/H2 ppb	La/T ppm	La/E ppm	Li/H1 ppm	Li/H2 ppm	Li/A ppm	Li/B ppm	Li/C ppm	Li/E ppm	Mn/T ppm	Mn/H1 ppm	Mn/H2 ppm
Fender	2788	0.18	0.61	-0.001	26000	230	2000	2	10	236	12.0	4.6	0.01	0.01	0.001	3	6	32.7	0.02	0.06	-0.02	-0.04	-0.02	0.07	0.03	260	59	140
Fender	2796	0.38	0.67	-0.001	44900	220	2200	2	13	263	18.1	5.0	0.01	0.01	0.001	4	9	46.8	0.03	0.08	0.02	0.04	0.02	0.09	0.02	88	280	
Fender	2802	0.36	1.02	0.001	31000	300	2300	6	14	308	14.1	5.0	0.01	-0.02	-0.001	5	7	67.2	0.04	0.06	-0.02	0.04	0.02	0.07	0.02	110	280	
Fender	2808	0.38	0.51	-0.001	39000	270	2600	8	32	263	24.4	5.3	0.00	0.01	0.001	2	5	46.1	0.05	0.06	-0.02	0.04	-0.02	0.05	0.03	71	210	
Fender	2813	0.26	0.63	-0.001	61600	260	2400	4	15	268	10.9	5.2	0.01	0.01	-0.001	3	6	44.1	0.02	0.06	-0.02	0.04	-0.02	0.05	0.01	59	170	
Fender	2818	0.38	-0.001		220	2600	2	18	263	11.3		0.01	0.01	-0.001	4	10		0.02	0.06	-0.02	0.04	0.02	0.07	0.01	120	360		
Fender	2822	0.44	0.25	-0.001	95900	320	4100	6	42	313	15.1	6.6	0.01	0.01	-0.001	2	6	23.2	0.02	0.04	-0.02	-0.04	-0.02	0.05	0.01	90	300	
Fender	2827	0.26	0.25	-0.001	56300	320	3100	4	20	320	20.3	4.3	0.00	0.01	0.002	3	5	25.5	0.03	0.06	-0.02	0.04	-0.02	0.05	0.02	42	180	
Fender	2832	0.20	0.78	-0.001	51400	280	2900	4	22	376	27.5	5.0	0.01	0.01	0.002	2	5	35.4	0.05	0.06	-0.02	0.04	-0.02	0.07	0.03	43	150	
Fender	2837	0.32	0.55	-0.001	47000	240	2700	6	32	254	13.0	4.5	0.00	0.01	0.001	3	9	37.9	0.02	0.06	-0.02	0.04	0.02	0.05	0.02	62	280	
Fender	2842	0.26	0.81	-0.001	38400	260	2100	6	20	241	11.4	4.2	0.01	0.01	-0.001	2	5	39.2	0.01	0.06	0.02	0.04	0.02	0.07	0.01	47	190	
Fender	2847	0.42	1.67	-0.001	45000	280	2700	4	18	254	21.1	4.0	0.01	0.01	0.002	5	9	49.2	0.03	0.08	0.02	-0.04	0.04	0.07	0.02	86	330	
Fender	2853	0.48	0.79	-0.001	42000	170	3000	4	26	218	23.8	4.7	0.00	0.01	0.002	2	8	40.1	0.03	0.06	-0.02	-0.04	0.02	0.05	0.02	72	380	
Fender	2860	0.24	0.74	-0.001	33600	190	2700	4	11	225	11.6	4.1	0.00	0.01	-0.001	4	8	34.0	0.01	0.06	0.02	0.04	-0.02	0.07	0.01	38	140	
Fender	2867	0.32	0.78	-0.001	37400	320	2300	4	19	333	21.5	4.2	0.01	0.01	0.002	5	11	44.7	0.04	0.06	0.02	0.04	-0.02	0.05	0.03	87	190	
Fender	2874	0.26	1.23	-0.001	38000	320	3100	4	28	344	12.8	4.6	0.01	0.01	0.001	4	8	47.9	0.03	0.06	0.02	0.04	-0.02	0.05	0.02	89	240	
Fender	2882	0.48	0.82	0.001	38300	310	3600	6	49	333	29.6	5.0	0.01	0.01	0.003	4	10	47.7	0.05	0.06	-0.02	0.04	-0.02	0.07	0.03	130	370	
Bronzewing	2718	0.32	0.95	-0.001	48000	270	12000	4	15	146	0.6	7.8	0.01	0.05	-0.001	5	6	23.0	0.01	0.02	-0.02	0.08	-0.02	0.02	0.02	481	64	200
Bronzewing	2719	0.24	0.73	-0.001	45000	350	13000	10	14	168	0.7	8.0	0.02	0.06	-0.001	6	7	22.4	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.02	442	68	180
Bronzewing	2720	0.22	0.65	0.001	43000	270	13000	4	34	184	2.1	8.0	0.01	0.08	-0.001	5	6	20.0	0.02	0.02	-0.02	-0.04	-0.02	0.02	0.02	884	110	300
Bronzewing	2721	0.14	0.59	-0.001	45000	280	13000	2	4	122	0.3	7.8	-0.02	0.08	-0.001	5	5	17.9	-0.02	-0.02	-0.02	-0.04	-0.02	0.02	-0.01	225	14	52
Bronzewing	2722	0.26	0.51	-0.001	45000	310	15000	2	16	167	0.6	8.3	0.02	0.07	-0.001	3	4	20.4	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.02	426	72	240
Bronzewing	2801	0.26	0.66	-0.001	44000	330	14000	8	33	245	1.0	8.5	0.01	0.06	-0.001	3	4	22.0	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.02	589	130	380
Bronzewing	2802	0.20	1.19	-0.001	54000	420	15000	4	12	198	0.3	7.1	0.02	0.06	-0.001	4	5	28.9	0.01	0.02	-0.02	-0.04	-0.02	0.02	0.01	426	74	170
Bronzewing	2803	0.24	0.76	-0.001	44000	340	12000	3	27	221	1.1	8.0	-0.02	0.05	-0.001	3	4	18.8	0.01	0.04	-0.02	0.05	0.01	0.03	0.02	496	110	230
Bronzewing	2804	0.18	0.58	-0.001	44000	350	13000	2	27	342	0.9	8.0	0.01	0.05	-0.001	4	4	22.0	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.01	767	280	470
Bronzewing	2805	0.28	0.59	-0.001	45000	270	14000	2	51	284	1.3	8.6	0.01	0.07	-0.001	3	3	20.4	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.01	783	160	520
Bronzewing	2806	0.24	0.74	-0.001	50000	320	16000	4	73	227	0.4	7.2	0.01	0.05	-0.001	4	4	24.2	0.00	0.04	-0.02	-0.04	-0.02	0.02	0.02	264	28	110
Bronzewing	2807	0.30	0.9	-0.001	52000	410	16000	2	9	295	0.3	7.4	0.01	0.06	-0.001	3	3	25.4	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.02	380	86	240
Bronzewing	2808	0.34	0.9	-0.001	50000	340	16000	4	20	290	0.6	8.8	0.01	0.07	-0.001	3	4	24.2	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.01	574	110	320
Bronzewing	2809	0.20	0.61	-0.001	44000	420	14000	2	35	326	1.3	9.5	0.01	0.06	-0.001	5	4	21.7	0.01	0.04	-0.02	-0.04	-0.02	0.02	0.02	674	140	340
Bronzewing	2810	0.22	0.6	-0.001	46000	350	14000	2	10	257	0.5	8.9	0.02	0.07	-0.001	3	4	22.5	0.01	0.02	-0.02	-0.04	-0.02	0.02	0.01	419	54	160
Bronzewing	2811	0.18	0.57	-0.001	43000	290	13000	4	22	212	1.1	8.8	-0.02	0.07	-0.001	3	3	19.5	0.01	0.02	-0.02	-0.04	-0.02	0.02	0.01	690	91	420
Curara	1048	0.12	0.25	-0.001	23400	310	6600	8	7	227	0.8	4.1	0.01	0.01	-0.001	3	4	17.1	0.01	0.06	-0.02	0.04	-0.02	0.04	0.02	142	31	57
Curara	1050	0.04	0.25	-0.001	24200	240	5000	20	4	227	1.4	3.8	0.01	0.01	-0.001	1	2	11.5	0.00	0.02	-0.02	-0.04	-0.02	0.02	0.02	75	5	12
Curara	1051	0.16	0.59	-0.001	31300	640	8400	20	32	441	3.4	4.9	0.01	0.01	-0.001	7	8	23.1	-0.02	0.06	-0.02	0.04	-0.02	0.05	0.02	359	140	190
Curara	1052	0.32	0.67	-0.001	36500	490	11000	16	18	401	1.9	5.1	0.01	0.02	-0.001	5	6	28.0	0.01	0.04	-0.02	-0.04	-0.02	0.05	0.01	300	65	140
Curara	1053	0.44	0.62	-0.001	35200	410	9900	8	29	455	7.1	4.9	0.01	0.02	-0.001	4	5	25.8	0.01	0.04	-0.02	-0.04	-0.02	0.05	0.02	385	93	200
Curara	1054	0.52	0.84	0.001	41700	660	12000	8	40	612	8.3	5.1	0.01	0.02	-0.001	10	12	30.6	0.02	0.04	-0.02	-0.04	-0.02	0.07	0.02	518	180	290
Curara	1055	0.32	0.89	-0.001	39800	720	12000	23	41	522	8.4	5.9	-0.02	0.02	-0.001	11	12	29.2	0.01	0.06	-0.02	0.04	-0.02	0.07	0.02	458	150	240
Curara	1056	0.46	0.87	-0.001	39000	590	9900	8	25	508	9.4	6.1	0.01	0.02	-0.001	7	7	29.9	0.01	0.04	-0.02	-0.04	-0.02	0.05	0.01	337	86	160

	No.	Cu/M ppm	Eu/T ppm	Eu/E ppm	Fe/T ppm	Fe/H1 ppm	Fe/H2 ppm	Fe/A ppm	Fe/B ppm	Fe/C ppm	Fe/E ppm	Hf/T ppm	Hf/H1 ppm	Hf/H2 ppm	Hf/E ppm	Hg/H1 ppb	Hg/H2 ppb	La/T ppm	La/E ppm	Li/H1 ppm	Li/H2 ppm	Li/A ppm	Li/B ppm	Li/C ppm	Li/E ppm	Mn/T ppm	Mn/H1 ppm	Mn/H2 ppm
Curara	1057	0.78	0.81	-0.001	39600	570	10000	8	72	821	12.3	5.1	0.01	0.02	-0.001	7	8	30.6	0.02	0.04	-0.02	-0.04	-0.02	0.07	0.01	872	320	520
Curara	1058	0.40	0.63	0.001	33700	380	10000	12	40	436	11.9	5.1	0.01	0.02	-0.001	6	8	24.2	0.02	0.04	-0.02	-0.04	-0.02	0.04	0.02	419	120	250
Curara	1059	0.22	0.6	0.001	29900	320	8300	8	27	331	0.9	4.6	0.01	0.01	-0.001	7	7	21.6	0.01	0.04	-0.02	-0.04	-0.02	0.05	0.02	323	94	160
Curara	1060	0.28	0.52	-0.001	32100	320	8800	8	27	331	2.7	4.3	0.01	0.01	-0.001	5	6	21.4	0.01	0.04	-0.02	0.05	-0.02	0.05	0.01	257	70	150
Curara	1061	0.28	0.59	0.001	33300	350	7900	8	56	509	9.4	4.1	0.01	0.02	-0.001	5	8	22.3	0.02	0.02	-0.02	-0.04	-0.02	0.04	0.02	873	170	360
Curara	1062	0.36	0.66	0.004	32400	380	8400	23	56	648	7.7	4.2	0.01	0.01	-0.001	9	12	24.5	0.08	0.02	-0.02	-0.04	-0.02	0.05	0.01	466	130	280
Curara	1063	0.18	0.62		31400	400	7900	27	23	697	2.5	4.4	0.01	0.01	-0.001	5	7	21.8	0.01	0.04	-0.02	0.04	-0.02	0.09	0.01	238	62	130
Curara	1065	0.10	0.61	0.001	30000	360	9500	12	7	344	0.4	4.9	0.02	0.02	-0.001	4	4	20.9	0.02	0.04	-0.02	-0.04	-0.02	0.05	0.02	185	37	70
Curara	1067	0.12	0.25	-0.001	23500	200	7300	4	2	306	0.5	4.0	0.01	0.02	-0.001	3	4	15.9	0.01	0.04	-0.02	-0.04	-0.02	0.05	0.02	119	12	33
Curara	1070	0.08	0.25	-0.001	22600	200	6500	8	2	315	0.5	4.4	0.01	0.01	-0.001	2	3	14.6	0.00	0.02	-0.02	-0.04	-0.02	0.05	0.03	100	8	24
Curara	2276	0.08		-0.001		210	6600	4	4	364	0.7		0.01	0.02	-0.001	5	5		0.01	0.02	-0.02	-0.04	-0.02	0.05	0.02		8	26
Curara	2278	0.06	0.25	-0.001	27400	230	7200	4	4	362	2.3	5.0	0.01	0.02	-0.001	4	4	19.8	-0.02	-0.02	-0.02	-0.04	-0.02	0.05	-0.01		37	66
Curara	2280	0.06		-0.001		200	7800	4	4	362	0.4		0.01	0.02	-0.001	4	5		0.01	0.04	-0.02	-0.04	-0.02	0.05	0.02		16	37
Curara	2282	0.08		-0.001		200	7000	4	4	326	0.7		0.01	0.02	-0.001	3	5		0.01	0.04	-0.02	0.04	-0.02	0.05	0.02		12	33
Curara	2283	0.08		-0.001		190	7000	8	4	425	0.3		0.01	0.02	-0.001	4	5		0.01	0.06	0.02	0.08	-0.02	0.09	0.04		15	41
Curara	2285	0.08		-0.001		240	7300	4	5	356	2.6		0.01	0.01	-0.001	6	8		0.01	0.04	-0.02	-0.04	-0.02	0.07	0.02		37	66
Curara	2288	0.08		-0.001		180	7200	4	5	275	0.5		0.01	0.02	-0.001	4	4		0.01	0.02	-0.02	-0.04	-0.02	0.07	0.03		6	25
Curara	2291	0.12		-0.001		160	7100	4	4	349	0.7		0.01	0.02	-0.001	5	5		0.00	0.04	-0.02	0.04	-0.02	0.09	0.03		12	34
Curara	2294	0.10		-0.001		190	7700	4	5	248	0.4		-0.02	0.02	-0.001	3	5		0.01	0.04	-0.02	-0.04	-0.02	0.05	0.03		8	32
Curara	2297	0.06		-0.001		160	6300	4	5	212	0.6		0.01	0.01	-0.001	4	5		0.01	0.04	-0.02	-0.04	-0.02	0.05	0.02		10	35
Safari	2994	0.22	0.25	-0.001	14000	260	11000	8	16	221	7.9	2.7	0.00	0.02	-0.001	7	10	8.0	0.01	-0.02	-0.02	-0.04	-0.02	0.02	-0.01		58	130
Safari	3016	0.36		-0.001	14000	120	10000	-2	9	203	7.2		0.00	0.02	-0.001	4	8		0.01	-0.02	-0.02	-0.04	-0.02	0.02	-0.01		48	120
Safari	3038	0.28		-0.001		140	9000	-2	13	180	7.4		0.00	0.01	-0.001	4	8		0.01	-0.02	-0.02	-0.04	-0.02	0.02	-0.01		59	120
Safari	3060	0.04		-0.001		170	10000	-2	9	194	8.8		0.01	0.04	-0.001	7	9		0.01	-0.02	-0.02	-0.04	-0.02	0.04	-0.01		65	130
Safari	3082	0.26	0.25	-0.001	13000	250	11000	-2	14	218	11.2	2.4	0.00	0.02	-0.001	6	8	7.1	0.01	0.02	-0.02	-0.04	-0.02	0.02	0.01		55	110
Safari	3100	0.24		-0.001		210	11000	-2	11	205	10.0		0.00	0.02	-0.001	7	9		0.01	-0.02	-0.02	-0.04	-0.02	0.02	-0.01		62	130
Safari	3122	-0.02		-0.001		180	11000	4	13	272	9.7		0.01	0.03	-0.001	7	12		0.01	-0.02	-0.02	-0.04	-0.02	0.04	-0.01		68	140
Safari	3140	0.06	0.25	-0.001	14000	190	9100	-2	14	360	9.2	2.3	0.00	0.02	-0.001	9	10	8.2	0.01	0.02	-0.02	-0.04	-0.02	0.04	0.02		67	120
Safari	3158	0.22		-0.001		180	9100	-2	7	243	11.3		0.00	0.02	-0.001	8	11		0.01	0.02	-0.02	-0.04	-0.02	0.02	0.01		65	110
Safari	3176	0.04	0.25	-0.001	15000	200	11000	4	6	271	11.7	2.6	0.01	0.02	-0.001	8	10	8.1	0.01	0.02	-0.02	-0.04	-0.02	0.05	0.01		63	120
Safari	3192	0.26		-0.001		230	11000	-2	11	346	7.8		0.01	0.02	-0.001	10	11		0.01	0.04	-0.02	-0.04	-0.02	0.07	-0.01		100	180
Safari	3208	0.18		-0.001		160	9100	-2	13	346	16.6		0.00	0.02	-0.001	7	11		0.01	0.02	-0.02	-0.04	-0.02	0.04	0.02		110	220
Safari	3224	0.28		-0.001		170	9900	-2	9	311	8.1		0.00	0.02	-0.001	7	11		0.01	0.02	-0.02	-0.04	-0.02	0.04	0.01		77	160
Safari	3240	0.30		-0.001		140	9500	-2	9	310	7.3		0.00	0.02	-0.001	5	9		0.01	0.02	-0.02	-0.04	-0.02	0.05	-0.01		60	130
Safari	3256	0.22	0.25	-0.001	15000	200	9600	4	14	344	23.9	2.7	0.01	0.02	0.001	8	9	8.5	0.02	0.04	-0.02	-0.04	-0.02	0.05	0.02		79	150
Safari	3268	0.24		-0.001		230	9700	-2	14	427	21.7		0.01	0.02	0.001	8	10		0.02	0.06	-0.02	-0.04	-0.02	0.07	0.02		91	160
Safari	3284	0.28		-0.001		180	6600	-2	9	884	2.9		0.00	0.01	-0.001	6	5		0.01	0.02	-0.02	-0.04	-0.02	0.13	-0.01		90	91
Safari	3300	0.22	0.25	-0.001	15000	170	8400	-2	13	954	3.7	2.3	0.01	0.02	-0.001	7	8	8.1	0.00	0.02	-0.02	-0.04	-0.02	0.13	-0.01		66	160
Safari	3312	0.42		-0.001		200	9500	8	11	830	14.1		0.01	0.02	-0.001	7	8		0.01	0.04	-0.02	-0.04	-0.02	0.13	0.02		87	130
Safari	3324	0.30		-0.001		180	8200	8	9	769	10.9		0.01	0.02	-0.001	7	7		0.01	0.04	-0.02	-0.04	-0.02	0.14	0.01		80	130
Safari	3336	0.24		-0.001		180	11000	6	12	779	1.8		0.00	0.02	-0.001	5	11		0.00	0.02	-0.02	0.03	-0.02	0.11	-0.01		68	170

	No.	Cu/M ppm	Eu/T ppm	Eu/E ppm	Fe/T ppm	Fe/H1 ppm	Fe/H2 ppm	Fe/A ppm	Fe/B ppm	Fe/C ppm	Fe/E ppm	Hf/T ppm	Hf/H1 ppm	Hf/H2 ppm	Hf/E ppm	Hg/H1 ppb	Hg/H2 ppb	La/T ppm	La/E ppm	Li/H1 ppm	Li/H2 ppm	Li/A ppm	Li/B ppm	Li/C ppm	Li/E ppm	Mn/T ppm	Mn/H1 ppm	Mn/H2 ppm
Safari	3348	0.28		-0.001		180	9800	4	9	848	1.8		0.00	0.02	-0.001	8	9	0.00	-0.02	-0.02	-0.04	-0.02	0.07	-0.01		70	120	
Safari	3360	0.30	0.25	-0.001	15000	160	10000	12	9	916	2.1	2.4	0.00	0.03	-0.001	5	9	7.0	0.00	0.02	-0.02	-0.04	-0.02	0.13	-0.01		59	140
Safari	3372	0.30		-0.001		240	9100	4	7	954	8.6		0.01	0.02	-0.001	10	11		0.01	0.02	-0.02	-0.04	-0.02	0.13	-0.01		76	130
Safari	3384	0.40		-0.001		240	9100	23	14	295	5.0		0.01	0.02	-0.001	8	9		0.01	0.02	-0.02	-0.04	-0.02	0.05	-0.01		80	120
Steinway	6301	0.18	1.04	-0.001	203000	510	13000	8	3	322	0.9	4.2	0.04	0.06	-0.001	8	10	23.3	0.01	0.48	0.12	0.59	0.09	0.38	0.04	833	200	270
Steinway	6303	0.14	1.01	-0.001	130000	600	16000	6	3	675	0.9	3.8	0.02	0.08	-0.001	10	16	21.4	0.01	0.88	0.20	0.78	0.14	0.67	0.05	801	280	440
Steinway	6306	0.10	0.68	-0.001	131000	860	16000	4	2	378	1.0	4.0	0.03	0.09	-0.001	11	15	22.3	0.01	0.88	0.16	0.59	0.07	0.43	0.06	784	350	370
Steinway	6308	0.10	0.76	-0.001	98400	790	17000	8	3	482	0.9	3.8	0.03	0.07	-0.001	11	16	17.9	0.00	0.72	0.16	0.43	0.02	0.40	0.04	492	180	240
Steinway	6309	0.14	1.03	-0.001	104000	1100	20000	6	3	625	1.0	3.5	0.02	0.05	-0.001	18	21	21.1	0.01	1.40	0.28	0.82	0.11	0.67	0.05	896	440	570
Steinway	6310	0.14	1.07	-0.001	143000	770	14000	6	4	491	0.7	4.1	0.02	0.06	-0.001	31	27	20.9	0.00	0.88	0.18	0.59	0.07	0.43	0.03	875	430	480
Steinway	6311	0.32	1.17	-0.001	98000	1100	19000	8	28	725	1.0	3.8	0.02	0.06	-0.001	23	24	26.7	0.01	0.98	0.22	0.59	0.09	0.49	0.03	1427	990	1100
Steinway	6312	0.16	1.04	-0.001	170000	1000	15000	6	3	754	0.6	3.7	0.03	0.07	-0.001	25	25	23.0	0.01	0.98	0.22	0.78	0.11	0.61	0.05	1067	540	570
Steinway	6313	0.16	1.18	-0.001	148000	1200	15000	6	5	821	1.1	4.3	0.03	0.06	-0.001	21	22	24.9	-0.02	1.80	0.34	0.94	0.20	0.88	0.04	1086	590	630
Steinway	6314	0.14	0.87	-0.001	162000	820	14000	6	4	623	0.8	4.1	0.03	0.07	-0.001	19	20	24.3	0.01	1.00	0.22	0.80	0.15	0.85	0.06	1062	460	530
Steinway	6315	0.32	1.21	-0.001	156000	1000	15000	8	6	1040	0.9	4.0	0.03	0.07	-0.001	26	25	25.0	0.01	1.20	0.24	0.86	0.14	0.81	0.05	1136	630	670
Steinway	6316	0.18	1.06	-0.001	100000	750	13000	8	3	891	0.4	3.4	0.03	0.08	-0.001	23	20	22.0	0.00	0.88	0.20	0.94	0.14	0.94	0.06	971	490	530
Steinway	6317	0.14	0.97	-0.001	101000	820	14000	8	4	833	0.6	3.4	0.03	0.07	-0.001	17	17	21.0	0.00	1.10	0.26	0.98	0.14	0.92	0.06	824	370	420
Steinway	6318	0.18	0.85	-0.001	88500	820	15000	12	5	1112	0.6	3.1	0.03	0.07	-0.001	12	14	19.6	0.00	1.10	0.30	1.09	0.20	1.12	0.07	794	350	430
Steinway	6319	0.20	0.77	-0.001	72900	810	14000	8	3	747	0.6	3.0	0.03	0.08	-0.001	14	15	16.9	0.00	1.00	0.30	1.01	0.13	0.86	0.07	711	310	390
Steinway	6324	0.24	1.07	-0.001	156000	750	9800	8	5	1102	0.4	3.6	0.02	0.05	-0.001	20	18	24.5	0.00	0.54	0.22	0.43	0.04	0.45	0.03	1075	410	410
Steinway	6326	0.18	1.07	-0.001	103000	950	9600	8	4	878	0.6	3.8	0.03	0.05	-0.001	22	18	23.5	0.01	1.40	0.42	1.17	0.20	1.03	0.08	816	410	370
Steinway	6328	0.20	1.25	-0.001	151000	890	9000	8	4	670	0.8	4.1	0.04	0.05	-0.001	11	12	27.9	0.01	1.40	0.36	1.17	0.20	0.83	0.07	816	300	330
Apollo	3949	2.06	0.25	-0.001	23800	420	5800	27	25	292	10.0	1.2	0.02	0.03	-0.001	6	8	5.5	0.01	0.18	0.04	0.27	0.04	0.14	0.03	174	66	93
Apollo	3953	0.14	0.25	-0.001	23500	230	3100	12	25	275	9.4	1.0	0.01	0.02	-0.001	2	4	4.9	0.01	0.20	0.04	0.35	0.04	0.11	0.03	192	69	95
Apollo	3955	0.14	0.25	-0.001	23400	260	3200	4	11	265	5.4	1.1	0.01	0.02	-0.001	4	5	5.6	0.01	0.26	0.04	0.43	0.05	0.18	0.03	217	80	97
Apollo	3957	0.16	0.25	-0.001	23100	270	3000	4	5	347	1.9	1.4	0.02	0.02	-0.001	6	6	6.6	0.00	0.24	0.06	0.47	0.04	0.29	0.02	253	110	120
Apollo	3959	0.16	0.25	-0.001	24000	220	3300	-2	5	301	8.5	1.6	0.01	0.02	-0.001	5	5	6.1	0.00	0.32	0.04	0.39	0.04	0.20	0.03	229	81	110
Apollo	3961	0.26	0.25	-0.001	24100	280	4000	8	4	292	2.6	1.6	0.02	0.03	-0.001	8	7	8.4	0.00	0.34	0.04	0.70	0.05	0.25	0.02	288	140	160
Apollo	3963	0.34	0.25	-0.001	23600	260	2800	3	5	270	6.2	1.2	0.02	0.03	-0.001	4	5	10.6	0.00	0.38	0.06	0.62	0.05	0.23	0.04	314	110	140
Apollo	3965	0.66	0.59	-0.001	28500	400	5500	8	5	499	1.8	1.7	0.03	0.03	-0.001	5	7	11.9	0.00	0.90	0.08	0.66	0.05	0.49	0.04	361	150	190
Apollo	3967	0.52	0.62	-0.001	28400	370	4900	-2	9	477	7.4	1.8	0.02	0.02	-0.001	10	9	11.3	0.01	0.64	0.06	0.51	0.04	0.40	0.03	404	180	220
Apollo	3969	0.32	0.25	-0.001	29700	340	5500	-2	11	556	8.9	1.9	0.02	0.03	-0.001	7	9	10.7	0.01	0.68	0.08	0.59	0.07	0.50	0.04	409	140	230
Apollo	3971	0.46	0.25	-0.001	30400	320	5400	-2	9	508	9.9	1.4	0.01	0.02	-0.001	10	11	10.0	0.01	0.64	0.08	0.39	0.04	0.36	0.04	402	190	270
Apollo	3973	0.34	0.25	-0.001	30800	340	5700	-2	9	594	9.1	2.0	0.02	0.03	-0.001	9	11	12.2	0.01	0.84	0.10	0.66	0.05	0.52	0.04	474	210	310
Apollo	3975	0.38	0.56	-0.001	31600	350	6500	-2	11	650	9.0	1.9	0.02	0.04	-0.001	10	9	12.7	0.01	0.78	0.12	0.78	0.05	0.59	0.04	525	230	480
Apollo	3977	0.40	0.25	-0.001	32000	450	6500	-2	7	704	6.7	1.9	0.01	0.05	-0.001	10	12	13.4	0.01	0.62	0.08	0.70	0.05	0.52	0.03	541	260	350
Apollo	3979	0.62	0.7	-0.001	33900	440	5700	4	9	637	7.5	1.8	0.03	0.05	-0.001	7	8	12.5	0.01	0.88	0.10	0.94	0.05	0.58	0.04	445	210	260
Apollo	3981	0.30	0.62	-0.001	33400	410	7000	-2	13	626	1.9	1.9	0.03	0.06	-0.001	8	11	11.8	0.01	0.98	0.10	0.78	0.09	0.61	0.03	477	200	310
Apollo	3983	0.36	0.25	-0.001	32700	350	5900	-2	14	639	5.6	2.0	0.02	0.03	-0.001	10	11	11.0	0.01	0.66	0.08	0.43	0.05	0.41	0.02	452	220	290
Apollo	3986	0.32	0.51	-0.001	36900	380	5400	-2	14	700	6.4	2.0	0.02	0.05	-0.001	10	12	14.4	0.01	0.86	0.08	0.62	0.07	0.59	0.03	721	290	300
Apollo	3989	0.68	0.65	-0.001	41200	380	6600	-2	16						-0.001	10	10	15.9	0.01	0.84	0.10	0.59	0.07	0.67	0.02	977	430	700

	No.	Mn/A ppm	Mn/B ppm	Mn/C ppm	Mn/E ppm	Mo/H1 ppm	Mo/H2 ppm	Mo/E ppm	Nb/H1 ppm	Nb/H2 ppm	Nb/E ppm	Ni/T ppm	Ni/H1 ppm	Ni/H2 ppm	Ni/A ppm	Ni/B ppm	Ni/C ppm	Ni/E ppm	Ni/M ppm	Pb/T ppm	Pb/H1 ppm	Pb/H2 ppm	Pb/A ppm	Pb/B ppm	Pb/C ppm	Pb/E ppm	Pb/M ppm	Pt/H1 ppb
Baxter	394	28	504	270	11.60	0.025	0.25	-0.001	-0.005	0.25	-0.001	50	-0.2	0.8	-0.4	-0.2	0.2	0.02	0.135	28	2	5	-2	2	3	0.004	0.34	-0.2
Baxter	406	26	36	79	3.06	0.025	0.26	-0.001	-0.005	0.21	-0.001	39	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.085	25	2	3	-2	-1	2	0.002	0.14	-0.2
Baxter	409	55	47	49	11.36	0.035	0.38	-0.001	-0.005	0.23	-0.001	45	0.6	1	-0.4	-0.2	0.2	0.03	0.345	27	2	5	-2	-1	3	0.003	0.12	-0.2
Baxter	410	2	2	5	0.49	0.025	0.23	-0.001	-0.005	0.15	-0.001	35	-0.2	0.2	-0.4	-0.2	0.2	-0.01	0.065	23	-1	2	-2	-1	-1	0.003	0.12	-0.2
Baxter	415	6	25	16	1.27	0.025	0.25	-0.001	-0.005	0.19	-0.001	41	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.04	32	1	4	-2	-1	-1	0.002	0.16	-0.2
Baxter	416	47	129	32	21.02	0.045	0.31	-0.001	-0.005	0.23	-0.001	39	-0.2	0.4	0.3	0.2	0.3	0.01	0.055	30	2	4	-2	2	1	0.011	0.06	-0.2
Baxter	417	31	14	8	2.74	0.035	0.35	-0.001	-0.005	0.26	-0.001	37	-0.2	0.4	1.2	-0.2	0.2	-0.01	0.085	33	2	3	-2	-1	-1	0.002	0.16	-0.2
Baxter	418	7	1	2	0.34	0.04	0.42	-0.001	-0.005	0.24	-0.001	39	-0.2	0.4	1.6	-0.2	0.2	-0.01	0.035	31	1	3	-2	-1	-1	-0.001	0.1	-0.2
Baxter	419	70	468	113	50.00	0.065	0.29	-0.001	-0.005	0.15	0.001	48	1.2	1.6	1.2	0.7	0.4	0.11	0.11	35	2	4	-2	1	2	0.008	0.12	-0.2
Baxter	423	19	13	18	3.77	0.03	0.22	-0.001	-0.005	0.13	-0.001	39	-0.2	0.4	1.6	-0.2	0.2	0.01	0.12	28	1	3	-2	-1	1	0.003	0.1	-0.2
Baxter	426	12	13	18	1.34	0.03	0.32	-0.001	-0.005	0.18	-0.001	34	-0.2	0.4	1.6	-0.2	0.2	0.01	0.09	30	2	3	-2	-1	2	0.002	0.16	-0.2
Baxter	427	29	113	77	4.91	0.035	0.27	-0.001	-0.005	0.17	-0.001	35	-0.2	0.2	0.8	-0.2	0.2	-0.01	0.04	30	2	4	-2	1	3	0.002	0.28	-0.2
Baxter	437	14	11	13	1.25	0.03	0.23	-0.001	-0.005	0.15	-0.001	38	-0.2	0.2	-0.4	0.2	0.2	-0.01	0.07	28	1	3	-2	-1	-1	0.001	0.14	-0.2
Baxter	440	12	9	7	2.00	0.025	0.32	-0.001	-0.005	0.19	-0.001	40	0.2	0.6	-0.4	0.5	0.2	0.03	0.155	32	2	3	-2	3	-1	0.003	0.1	-0.2
Baxter	441	8	5	5	2.00	0.02	0.24	-0.001	-0.005	0.15	-0.001	38	-0.2	0.4	0.4	-0.2	0.2	0.01	0.07	32	-1	2	-2	-1	-1	0.001	0.06	-0.2
Baxter	442	12	23	38	1.38	0.02	0.23	-0.001	-0.005	0.16	-0.001	40	-0.2	0.6	-0.4	-0.2	0.4	0.02	0.225	26	1	3	-2	-1	2	0.002	0.12	-0.2
Baxter	443	16	14	32	1.51	0.025	0.24	-0.001	-0.005	0.14	-0.001	36	-0.2	0.4	-0.4	-0.2	0.2	0.02	0.145	34	2	3	-2	-1	2	0.002	0.18	-0.2
Baxter	444	18	5	7	1.58	0.025	0.26	-0.001	-0.005	0.16	-0.001	41	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.105	25	1	3	-2	-1	-1	-0.001	0.12	-0.2
Baxter	445	31	23	8	5.94	0.035	0.32	-0.001	-0.005	0.2	-0.001	40	-0.2	0.4	-0.4	-0.2	0.2	-0.02	0.05	34	2	3	-2	-1	1	0.003	0.2	-0.2
Baxter	448	34	124	79	6.60	0.03	0.31	-0.001	-0.005	0.18	-0.001	43	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.075	30	1	2	-2	-1	2	0.002	0.12	-0.2
Fender	4401	5	38	22	0.43	0.025	0.06	-0.001	-0.005	0.025	-0.001	1	2.2	-0.4	0.2	0.4	0.02	0.165	-1	2	-2	-1	1	0.004	0.12	1.4		
Fender	4406	5	38	25	0.36	0.035	0.09	-0.001	-0.005	0.02	0.003	0.6	1	-0.4	-0.2	0.2	0.05	0.095	-1	3	-2	-1	2	0.006	0.14	0.6		
Fender	4411	14	5	10	2.99	0.025	0.26	-0.001	-0.005	0.18	-0.001	0.2	0.6	-0.4	-0.2	0.2	0.02	0.14	1	3	-2	-1	1	0.002	0.2	-0.2		
Fender	4412	12	3	7	1.94	0.035	0.36	-0.001	-0.005	0.26	-0.001	0.2	0.4	0.8	-0.2	0.2	0.01	0.145	2	4	-2	-1	2	0.003	0.22	-0.2		
Fender	4413	59	10	18	8.56	0.03	0.3	-0.001	0.015	0.27	-0.001	0.4	0.8	-0.4	-0.2	0.3	0.02	0.22	3	4	3	-1	2	0.020	0.14	-0.2		
Fender	2649	11	139	74	3.20	0.05	0.22	0.036	-0.005	0.095	0.006	1.8	4.2	-0.4	2.0	1.1	0.08	0.175	2	5	-2	-1	4	0.020	0.2	0.6		
Fender	2653	5	85	54	2.06	0.03	0.18	0.011	-0.005	0.095	0.012	1.8	3.2	-0.4	1.4	1.4	0.12	0.125	2	5	-2	-1	4	0.030	0.2	0.2		
Fender	2658	7	94	49	4.24	0.05	0.19	0.018	-0.005	0.11	0.001	1.8	2.8	-0.4	1.1	1.1	0.09	0.105	2	4	-2	-1	2	0.007	0.18	0.2		
Fender	2663	5	32	17	0.78	0.03	0.18	0.024	-0.005	0.18	0.015	1.2	2	-0.4	0.7	1.1	0.06	0.14	2	4	-2	-1	2	0.029	0.26	0.2		
Fender	2668	5	117	58	2.16	0.05	0.22	0.031	-0.005	0.12	0.015	1.6	3	-0.4	1.4	1.4	0.09	0.15	1	5	-2	-1	3	0.032	0.22	0.4		
Fender	2673	5	67	32	1.26	0.04	0.13	0.017	-0.005	0.11	0.013	1.6	2	-0.4	0.7	1.1	0.07	0.09	2	3	-2	-1	2	0.031	0.26	0.2		
Fender	2680	7	72	41	0.93	0.065	0.21	0.044	-0.005	0.15	0.016	29	1.6	2.2	-0.4	0.7	0.7	0.06	0.145	33	2	4	-2	-1	4	0.031	0.18	0.2
Fender	2688	7	74	43	1.54	0.045	0.19	0.015	-0.005	0.11	0.005	2.2	3.8	-0.4	1.4	1.4	0.07	0.145	2	5	-2	-1	3	0.021	0.18	0.2		
Fender	2696	7	95	56	1.82	0.035	0.13	0.012	-0.005	0.1	0.005	50	1.8	3.2	-0.4	1.8	0.7	0.08	0.12	2	5	-2	-1	4	0.023	0.18	0.2	
Fender	2707	5	27	23	0.31	0.025	0.095	-0.001	-0.005	0.06	0.006	39	0.6	1	-0.4	0.4	0.4	0.02	0.12	2	4	-2	-1	3	0.016	0.16	0.4	
Fender	2718	13	171	72	3.95	0.07	0.24	0.062	-0.005	0.16	0.009	45	2.4	3	-0.4	2.2	1.4	0.10	0.13	2	5	-2	-1	4	0.021	0.24	-0.2	
Fender	2732	13	148	92	2.38	0.055	0.28	0.036	-0.005	0.17	0.016	35	2.8	2.8	-0.4	1.4	1.1	0.11	0.13	9	43	12	1	8	0.090	0.26	0.2	
Fender	2746	8	110	70	1.94	0.035	0.16	0.012	-0.005	0.09	0.004	41	1.6	3	-0.4	1.8	1.1	0.06	0.16	1	5	-2	-1	3	0.013	0.16	-0.2	
Fender	2759	7	83	43	1.39	0.045	0.21	0.042	-0.005	0.14	0.012	39	1.4	2.8	-0.4	1.1	1.1	0.06	0.16	1	4	-2	-1	2	0.027	0.14	0.4	
Fender	2771	7	72	27	1.40	0.05	0.19	0.014	-0.005	0.17	0.012	37	2	2	-0.4	1.4	1.1	0.08	0.15	2	4	-2	-1	3	0.021	0.18	-0.2	
Fender	2780	1	7	10	0.13	0.025	0.13	-0.001	-0.005	0.15	0.013	39	0.4	1	-0.4	0.4	0.7	0.03	0.035	1	4	-2	-1	3	0.019	0.08	-0.2	

	No.	Mn/A ppm	Mn/B ppm	Mn/C ppm	Mn/E ppm	Mo/H1 ppm	Mo/H2 ppm	Mo/E ppm	Nb/H1 ppm	Nb/H2 ppm	Nb/E ppm	Ni/T ppm	Ni/H1 ppm	Ni/H2 ppm	Ni/A ppm	Ni/B ppm	Ni/C ppm	Ni/E ppm	Ni/M ppm	Pb/T ppm	Pb/H1 ppm	Pb/H2 ppm	Pb/A ppm	Pb/B ppm	Pb/C ppm	Pb/E ppm	Pb/M ppm	Pt/H1 ppb
Fender	2788	8	76	38	1.17	0.04	0.14	0.012	-0.005	0.11	0.006	48	1.4	1.8	-0.4	1.1	1.1	0.04	0.125	42	2	4	-2	-1	3	0.014	0.06	0.2
Fender	2796	8	149	88	1.46	0.04	0.14	0.017	-0.005	0.075	0.009	39	2.8	4.2	-0.4	2.2	1.8	0.07	0.165		2	4	-2	-1	4	0.018	0.14	0.6
Fender	2802	10	160	88	2.51	0.05	0.16	0.029	-0.005	0.08	0.007	34	3.2	4.2	-0.4	2.5	1.8	0.10	0.19		2	5	-2	-1	3	0.016	0.2	0.6
Fender	2808	9	139	61	3.00	0.03	0.15	0.004	-0.005	0.095	0.009	35	2.2	3.2	-0.4	2.5	1.4	0.11	0.19		1	4	-2	-1	3	0.025	0.18	0.4
Fender	2813	10	112	61	2.63	0.035	0.13	0.003	-0.005	0.055	0.004	38	2.4	3.4	-0.4	2.2	1.4	0.07	0.235		2	4	-2	-1	3	0.009	0.12	0.6
Fender	2818	8	234	97	4.35	0.045	0.18	0.015	-0.005	0.085	0.005	40	2.8	3.8	-0.4	2.5	1.4	0.09	0.1		2	5	-2	-1	4	0.012	0.14	0.4
Fender	2822	9	234	74	3.84	0.045	0.18	0.011	-0.005	0.055	0.003	38	1.8	2.8	-0.4	2.2	0.7	0.06	0.09		1	5	-2	-1	4	0.017	0.2	0.6
Fender	2827	9	99	50	1.38	0.035	0.13	-0.001	-0.005	0.055	0.007	40	1.4	3.4	-0.4	1.8	1.1	0.05	0.17		1	4	-2	-1	2	0.017	0.12	-0.2
Fender	2832	9	72	38	0.78	0.04	0.16	0.02	-0.005	0.055	0.009	36	1.2	2.4	-0.4	1.1	1.8	0.06	0.185		1	5	-2	-1	3	0.024	0.16	0.2
Fender	2837	9	180	76	5.23	0.04	0.14	0.011	-0.005	0.065	0.005	41	2	4.2	-0.4	2.5	1.4	0.12	0.205		1	4	-2	-1	2	0.015	0.16	0.6
Fender	2842	9	81	36	1.12	0.035	0.11	0.004	-0.005	0.055	0.004	40	1.6	2.4	-0.4	1.1	0.7	0.04	0.16		1	4	-2	-1	3	0.009	0.12	0.4
Fender	2847	10	198	95	3.32	0.04	0.15	0.032	-0.005	0.045	0.007	43	3.6	7.4	-0.4	4.3	3.2	0.13	0.17		1	5	-2	-1	3	0.019	0.18	0.8
Fender	2853	9	216	86	3.81	0.04	0.21	0.025	-0.005	0.085	0.009		2.6	5.4	0.8	3.6	1.4	0.11	0.255		1	5	-2	-1	3	0.027	0.16	0.6
Fender	2860	11	63	31	1.18	0.025	0.15	-0.001	-0.005	0.085	0.003		1.6	3.2	-0.4	1.4	1.1	0.04	0.44		1	3	-2	-1	2	0.009	0.16	0.4
Fender	2867	11	103	52	2.15	0.06	0.18	0.048	-0.005	0.085	0.011		2.4	3.2	-0.4	1.8	1.1	0.09	0.31		2	4	-2	-1	2	0.024	0.1	0.6
Fender	2874	16	133	70	5.75	0.05	0.21	0.006	-0.005	0.12	0.006		2.4	3.6	-0.4	2.2	1.1	0.10	0.305		2	5	-2	-1	3	0.017	0.24	0.2
Fender	2882	12	252	95	4.50	0.065	0.23	0.023	-0.005	0.16	0.012		3.4	4.6	-0.4	3.6	1.8	0.11	0.255		2	5	-2	-1	4	0.029	0.22	0.4
Bronzewing	2718	8	83	23	25.22	0.04	0.38	-0.001	-0.005	0.16	-0.001	30.2	0.2	0.4	-0.4	-0.2	0.2	0.04	0.13	22	2	5	-2	2	2	0.020	0.36	0.2
Bronzewing	2719	16	77	25	26.99	0.04	0.43	-0.001	-0.005	0.18	-0.001	27.6	-0.2	0.4	-0.4	-0.2	0.2	0.04	0.13	22	2	5	-2	2	2	0.014	0.4	-0.2
Bronzewing	2720	43	164	36	50.00	0.03	0.34	-0.001	-0.005	0.15	-0.001	24.3	-0.2	0.4	-0.4	-0.2	0.2	0.07	0.08	21	-1	4	-2	2	-1	0.020	0.38	-0.2
Bronzewing	2721	4	5	1	5.00	0.025	0.43	-0.001	-0.005	0.17	-0.001	28.2	-0.2	0.4	-0.4	-0.2	0.2	0.02	0.055	20	3	5	-2	-1	1	0.005	0.12	-0.2
Bronzewing	2722	27	83	29	22.05	0.055	0.53	-0.001	-0.005	0.23	-0.001	27.7	0.2	0.6	-0.4	-0.2	0.2	0.03	0.155	21	3	5	-2	2	2	0.011	0.44	-0.2
Bronzewing	2801	31	167	54	38.55	0.045	0.46	-0.001	-0.005	0.21	-0.001	23.5	0.4	0.8	-0.4	-0.2	0.2	0.07	0.245	20	2	5	-2	3	1	0.009	0.48	-0.2
Bronzewing	2802	24	74	10	11.63	0.03	0.48	-0.001	-0.005	0.21	-0.001	32.4	0.4	0.8	-0.4	-0.2	0.2	0.03	0.26	22	3	5	-2	-1	1	0.004	0.2	0.2
Bronzewing	2803	34	144	33	33.52	0.04	0.4	-0.001	-0.005	0.19	-0.001	24.4	0.2	0.6	-0.4	0.4	0.3	0.05	0.16	19	2	4	-2	2	1	0.020	0.4	-0.2
Bronzewing	2804	37	306	79	36.48	0.035	0.41	-0.001	-0.005	0.19	-0.001	25.8	0.4	0.6	-0.4	-0.2	0.2	0.04	0.175	20	2	5	-2	2	3	0.004	0.3	-0.2
Bronzewing	2805	38	306	67	50.00	0.045	0.45	-0.001	-0.005	0.22	-0.001	27.7	0.4	0.8	-0.4	-0.2	0.2	0.06	0.19	20	1	5	-2	3	2	0.003	0.38	-0.2
Bronzewing	2806	12	23	18	2.44	0.045	0.55	-0.001	-0.005	0.23	-0.001	33.2	-0.2	0.6	-0.4	-0.2	0.2	0.01	0.115	22	2	5	-2	-1	2	0.002	0.18	-0.2
Bronzewing	2807	21	85	20	9.01	0.045	0.59	-0.001	-0.005	0.24	-0.001	33.8	0.4	1	-0.4	-0.2	0.2	0.03	0.24	22	3	6	-2	-1	3	0.004	0.28	-0.2
Bronzewing	2808	24	133	47	29.65	0.05	0.54	-0.001	-0.005	0.24	-0.001	31.9	0.2	0.8	-0.4	-0.2	0.2	0.03	0.15	23	2	6	-2	3	2	0.012	0.58	0.4
Bronzewing	2809	32	198	106	50.00	0.05	0.45	-0.001	-0.005	0.23	-0.001	24.3	0.2	0.6	-0.4	-0.2	0.2	0.04	0.1	21	2	5	-2	3	2	0.012	0.58	-0.2
Bronzewing	2810	18	94	119	16.09	0.04	0.43	-0.001	-0.005	0.19	-0.001	26.2	-0.2	0.6	-0.4	-0.2	0.2	0.02	0.085	19	2	5	-2	2	4	0.011	0.28	-0.2
Bronzewing	2811	21	135	43	38.95	0.04	0.4	-0.001	-0.005	0.18	-0.001	25.6	0.2	0.8	-0.4	-0.2	0.2	0.06	0.115	19	1	5	-2	2	1	0.006	0.32	-0.2
Curara	1048	13	17	4	4.04	0.085	1.2	-0.001	-0.005	0.1	-0.001	28	0.6	0.4	-0.4	0.2	0.2	0.02	0.125	15	2	4	-2	1	1	0.009	0.28	-0.2
Curara	1050	0	0	1	0.19	0.05	0.66	-0.001	-0.005	0.07	-0.001	13	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.095	15	1	3	-2	-1	-1	0.006	0.16	-0.2
Curara	1051	32	121	23	18.23	0.12	1	0.002	-0.005	0.12	-0.001	31	0.6	0.6	0.4	0.2	0.2	0.03	0.25	18	3	5	-2	-1	3	0.022	0.24	-0.2
Curara	1052	26	67	17	7.10	0.16	1.3	-0.001	-0.005	0.16	-0.001	40	0.4	0.6	-0.4	-0.2	0.2	0.02	0.18	20	4	6	-2	1	3	0.011	0.28	-0.2
Curara	1053	21	133	38	14.99	0.24	1.4	0.011	-0.005	0.17	0.001	39	0.4	0.6	-0.4	-0.2	0.2	0.03	0.17	21	4	6	-2	1	4	0.012	0.46	-0.2
Curara	1054	33	198	38	18.92	0.3	1.4	0.016	-0.005	0.2	0.001	48	0.6	0.6	-0.4	-0.2	0.2	0.03	0.14	22	5	6	-2	2	4	0.015	0.38	0.2
Curara	1055	39	148	43	19.14	0.23	1.5	0.013	-0.005	0.18	0.001	41	0.6	1	-0.4	1.1	0.4	0.03	0.21	23	4	6	-2	1	3	0.017	0.28	-0.2
Curara	1056	19	106	32	8.56	0.33	1.6	0.026	-0.005	0.15	0.002	37	0.4	0.6	-0.4	-0.2	0.2	0.03	0.11	21	3	6	-2	1	3	0.014	0.3	-0.2

	No.	Mn/A ppm	Mn/B ppm	Mn/C ppm	Mn/E ppm	Mo/H1 ppm	Mo/H2 ppm	Mo/E ppm	Nb/H1 ppm	Nb/H2 ppm	Nb/E ppm	Ni/T ppm	Ni/H1 ppm	Ni/H2 ppm	Ni/A ppm	Ni/B ppm	Ni/C ppm	Ni/E ppm	Ni/M ppm	Pb/T ppm	Pb/H1 ppm	Pb/H2 ppm	Pb/A ppm	Pb/B ppm	Pb/C ppm	Pb/E ppm	Pb/M ppm	Pt/H1 ppb
Curara	1057	34	450	61	23.51	0.31	1.3	0.054	-0.005	0.16	0.003	41	1.4	1.4	0.8	0.9	0.2	0.06	0.19	22	4	6	-2	2	5	0.027	0.26	-0.2
Curara	1058	32	160	25	10.39	0.19	1.1	0.028	-0.005	0.18	0.003	32	0.6	1	-0.4	0.2	0.2	0.05	0.215	18	3	5	-2	1	3	0.020	0.3	-0.2
Curara	1059	39	90	13	14.89	0.1	0.84	0.001	-0.005	0.14	-0.001	30	0.6	0.8	-0.4	-0.2	0.2	0.04	0.235	17	2	4	-2	-1	2	0.013	0.26	-0.2
Curara	1060	22	75	11	10.51	0.13	0.97	0.005	-0.005	0.15	-0.001	24	0.2	0.6	-0.4	0.2	0.5	0.02	0.115	16	2	5	-2	1	2	0.016	0.26	-0.2
Curara	1061	32	270	38	15.37	0.16	0.92	0.068	-0.005	0.14	0.002	28	0.8	1.4	-0.4	0.4	0.2	0.04	0.195	18	3	6	-2	2	3	0.037	0.26	-0.2
Curara	1062	24	216	59	29.28	0.16	0.89	0.042	-0.005	0.15	-0.001	31	0.8	1.4	-0.4	0.5	0.2	0.10	0.195	20	2	5	-2	-1	3	0.089	0.32	0.2
Curara	1063	20	67	14	12.50	0.09	0.68	-0.001	-0.005	0.13	-0.001	26	0.4	0.8	-0.4	-0.2	0.2	0.04	0.15	18	2	4	4	-1	2	0.016	0.26	-0.2
Curara	1065	19	8	4	1.93	0.05	0.82	-0.001	-0.005	0.15	-0.001	26	0.4	0.6	-0.4	-0.2	0.2	0.01	0.195	15	3	4	-2	-1	1	0.008	0.14	-0.2
Curara	1067	11	2	1	1.77	0.03	0.58	-0.001	-0.005	0.12	-0.001	21	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.08	14	1	3	-2	-1	1	0.006	0.16	-0.2
Curara	1070	9	0	1	2.01	0.025	0.55	-0.001	-0.005	0.09	-0.001	15	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.1	14	1	2	-2	-1	-1	0.004	0.16	-0.2
Curara	2276	8	2	6	7.62	0.03	0.49	-0.001	-0.005	0.12	-0.001	-	-0.2	0.4	-0.4	-0.2	0.2	0.04	0.08	-	1	2	-2	-1	1	0.003	0.12	-0.2
Curara	2278	27	14	5	4.53	0.035	0.58	-0.001	-0.005	0.11	-0.001	-	0.4	0.6	-0.4	-0.2	0.2	0.02	0.17	-	2	4	-2	-1	2	0.014	0.1	-0.2
Curara	2280	12	10	56	2.04	0.025	0.59	-0.001	-0.005	0.12	-0.001	-	-0.2	0.4	-0.4	0.9	0.2	0.02	0.125	-	2	3	-2	-1	5	0.006	0.18	-0.2
Curara	2282	11	3	2	1.69	0.025	0.58	-0.001	-0.005	0.12	-0.001	-	-0.2	0.4	-0.4	0.5	0.2	-0.02	0.11	-	2	3	-2	-1	1	0.006	0.18	-0.2
Curara	2283	15	10	29	2.98	0.04	0.77	-0.001	-0.005	0.11	-0.001	-	-0.2	0.4	-0.4	0.4	0.2	0.01	0.095	-	2	3	-2	-1	2	0.005	0.16	-0.2
Curara	2285	25	10	6	5.48	0.07	1.2	-0.001	-0.005	0.13	-0.001	-	0.2	0.6	-0.4	0.2	0.2	0.05	0.145	-	2	3	-2	-1	1	0.008	0.1	-0.2
Curara	2288	7	1	2	2.01	0.05	1.7	-0.001	-0.005	0.12	-0.001	-	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.095	-	1	3	-2	-1	1	0.007	0.18	-0.2
Curara	2291	12	2	2	2.72	0.05	1.1	-0.001	-0.005	0.12	-0.001	-	-0.2	0.4	-0.4	-0.2	0.2	-0.01	0.05	-	1	3	-2	-1	1	0.005	0.18	-0.2
Curara	2294	8	1	2	1.96	0.045	1.2	-0.001	-0.005	0.13	-0.001	-	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.085	-	1	3	-2	-1	-1	0.006	0.16	-0.2
Curara	2297	12	4	2	3.46	0.045	1.3	-0.001	-0.005	0.11	-0.001	-	-0.2	0.4	-0.4	-0.2	0.2	0.01	0.15	-	1	3	-2	-1	-1	0.005	0.14	-0.2
Safari	2994	43	43	8	4.29	0.02	0.23	0.013	-0.005	0.2	0.001	-	1.4	3.4	1.6	0.7	0.7	0.10	0.595	-	1	3	-2	-1	1	0.005	-0.02	-0.2
Safari	3016	34	70	14	3.32	0.02	0.17	0.005	-0.005	0.19	0.001	-	1.2	3.8	1.6	1.4	0.9	0.09	0.445	-	1	3	-2	-1	1	0.003	-0.02	-0.2
Safari	3038	35	85	12	5.13	0.02	0.13	0.004	-0.005	0.16	0.001	-	1.6	3.6	1.6	1.6	0.9	0.12	0.47	-	1	2	-2	-1	-1	0.005	0.02	-0.2
Safari	3060	32	76	12	2.90	0.025	0.17	0.008	-0.005	0.19	0.002	-	2	3.4	1.6	1.3	1.1	0.09	0.415	-	1	3	-2	-1	-1	0.003	-0.02	-0.2
Safari	3082	38	65	10	4.39	0.06	0.2	0.008	-0.005	0.17	0.002	-	1.2	2.6	2.0	1.1	0.7	0.09	0.335	-	1	2	-2	-1	-1	0.006	0.02	-0.2
Safari	3100	36	76	12	3.84	0.035	0.23	-0.001	-0.005	0.2	0.002	-	1.4	3	1.2	1.3	0.7	0.12	0.515	-	1	3	-2	-1	1	0.005	0.04	-0.2
Safari	3122	43	65	12	3.33	0.025	0.18	0.008	-0.005	0.18	0.002	-	1.8	3.2	2.0	1.3	1.1	0.17	0.52	-	1	3	-2	-1	1	0.004	-0.02	-0.2
Safari	3140	39	74	14	3.12	0.025	0.15	0.011	-0.005	0.16	0.001	-	2	2.8	1.6	1.4	1.3	0.16	0.53	-	1	3	-2	-1	1	0.004	-0.02	-0.2
Safari	3158	47	49	12	3.13	0.025	0.16	0.013	-0.005	0.17	0.002	-	2	3.4	1.6	0.9	1.3	0.13	0.54	-	1	3	-2	-1	-1	0.005	0.04	-0.2
Safari	3176	40	51	19	2.69	0.02	0.17	0.004	-0.005	0.19	0.002	-	2.2	3.4	1.1	0.9	1.7	0.13	0.66	-	1	3	-2	-1	1	0.006	0.02	-0.2
Safari	3192	30	119	23	5.46	0.025	0.19	0.001	-0.005	0.19	0.001	-	4	3.6	1.2	1.8	1.4	0.09	0.485	-	1	3	-2	-1	1	0.004	0.06	-0.2
Safari	3208	55	157	31	5.20	0.04	0.23	0.045	-0.005	0.16	0.003	-	2.4	3.4	1.6	2.3	1.3	0.13	0.69	-	1	3	-2	-1	1	0.008	0.06	-0.2
Safari	3224	36	81	16	4.43	0.025	0.21	0.013	-0.005	0.18	0.002	-	2	3.2	1.2	1.4	1.1	0.18	0.605	-	1	3	-2	-1	1	0.005	0.04	-0.2
Safari	3240	32	83	18	4.53	0.03	0.2	0.02	-0.005	0.16	0.001	-	1.4	2.6	1.2	1.3	1.1	0.10	0.55	-	1	3	-2	-1	1	0.004	0.02	-0.2
Safari	3256	24	101	22	4.77	0.045	0.22	0.026	-0.005	0.17	0.004	-	2.2	3	1.2	1.8	1.4	0.16	0.42	-	1	3	-2	-1	2	0.012	0.04	-0.2
Safari	3268	30	106	29	2.96	0.03	0.2	0.034	-0.005	0.18	0.004	-	3.4	4	1.6	2.2	2.3	0.18	0.645	-	1	3	-2	-1	2	0.011	0.04	-0.2
Safari	3284	39	81	20	6.10	0.035	0.17	0.029	-0.005	0.12	-0.001	-	3	3.2	2.0	2.7	2.7	0.14	0.91	-	1	1	-2	-1	2	0.002	0.04	-0.2
Safari	3300	22	61	12	3.11	0.03	0.18	0.007	-0.005	0.15	-0.001	-	2	3.8	1.2	-0.2	0.9	0.06	0.58	-	1	3	-2	-1	2	0.003	0.02	-0.2
Safari	3312	26	83	17	5.81	0.035	0.18	0.02	-0.005	0.16	0.002	-	2.6	2.8	1.2	-0.2	0.9	0.14	0.505	-	1	3	-2	-1	1	0.012	0.06	-0.2
Safari	3324	26	76	18	4.65	0.025	0.16	0.005	-0.005	0.14	0.002	-	2.4	2.6	1.6	0.9	0.9	0.14	0.905	-	1	3	-2	-1	1	0.006	-0.02	-0.2
Safari	3336	25	69	18	3.67	0.03	0.19	0.02	-0.005	0.19	-0.001	-	2	3.6	0.9	1.0	2.1	0.09	0.63	-	1	3	-2	-1	2	0.001	0.04	-0.2

	No.	Mn/A ppm	Mn/B ppm	Mn/C ppm	Mn/E ppm	Mo/H1 ppm	Mo/H2 ppm	Mo/E ppm	Nb/H1 ppm	Nb/H2 ppm	Nb/E ppm	Ni/T ppm	Ni/H1 ppm	Ni/H2 ppm	Ni/A ppm	Ni/B ppm	Ni/C ppm	Ni/E ppm	Ni/M ppm	Pb/T ppm	Pb/H1 ppm	Pb/H2 ppm	Pb/A ppm	Pb/B ppm	Pb/C ppm	Pb/E ppm	Pb/M ppm	Pt/H1 ppb	
Safari	3348	25	61	12	4.48	0.02	0.16	0.001	-0.005	0.17	-0.001		1.8	2.4	0.8	-0.2	0.2	0.07	0.42		-1	3	-2	-1	1	0.002	0.02	-0.2	
Safari	3360	20	72	15	4.45	0.025	0.22	0.011	-0.005	0.18	-0.001		1.6	2.8	1.6	0.9	3.6	0.07	0.465		-1	3	-2	-1	1	0.002	0.04	-0.2	
Safari	3372	51	54	17	3.52	0.025	0.17	0.015	-0.005	0.15	0.001		2.8	3.2	2.0	-0.2	2.7	0.12	0.53		-1	3	-2	-1	2	0.004	0.08	-0.2	
Safari	3384	29	74	13	5.10	0.03	0.18	0.011	-0.005	0.15	-0.001		2.6	2.6	1.6	1.8	0.9	0.10	0.62		-1	3	-2	-1	1	0.003	0.06	-0.2	
Steinway	6301	47	95	81	0.93	0.075	0.49	0.034	0.015	0.08	-0.001		17	15	-0.4	4.5	10.8	0.12	0.63	18	4	6	-2	-1	1	-0.001	0.02	1.6	
Steinway	6303	59	173	158	1.22	0.06	0.37	0.007	0.005	0.12	-0.001		22	23	1.6	5.4	21.6	0.15	1.05	13	3	7	-2	-1	2	-0.001	0.04	0.8	
Steinway	6306	66	119	126	1.39	0.12	0.43	0.011	0.02	0.1	-0.001		26	17	0.8	2.7	15.7	0.06	0.83	12	4	7	-2	-1	2	-0.001	0.04	1.4	
Steinway	6308	51	74	81	0.84	0.085	0.36	-0.001	0.005	0.11	-0.001		16	16	-0.4	1.4	12.2	0.06	1.145	13	2	5	-2	-1	1	-0.001	0.02	0.8	
Steinway	6309	66	234	216	0.68	0.1	0.4	0.007	0.005	0.1	-0.001		27	23	1.6	5.8	21.6	0.10	1.325	16	5	8	-2	-1	3	-0.001	0.02	1	
Steinway	6310	47	234	198	0.71	0.03	0.17	-0.001	0.005	0.095	-0.001		26	20	-0.4	5.4	17.8	0.09	1.65	16	4	6	-2	-1	3	-0.001	0.02	1	
Steinway	6311	74	576	378	4.56	0.055	0.27	0.022	-0.005	0.095	-0.001		38	29	2.7	10.3	25.2	0.18	3.145	16	5	8	-2	-1	4	0.002	0.1	0.8	
Steinway	6312	125	180	216	1.39	0.09	0.34	0.003	0.02	0.095	-0.001		31	23	-0.4	2.7	21.6	0.15	1.985	16	4	7	-2	-1	3	-0.001	-0.02	1	
Steinway	6313	47	288	216	1.44	0.07	0.29	-0.001	0.02	0.11	-0.001		35	25	0.8	8.3	21.6	0.14	1.085	16	4	7	-2	-1	3	-0.001	-0.02	1	
Steinway	6314	114	182	198	1.40	0.085	0.37	0.002	0.015	0.1	-0.001		30	24	1.6	4.0	22.5	0.13	1.845	15	4	6	-2	-1	3	-0.001	-0.02	1	
Steinway	6315	74	306	234	1.74	0.09	0.29	-0.001	0.015	0.11	-0.001		35	25	-0.4	9.0	23.4	0.11	0.885	19	5	7	-2	-1	3	-0.001	-0.02	1.2	
Steinway	6316	55	180	198	2.01	0.03	0.17	-0.001	0.015	0.085	-0.001		31	21	2.3	3.6	25.2	0.16	1.885	13	4	7	-2	-1	3	-0.001	0.04	1	
Steinway	6317	59	166	148	1.16	0.04	0.2	-0.001	0.015	0.1	-0.001		29	25	2.0	5.4	21.6	0.13	1.31	13	4	6	-2	-1	3	-0.001	0.04	1.2	
Steinway	6318	62	176	180	0.85	0.1	0.39	0.013	0.015	0.1	-0.001		29	27	2.7	6.3	28.8	0.08	0.765	11	4	6	-2	-1	3	-0.001	-0.02	0.8	
Steinway	6319	62	133	135	0.96	0.075	0.34	0.016	0.015	0.1	-0.001		26	26	2.3	3.8	21.6	0.09	0.975	10	3	6	-2	-1	2	-0.001	-0.02	1.2	
Steinway	6324	47	198	198	1.75	0.03	0.11	0.007	-0.005	0.045	-0.001		28	29	3.9	5.0	23.4	0.15	2.25	16	4	5	-2	-1	3	-0.001	0.04	1	
Steinway	6326	65	164	180	1.03	0.055	0.19	0.006	0.015	0.06	-0.001		33	26	3.4	4.0	27.0	0.11	1.225	11	4	5	-2	-1	3	-0.001	0.04	1.2	
Steinway	6328	59	142	146	0.60	0.14	0.36	0.014	0.02	0.055	-0.001		32	28	4.3	6.5	25.2	0.09	0.78	17	5	6	-2	-1	3	-0.001	-0.02	1.4	
Apollo	3949	59	20	8	0.91	0.055	0.16	-0.001	0.005	0.085	0.001		38	4.6	5.2	4.7	-0.2	1.8	0.14	0.735	5	-1	2	-2	-1	-1	0.005	-0.02	0.6
Apollo	3953	39	52	10	1.91	0.04	0.075	-0.001	-0.005	0.045	0.001		39	5	4.2	3.5	2.7	1.8	0.14	0.32	5	-1	2	-2	-1	-1	0.003	0.14	0.2
Apollo	3955	47	49	13	1.23	0.035	0.07	-0.001	0.005	0.045	-0.001		49	7.2	5.4	4.7	1.8	3.6	0.12	0.465	6	1	2	-2	-1	-1	0.003	0.04	0.6
Apollo	3957	55	59	22	1.06	0.03	0.075	-0.001	0.02	0.04	-0.001		56	9.8	6.4	-0.4	1.8	5.4	0.16	0.465	5	2	2	-2	-1	1	0.002	-0.02	1
Apollo	3959	47	56	23	1.19	0.035	0.08	-0.001	0.005	0.05	-0.001		50	7.6	5.8	-0.4	1.8	4.5	0.11	0.48	5	1	3	-2	-1	1	0.003	-0.02	0.8
Apollo	3961	66	54	36	1.67	0.035	0.09	0.003	0.02	0.055	-0.001		63	12	8.2	3.9	1.8	4.5	0.15	1.1	5	2	3	-2	-1	1	0.002	-0.02	1
Apollo	3963	61	58	36	1.17	0.055	0.11	0.003	0.02	0.04	-0.001		69	11	7.8	1.3	0.9	5.6	0.11	0.67	5	2	3	-2	-1	1	0.002	0.04	1.2
Apollo	3965	121	50	29	1.42	0.045	0.13	-0.001	0.005	0.085	-0.001		87	17	11	8.6	2.3	7.9	0.11	0.69	6	3	5	-2	-1	2	0.002	0.06	1.2
Apollo	3967	144	81	36	3.07	0.03	0.085	-0.001	-0.005	0.075	-0.001		95	17	12	10.9	3.6	9.0	0.18	1.3	8	3	4	-2	-1	2	0.003	0.06	1.4
Apollo	3969	117	103	36	1.46	0.03	0.1	-0.001	-0.005	0.09	-0.001		102	16	14	9.8	4.9	11.2	0.14	1.025	9	2	4	-2	-1	2	0.005	0.02	1
Apollo	3971	109	117	36	4.59	0.03	0.085	-0.001	-0.005	0.08	0.001		99	17	15	8.6	4.5	8.3	0.28	1.515	10	2	4	-2	-1	2	0.006	0.06	1.2
Apollo	3973	121	148	50	4.58	0.03	0.085	-0.001	0.005	0.09	0.001		109	20	15	10.1	5.6	10.8	0.22	1.12	8	3	5	-2	-1	3	0.004	0.02	1.4
Apollo	3975	109	180	54	3.83	0.03	0.085	0.002	0.005	0.075	-0.001		123	20	23	10.1	6.8	11.0	0.23	1.315	8	3	5	-2	-1	3	0.004	0.08	1.6
Apollo	3977	113	180	77	3.49	0.04	0.14	0.017	0.02	0.08	-0.001		128	22	16	11.7	7.4	13.5	0.25	1.725	10	3	5	-2	-1	3	0.003	-0.02	1.8
Apollo	3979	129	126	54	2.09	0.04	0.13	-0.001	0.005	0.09	0.001		116	21	14	11.7	5.2	11.7	0.20	0.9	7	3	5	-2	-1	3	0.004	0.08	1.8
Apollo	3981	74	178	58	2.65	0.03	0.11	0.012	0.005	0.11	-0.001		126	21	16	8.6	7.4	12.1	0.22	0.815	9	3	5	-2	-1	3	0.003	0.08	1.6
Apollo	3983	113	142	40	3.14	0.025	0.07	0.001	-0.005	0.075	-0.001		118	18	15	8.6	5.0	8.6	0.28	1.31	9	3	4	-2	-1	2	0.004	-0.02	1
Apollo	3986	78	288	92	5.74	0.025	0.095	0.003	-0.005	0.085	0.001		148	25	13	8.2	11.9	14.2	0.32	0.955	11	3	5	-2	-1	3	0.007	0.1	1.2
Apollo	3989	74	504	148	2.06	0.025	0.085	0.011	-0.005	0.065	-0.001		183	29	24	8.2	18.0	16.0	0.26	1.05	9	3	5	-2	-1	4	0.005	0.1	1.6

	No.	Pt/H2 ppb	Pt/B ppb	Pt/C ppb	Sb/T ppm	Sb/H1 ppm	Sb/H2 ppm	Sb/C ppm	Sb/E ppm	Sc/T ppm	Sc/E ppm	Se/H1 ppm	Se/H2 ppm	Se/E ppm	Sm/T ppm	Sm/E ppm	Sn/H1 ppm	Sn/H2 ppm	Sn/B ppm	Sn/C ppm	Sn/E ppm	Te/H1 ppm	Te/H2 ppm	Te/A ppm	Te/C ppm	Th/T ppm	Th/H1 ppm	Th/H2 ppm
Baxter	394	0.6	-1	-1	0.6	0.002	0.12	-0.04	-0.001	27.8	-0.01	0.5	3.9	-0.03	10.2	0.002	0.009	0.63	-0.1	-0.1	-0.001	-0.002	0.060	-0.4	-0.2	20.3	0.96	3.4
Baxter	406	0.4	-1	-1	0.7	0.001	0.09	-0.04	-0.001	23.5	-0.01	0.1	0.4	-0.03	5.8	-0.001	0.007	0.45	-0.1	-0.1	-0.001	-0.002	0.040	-0.4	-0.2	22.2	0.48	2.2
Baxter	409	0.4	1	1	0.6	0.003	0.10	-0.04	-0.001	27.3	-0.01	0.2	0.1	-0.03	8.1	0.006	0.031	0.55	-0.1	-0.1	-0.001	0.002	0.054	-0.4	-0.2	21.8	0.14	1.9
Baxter	410	-0.2	-1	-1	0.9	0.001	0.09	-0.04	-0.001	19.4	-0.01	-0.1	-0.1	-0.03	4.1	-0.001	0.012	0.34	-0.1	-0.1	-0.001	-0.002	0.042	-0.4	-0.2	20.7	0.38	1.9
Baxter	415	-0.2	1	-1	0.9	0.002	0.10	-0.04	-0.001	24.7	-0.01	0.1	0.2	-0.03	5.6	0.001	0.006	0.4	-0.1	-0.1	-0.001	-0.002	0.048	-0.4	-0.2	21.4	0.62	2.4
Baxter	416	0.4	-1	-1	0.7	0.001	0.11	-0.04	-0.001	22.4	-0.01	-0.1	0.2	-0.03	5.9	0.002	0.007	0.5	-0.1	-0.1	-0.001	-0.002	0.044	-0.4	-0.2	23.4	0.57	2.4
Baxter	417	0.4	1	-1	0.8	0.001	0.12	-0.04	-0.001	24.2	-0.01	0.1	0.2	-0.03	5.6	0.001	0.008	0.58	-0.1	-0.1	-0.001	-0.002	0.046	-0.4	-0.2	23	0.42	2.6
Baxter	418	-0.2	-1	1	0.9	0.003	0.13	-0.04	-0.001	23.6	-0.01	0.1	-0.1	-0.03	5.0	-0.001	0.018	0.59	-0.1	-0.1	-0.001	-0.002	0.052	-0.4	-0.2	22.2	0.7	2.7
Baxter	419	0.8	1	-1	0.8	0.001	0.09	-0.04	-0.001	23.6	-0.01	0.1	0.6	-0.03	7.7	-0.001	0.011	0.41	-0.1	-0.1	-0.001	-0.002	0.050	-0.4	-0.2	22.6	0.58	2.5
Baxter	423	0.2	-1	-1	0.6	0.003	0.07	-0.04	-0.001	22.7	-0.01	-0.1	0.1	-0.03	5.3	-0.001	0.009	0.32	-0.1	-0.1	-0.001	-0.002	0.038	-0.4	-0.2	23.2	0.26	1.4
Baxter	426	0.6	-1	-1	0.7	0.002	0.09	-0.04	-0.001	23.3	-0.01	-0.1	0.1	-0.03	5.5	0.001	0.006	0.47	-0.1	-0.1	-0.001	-0.002	0.046	-0.4	-0.2	22.1	0.54	2.2
Baxter	427	0.4	-1	1	0.7	0.001	0.08	-0.04	-0.001	24.0	0.01	0.1	0.2	-0.03	6.9	-0.001	0.008	0.4	-0.1	-0.1	-0.001	-0.002	0.044	-0.4	-0.2	23.1	0.56	2.1
Baxter	437	-0.2	-1	-1	0.7	0.001	0.07	-0.04	-0.001	22.7	-0.01	0.1	-0.1	-0.03	6.0	-0.001	0.006	0.34	-0.1	-0.1	-0.001	-0.002	0.036	-0.4	-0.2	23.8	0.41	1.8
Baxter	440	0.4	-1	-1	0.8	0.001	0.09	-0.04	-0.001	24.7	-0.01	0.2	0.2	-0.03	6.8	0.002	0.009	0.5	-0.1	-0.1	-0.001	-0.002	0.050	-0.4	-0.2	22.8	0.31	1.9
Baxter	441	0.6	-1	-1	0.9	0.001	0.08	-0.04	-0.001	23.2	0.02	-0.1	0.1	-0.03	5.8	0.002	0.005	0.37	-0.1	-0.1	-0.001	-0.002	0.044	-0.4	-0.2	22.3	0.25	1.8
Baxter	442	0.4	-1	-1	0.9	0.001	0.07	-0.04	-0.001	23.4	-0.01	-0.1	0.1	-0.03	6.5	0.002	0.005	0.4	-0.1	-0.1	-0.001	-0.002	0.038	-0.4	-0.2	22.7	0.22	1.5
Baxter	443	-0.2	-1	-1	0.9	0.002	0.06	-0.04	-0.001	22.1	-0.01	0.1	0.1	-0.03	6.6	0.002	0.008	0.33	-0.1	-0.1	-0.001	-0.002	0.036	-0.4	-0.2	21.9	0.41	1.5
Baxter	444	0.2	-1	-1	0.9	0.002	0.08	-0.04	-0.001	24.3	-0.01	-0.1	-0.1	-0.03	5.8	-0.001	0.009	0.39	-0.1	-0.1	-0.001	-0.002	0.040	-0.4	-0.2	22.7	0.43	1.9
Baxter	445	-0.2	-1	-1	1	0.001	0.10	-0.04	-0.001	25.1	-0.01	0.1	-0.1	-0.03	6.0	0.001	0.006	0.49	-0.1	-0.1	-0.001	-0.002	0.048	-0.4	-0.2	24.1	0.64	2.5
Baxter	448	-0.2	1	-1	1	0.001	0.09	-0.04	-0.001	24.6	-0.01	-0.1	-0.1	-0.03	5.5	-0.001	0.01	0.41	-0.1	-0.1	-0.001	-0.002	0.052	-0.4	-0.2	22.3	0.41	1.9
Fender	4401	6.8	2	5	93.5	0.030	1.10	-0.04	0.006		0.02	-0.1	1.4	-0.03	4.1	-0.001	0.064	0.2	-0.1	-0.1	-0.001	-0.002	0.004	-0.4	-0.2	41.6	0.74	1.6
Fender	4406	2.2	-1	1	65.1	0.025	0.76	-0.04	0.021		0.04	-0.1	1	-0.03	3.1	0.001	0.026	0.087	-0.1	-0.1	0.001	-0.002	0.008	-0.4	-0.2	60.3	0.6	1.6
Fender	4411	0.4	-1	-1	70.9	0.190	2.00	0.072	0.008		-0.01	-0.1	-0.1	-0.03	1.6	-0.001	0.015	0.29	-0.1	-0.1	-0.001	-0.002	0.018	-0.4	-0.2	43.1	0.44	1.1
Fender	4412	0.6	1	-1	126	0.290	1.90	0.036	0.005		-0.01	-0.1	-0.1	-0.03	2.3	-0.001	0.066	0.44	-0.1	-0.1	-0.001	-0.002	0.024	-0.4	-0.2	46.4	0.27	1.8
Fender	4413	0.6	-1	-1	116	0.170	1.50	0.036	0.011		-0.01	0.1	-0.1	-0.03	2.2	-0.001	0.022	0.49	-0.1	-0.1	-0.001	-0.002	0.018	-0.4	-0.2	57	0.049	1.1
Fender	2649	2.8	-1	2	7.4	0.015	0.24	-0.04	0.005		0.04	-0.1	2	-0.03	4.5	0.003	0.025	0.21	-0.1	-0.1	0.002	-0.002	0.020	-0.4	-0.2	20.5	0.41	1.9
Fender	2653	1.8	3	2	18.8	0.011	0.19	-0.04	0.007		0.07	-0.1	0.8	-0.03	4.9	0.006	0.028	0.23	-0.1	-0.1	0.004	-0.002	0.020	-0.4	-0.2	28.4	0.33	1.9
Fender	2658	0.6	2	-1	1	0.006	0.08	-0.04	0.001		0.01	-0.1	1.2	-0.03	5.0	0.002	0.032	0.23	-0.1	-0.1	-0.001	-0.002	0.012	-0.4	-0.2	24.8	0.52	2
Fender	2663	0.8	2	1	2.3	0.008	0.10	-0.04	0.003		0.07	-0.1	0.1	-0.03	5.5	0.005	0.033	0.27	-0.1	-0.1	0.005	-0.002	0.008	-0.4	-0.2	30.6	0.46	2.2
Fender	2668	0.8	2	-1	1.3	0.007	0.10	-0.04	0.003		0.07	-0.1	1.3	-0.03	4.6	0.005	0.03	0.24	-0.1	-0.1	0.005	-0.002	0.012	-0.4	-0.2	23.1	0.47	2.3
Fender	2673	0.8	2	-1	2.2	0.006	0.07	-0.04	0.003		0.06	-0.1	0.3	-0.03	4.0	0.006	0.03	0.19	-0.1	-0.1	0.005	-0.002	0.020	-0.4	-0.2	22.6	0.48	2.1
Fender	2680	0.6	2	-1	1.8	0.009	0.10	-0.04	0.005		0.06	-0.1	1.4	-0.03	4.2	0.004	0.04	0.3	-0.1	-0.1	0.005	-0.002	0.012	-0.4	-0.2	22.1	0.73	2.9
Fender	2688	1.2	2	-1	1.8	0.007	0.12	-0.04	0.002		0.03	-0.1	1.3	-0.03	5.3	0.003	0.041	0.28	-0.1	-0.1	0.002	-0.002	0.020	-0.4	-0.2	21.8	0.68	2.8
Fender	2696	0.8	1	-1	3	0.008	0.17	-0.04	0.002		0.03	-0.1	2.3	-0.03	5.8	0.003	0.044	0.25	-0.1	-0.1	0.001	-0.002	0.012	-0.4	-0.2	23.2	0.54	2.8
Fender	2707	0.4	1	-1	1.6	0.005	0.09	-0.04	0.001		0.02	-0.1	0.3	-0.03	3.7	-0.001	0.048	0.17	-0.1	-0.1	0.001	-0.002	0.006	-0.4	-0.2	28.8	1.3	2.8
Fender	2718	0.6	1	-1	1.6	0.006	0.09	-0.04	0.001		0.04	0.1	2.6	-0.03	5.3	0.004	0.033	0.31	-0.1	-0.1	0.003	0.004	0.014	-0.4	-0.2	22.7	0.7	3
Fender	2732	0.6	1	-1	3.4	0.029	0.29	-0.04	0.011		0.06	-0.1	1.6	-0.03	4.6	0.006	0.033	0.31	-0.1	-0.1	0.005	0.004	0.020	-0.4	-0.2	23.6	0.42	2.9
Fender	2746	1.2	1	-1	1.4	0.004	0.06	-0.04	0.001		0.02	-0.1	1.8	-0.03	4.6	0.003	0.022	0.22	-0.1	-0.1	0.001	-0.002	0.006	-0.4	-0.2	16.9	0.44	1.9
Fender	2759	0.8	-1	1	11.1	0.006	0.10	-0.04	0.003		0.05	-0.1	0.7	-0.03	4.7	0.005	0.03	0.26	-0.1	-0.1	0.003	0.002	0.020	-0.4	-0.2	25.4	0.85	3
Fender	2771	0.4	-1	-1	8.7	0.009	0.14	-0.04	0.003		0.05	0.1	0.2	-0.03	4.3	0.005	0.039	0.27	-0.1	-0.1	0.003	0.004	0.012	-0.4	-0.2	29	0.45	2.1
Fender	2780	-0.2	-1	-1	3.9	0.005	0.24	-0.04	0.001		0.04	-0.1	0.7	-0.03	4.1	0.002	0.047	0.2	-0.1	-0.1	0.005	0.004	0.014	-0.4	-0.2	35.9	1.3	3.8

	No.	Pt/H2 ppb	Pt/B ppb	Pt/C ppb	Sb/T ppm	Sb/H1 ppm	Sb/H2 ppm	Sb/C ppm	Sb/E ppm	Sc/T ppm	Sc/E ppm	Se/H1 ppm	Se/H2 ppm	Se/E ppm	Sm/T ppm	Sm/E ppm	Sn/H1 ppm	Sn/H2 ppm	Sn/B ppm	Sn/C ppm	Sn/E ppm	Te/H1 ppm	Te/H2 ppm	Te/A ppm	Te/C ppm	Th/T ppm	Th/H1 ppm	Th/H2 ppm
Fender	2788	0.6	-1	-1	1.4	0.007	0.06	-0.04	0.002		0.03	-0.1	0.8	-0.03	4.6	0.003	0.034	0.2	-0.1	-0.1	0.002	0.002	0.008	-0.4	-0.2	24.7	0.55	2.4
Fender	2796	1.8	2	-1	4.1	0.009	0.11	-0.04	0.005		0.04	0.1	1.9	-0.03	6.4	0.004	0.035	0.21	-0.1	-0.1	0.002	0.002	0.020	-0.4	-0.2	31	1.1	3
Fender	2802	1.6	1	-1	2.4	0.009	0.11	-0.04	0.004		0.03	-0.1	2.2	-0.03	7.5	0.006	0.031	0.2	-0.1	-0.1	0.003	0.004	0.012	-0.4	-0.2	22.3	0.56	2.2
Fender	2808	1.2	1	-1	5.9	0.008	0.14	-0.04	0.004		0.04	0.1	1.1	-0.03	6.3	0.004	0.026	0.2	-0.1	-0.1	0.002	-0.002	0.020	-0.4	-0.2	25.4	0.52	1.9
Fender	2813	1.6	-1	1	10.4	0.009	0.19	-0.04	0.003		0.02	-0.1	1.5	-0.03	4.5	0.002	0.032	0.18	-0.1	-0.1	0.001	-0.002	0.020	-0.4	-0.2	26.9	0.58	1.9
Fender	2818	1.2	-1	-1		0.010	0.16	-0.04	0.003		0.02	0.3	3.2	-0.03	3.3	0.003	0.029	0.19	-0.1	-0.1	0.002	-0.002	0.020	-0.4	-0.2	0.43	2	
Fender	2822	2	1	2	30.4	0.014	0.43	-0.04	0.007		0.02	0.2	3.3	-0.03	3.4	0.002	0.021	0.16	-0.1	-0.1	0.001	-0.002	0.014	-0.4	-0.2	35.2	0.53	2
Fender	2827	1.6	-1	-1	8.5	0.009	0.19	-0.04	0.003		0.04	-0.1	1.8	-0.03	3.4	0.003	0.025	0.18	-0.1	-0.1	0.002	-0.002	0.020	-0.4	-0.2	25.7	0.47	2
Fender	2832	2.2	1	-1	4.6	0.007	0.14	-0.04	0.002		0.04	-0.1	1.3	-0.03	4.6	0.004	0.028	0.2	-0.1	-0.1	0.003	-0.002	0.020	-0.4	-0.2	25.7	0.74	2.5
Fender	2837	1.8	1	-1	4.8	0.007	0.12	-0.04	0.003		0.04	0.2	2.8	-0.03	4.8	0.003	0.029	0.18	-0.1	-0.1	0.002	-0.002	0.012	-0.4	-0.2	26.6	0.7	2.2
Fender	2842	1.2	-1	-1	3.9	0.005	0.07	-0.04	0.002		0.03	-0.1	2.3	-0.03	4.9	0.002	0.029	0.18	-0.1	-0.1	0.001	-0.002	0.008	-0.4	-0.2	27.5	0.8	2.2
Fender	2847	3.4	-1	2	2.8	0.007	0.11	-0.04	0.005		0.06	0.1	2.8	-0.03	7.8	0.004	0.032	0.18	-0.1	-0.1	0.003	0.002	0.014	-0.4	-0.2	23.7	0.65	2.4
Fender	2853	3.4	1	2	3.5	0.004	0.10	-0.04	0.004		0.05	-0.1	3.2	-0.03	5.6	0.004	0.029	0.24	-0.1	-0.1	0.004	-0.002	0.014	-0.4	-0.2	23.4	0.69	2.2
Fender	2860	1.4	-1	1	2	0.005	0.09	-0.04	0.002		0.03	-0.1	0.5	-0.03	4.4	0.002	0.024	0.23	-0.1	-0.1	-0.001	-0.002	0.008	-0.4	-0.2	20.3	0.45	1.9
Fender	2867	1.4	-1	-1	2.7	0.008	0.09	-0.04	0.003		0.06	0.1	1.3	-0.03	5.3	0.005	0.042	0.24	-0.1	-0.1	0.004	-0.002	0.020	-0.4	-0.2	22.1	0.74	2.5
Fender	2874	1.8	-1	-1	1.7	0.006	0.09	-0.04	0.002		0.04	0.1	1.8	-0.03	6.4	0.004	0.037	0.27	-0.1	-0.1	0.002	0.002	0.014	-0.4	-0.2	26.1	0.65	2.7
Fender	2882	1.4	-1	-1	2.5	0.006	0.08	-0.04	0.003		0.06	0.1	3.2	-0.03	6.0	0.006	0.031	0.29	-0.1	-0.1	0.004	0.004	0.014	-0.4	-0.2	24.7	0.61	2.5
Bronzewing	2718	-0.2	1	-1	0.4	0.006	0.13	-0.04	-0.001		-0.01	0.1	-0.1	-0.03	4.0	0.002	0.005	0.42	-0.1	-0.1	-0.001	0.004	0.048	-0.4	-0.2	14.5	0.59	2.4
Bronzewing	2719	-0.2	2	-1	0.4	0.002	0.12	-0.04	-0.001		-0.01	0.2	0.1	-0.03	4.0	0.004	0.008	0.45	-0.1	-0.1	-0.001	0.004	0.054	-0.4	-0.2	14	0.63	2.4
Bronzewing	2720	-0.2	1	-1	0.3	0.002	0.13	-0.04	-0.001		-0.01	-0.1	0.8	-0.03	3.2	0.005	0.003	0.36	-0.1	-0.1	-0.001	0.004	0.056	-0.4	-0.2	12.8	0.41	2.5
Bronzewing	2721	-0.2	-1	-1	0.5	0.001	0.12	-0.04	-0.001		-0.01	0.1	0.1	-0.03	2.7	0.002	0.006	0.41	-0.1	-0.1	-0.001	-0.002	0.046	-0.4	-0.2	13.4	0.42	2.5
Bronzewing	2722	-0.2	-1	1	0.5	0.001	0.12	-0.04	-0.001		-0.01	0.1	0.1	-0.03	3.3	0.002	0.006	0.61	-0.1	-0.1	-0.001	0.006	0.058	-0.4	-0.2	14.1	0.79	3
Bronzewing	2801	-0.2	1	-1	0.6	0.001	0.12	-0.04	-0.001		-0.01	0.1	0.9	-0.03	3.4	0.003	0.007	0.54	-0.1	-0.1	-0.001	0.006	0.050	-0.4	-0.2	13.8	0.64	2.8
Bronzewing	2802	0.4	1	-1	0.5	0.001	0.11	-0.04	-0.001		-0.01	0.3	0.2	-0.03	5.4	0.004	0.007	0.57	-0.1	-0.1	-0.001	0.002	0.046	-0.4	-0.2	15.4	0.38	2.6
Bronzewing	2803	-0.2	-1	-1	0.4	0.001	0.10	-0.04	-0.001		-0.01	0.1	0.1	-0.03	2.9	0.002	0.007	0.47	-0.1	-0.1	-0.001	0.002	0.042	-0.4	-0.2	12.9	0.45	2.3
Bronzewing	2804	0.2	1	-1	0.5	0.001	0.10	-0.04	-0.001		-0.01	0.1	0.1	-0.03	3.5	0.003	0.006	0.48	-0.1	-0.1	-0.001	0.004	0.046	-0.4	-0.2	13.4	0.48	2.6
Bronzewing	2805	-0.2	-1	-1	0.5	0.001	0.11	-0.04	-0.001		-0.01	0.2	2.7	-0.03	3.1	0.003	0.005	0.54	-0.1	-0.1	-0.001	0.006	0.048	-0.4	-0.2	14.2	0.71	2.9
Bronzewing	2806	0.6	-1	-1	0.5	0.001	0.12	-0.04	-0.001		-0.01	0.2	0.2	-0.03	4.2	0.001	0.007	0.63	-0.1	-0.1	-0.001	0.002	0.052	-0.4	-0.2	15	0.46	2.8
Bronzewing	2807	0.2	-1	-1	0.4	0.001	0.12	-0.04	-0.001		-0.01	0.2	0.1	-0.03	4.3	0.003	0.011	0.65	-0.1	-0.1	-0.001	0.004	0.054	-0.4	-0.2	15.8	0.59	3.2
Bronzewing	2808	-0.2	-1	-1	0.5	0.001	0.12	-0.04	-0.001		-0.01	0.2	0.5	-0.03	4.0	0.002	0.007	0.6	-0.1	-0.1	-0.001	0.006	0.060	-0.4	-0.2	15.4	0.74	3.3
Bronzewing	2809	-0.2	-1	-1	0.5	0.004	0.12	-0.04	-0.001		-0.01	0.1	0.5	-0.03	3.3	0.003	0.013	0.55	-0.1	-0.1	-0.001	0.020	0.056	-0.4	-0.2	14.7	1	3
Bronzewing	2810	-0.2	-1	-1	0.5	0.001	0.13	-0.04	-0.001		-0.01	0.2	0.1	-0.03	3.8	0.003	0.008	0.46	-0.1	-0.1	-0.001	0.004	0.056	-0.4	-0.2	15.1	0.65	3
Bronzewing	2811	-0.2	-1	-1	0.5	0.001	0.12	-0.04	-0.001		-0.01	-0.1	1.9	-0.03	3.1	0.002	0.005	0.43	-0.1	-0.1	-0.001	0.006	0.056	-0.4	-0.2	14.5	0.53	2.7
Curara	1048	-0.2	1	-1	0.1	0.001	0.04	-0.04	-0.001	6.5	-0.01	-0.1	0.1	-0.03	2.4	0.002	0.009	0.25	-0.1	-0.1	-0.001	0.002	0.024	-0.4	-0.2	11.8	0.28	1.2
Curara	1050	-0.2	-1	-1	0.3	0.001	0.03	-0.04	-0.001	5.3	0.01	-0.1	-0.1	-0.03	1.6	0.002	0.005	0.18	-0.1	-0.1	-0.001	-0.002	0.016	-0.4	-0.2	10.6	0.38	1.3
Curara	1051	0.6	1	-1	0.2	0.002	0.04	-0.04	-0.001	10.0	0.02	0.2	0.1	-0.03	3.5	0.003	0.012	0.34	-0.1	-0.1	-0.001	0.002	0.028	-0.4	-0.2	15	0.22	1.1
Curara	1052	0.6	-1	-1	0.4	0.002	0.05	-0.04	-0.001	11.9	0.01	0.2	0.1	-0.03	4.2	0.003	0.012	0.43	-0.1	-0.1	-0.001	-0.002	0.032	-0.4	-0.2	17.3	0.44	2
Curara	1053	0.4	-1	-1	0.3	0.001	0.05	-0.04	-0.001	11.4	0.02	0.1	0.2	-0.03	3.9	0.002	0.010	0.39	-0.1	-0.1	-0.001	0.002	0.030	-0.4	-0.2	16.7	0.47	2.2
Curara	1054	0.4	-1	-1	0.4	0.002	0.06	-0.04	-0.001	14.1	0.02	0.2	0.2	-0.03	4.5	0.005	0.016	0.49	-0.1	-0.1	-0.001	0.004	0.040	-0.4	-0.2	18.8	0.91	2.7
Curara	1055	0.6	-1	-1	0.3	0.002	0.06	-0.04	-0.001	13.2	0.02	0.2	0.1	-0.03	4.3	0.003	0.016	0.47	-0.1	-0.1	-0.001	-0.002	0.032	-0.4	-0.2	18.3	0.42	2
Curara	1056	0.2	-1	-1	0.5	0.002	0.05	-0.04	-0.001	12.6	0.02	0.1	0.1	-0.03	4.3	0.003	0.014	0.41	-0.1	-0.1	-0.001	0.002	0.030	-0.4	-0.2	19.6	0.98	2.4

	No.	Pt/H2 ppb	Pt/B ppb	Pt/C ppb	Sb/T ppm	Sb/H1 ppm	Sb/H2 ppm	Sb/C ppm	Sb/E ppm	Sc/T ppm	Sc/E ppm	Se/H1 ppm	Se/H2 ppm	Se/E ppm	Sm/T ppm	Sm/E ppm	Sn/H1 ppm	Sn/H2 ppm	Sn/B ppm	Sn/C ppm	Sn/E ppm	Te/H1 ppm	Te/H2 ppm	Te/A ppm	Te/C ppm	Th/T ppm	Th/H1 ppm	Th/H2 ppm
Curara	1057	0.8	-1	-1	0.3	0.002	0.05	-0.04	-0.001	13.0	0.03	0.2	0.2	-0.03	4.5	0.004	0.017	0.42	-0.1	-0.1	-0.001	0.004	0.038	-0.4	-0.2	18.7	0.64	2.5
Curara	1058	0.4	-1	-1	0.2	0.001	0.05	-0.04	-0.001	10.5	0.03	0.1	0.2	-0.03	3.6	0.005	0.008	0.4	-0.1	-0.1	-0.001	-0.002	0.026	-0.4	-0.2	15.2	0.56	2.3
Curara	1059	0.6	-1	-1	0.3	0.001	0.04	-0.04	-0.001	9.3	0.01	0.1	0.1	-0.03	3.1	0.004	0.007	0.32	-0.1	-0.1	-0.001	-0.002	0.020	-0.4	-0.2	13.7	0.27	1.7
Curara	1060	0.6	-1	-1	0.8	0.001	0.05	-0.04	-0.001	9.4	0.01	0.1	0.1	-0.03	3.1	0.002	0.007	0.34	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	14.7	0.42	2.1
Curara	1061	0.6	-1	-1	0.1	0.001	0.04	-0.04	-0.001	9.4	0.03	0.1	0.1	-0.03	3.2	0.005	0.008	0.31	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	14.9	0.34	2.2
Curara	1062	0.6	-1	-1	0.3	0.001	0.05	-0.04	-0.001	9.9	0.03	0.1	0.1	-0.03	3.3	0.014	0.008	0.32	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	14.9	0.4	2.3
Curara	1063	0.2	-1	-1	0.3	0.002	0.04	-0.04	-0.001	9.7	-0.01	-0.1	-0.1	-0.03	2.9	0.002	0.009	0.3	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	13.9	0.4	1.8
Curara	1065	0.2	-1	-1	0.2	0.001	0.04	-0.04	-0.001	9.5	-0.01	0.2	-0.1	-0.03	2.8	0.004	0.008	0.36	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	14.6	0.55	2.4
Curara	1067	-0.2	-1	-1	0.1	0.001	0.05	-0.04	-0.001	6.8	0.01	-0.1	-0.1	-0.03	2.1	0.002	0.004	0.26	-0.1	-0.1	-0.001	-0.002	0.018	-0.4	-0.2	11.8	0.77	2.5
Curara	1070	-0.2	-1	-1	0.1	0.001	0.04	-0.04	-0.001	5.9	0.01	-0.1	-0.1	-0.03	1.9	0.002	0.004	0.24	-0.1	-0.1	-0.001	-0.002	0.018	-0.4	-0.2	11.3	0.53	2
Curara	2276	-0.2	-1	-1		0.001	0.04	-0.04	-0.001		0.02	-0.1	0.1	-0.03		0.002	0.006	0.28	-0.1	0.1	-0.001	-0.002	0.018	-0.4	-0.2	0.53	2	
Curara	2278	-0.2	-1	-1	0.4	0.001	0.04	-0.04	-0.001	7.5	0.01	0.1	0.1	-0.03	2.4	0.003	0.006	0.28	-0.1	-0.1	-0.001	-0.002	0.024	-0.4	-0.2	13.9	0.26	2
Curara	2280	-0.2	-1	-1		0.001	0.05	-0.04	-0.001		0.01	-0.1	-0.1	-0.03		0.002	0.005	0.29	-0.1	-0.1	-0.001	-0.002	0.022	-0.4	-0.2	0.48	2	
Curara	2282	-0.2	-1	-1		0.001	0.05	-0.04	-0.001		0.01	-0.1	-0.1	-0.03		0.002	0.004	0.26	-0.1	0.1	-0.001	-0.002	0.022	-0.4	-0.2	0.45	1.8	
Curara	2283	-0.2	-1	-1		0.001	0.04	-0.04	-0.001		0.01	-0.1	-0.1	-0.03		0.002	0.004	0.27	-0.1	-0.1	-0.001	-0.002	0.020	-0.4	-0.2	0.63	2.2	
Curara	2285	-0.2	-1	-1		0.001	0.05	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		0.003	0.005	0.32	-0.1	-0.1	-0.001	-0.002	0.020	-0.4	-0.2	0.24	1.5	
Curara	2288	-0.2	2	-1		-0.001	0.04	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		0.002	0.004	0.29	-0.1	-0.1	-0.001	-0.002	0.016	-0.4	-0.2	0.47	2.1	
Curara	2291	0.2	1	-1		0.001	0.05	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		0.001	0.004	0.28	-0.1	-0.1	-0.001	-0.002	0.020	-0.4	-0.2	0.47	2.3	
Curara	2294	-0.2	-1	-1		0.001	0.05	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		0.002	0.004	0.31	-0.1	-0.1	-0.001	-0.002	0.026	-0.4	-0.2	0.49	2	
Curara	2297	-0.2	1	-1		0.001	0.04	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		0.002	0.002	0.26	-0.1	-0.1	-0.001	-0.002	0.018	-0.4	-0.2	0.28	1.5	
Safari	2994	-0.2	1	2	0.3	0.003	0.08	-0.04	-0.001	5.6	-0.01	-0.1	-0.1	-0.03	1.3	0.002	0.026	0.37	-0.1	-0.1	-0.001	-0.002	0.028	-0.4	-0.2	5.2	0.022	1.1
Safari	3016	-0.2	-1	-1		0.002	0.08	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		-0.001	0.022	0.37	-0.1	-0.1	-0.001	-0.002	0.030	-0.4	-0.2	0.02	0.99	
Safari	3038	-0.2	1	-1		0.002	0.07	-0.04	0.001		0.02	-0.1	-0.1	-0.03		0.001	0.025	0.32	-0.1	-0.1	-0.001	-0.002	0.024	-0.4	-0.2	0.02	0.79	
Safari	3060	0.4	1	-1		0.003	0.09	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		-0.001	0.035	0.36	-0.1	-0.1	-0.001	0.002	0.030	-0.4	-0.2	0.052	0.92	
Safari	3082	-0.2	-1	-1	0.5	0.005	0.09	-0.04	-0.001	4.9	0.02	-0.1	-0.1	-0.03	1.2	0.001	0.025	0.35	-0.1	-0.1	-0.001	-0.002	0.028	-0.4	0.2	4.4	0.019	0.79
Safari	3100	-0.2	-1	-1		0.003	0.10	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		0.001	0.028	0.39	-0.1	-0.1	-0.001	-0.002	0.030	-0.4	0.2	0.024	0.95	
Safari	3122	-0.2	-1	-1		0.003	0.09	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		0.001	0.034	0.4	-0.1	-0.1	-0.001	-0.002	0.026	0.4	0.2	0.034	1.1	
Safari	3140	0.4	-1	-1	0.3	0.002	0.07	-0.04	-0.001	5.7	0.02	-0.1	-0.1	-0.03	1.4	-0.001	0.035	0.32	-0.1	-0.1	-0.001	-0.002	0.020	0.4	0.2	5.1	0.025	1
Safari	3158	-0.2	-1	-1		0.002	0.08	-0.04	-0.001		0.03	-0.1	-0.1	-0.03		0.002	0.032	0.37	-0.1	-0.1	-0.001	-0.002	0.028	0.4	0.2	0.021	1	
Safari	3176	0.2	-1	-1	0.5	0.003	0.09	-0.04	-0.001	5.9	0.03	-0.1	-0.1	-0.03	1.3	0.001	0.038	0.37	-0.1	-0.1	-0.001	-0.002	0.026	-0.4	0.1	5.2	0.028	0.92
Safari	3192	-0.2	-1	-1		0.002	0.08	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		-0.001	0.04	0.4	-0.1	-0.1	-0.001	-0.002	0.032	0.4	0.2	0.032	1.2	
Safari	3208	-0.2	-1	-1		0.002	0.06	-0.04	-0.001		0.03	-0.1	-0.1	-0.03		-0.001	0.024	0.35	-0.1	-0.1	0.001	-0.002	0.022	0.4	0.4	0.027	1.1	
Safari	3224	-0.2	-1	-1		0.002	0.08	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		-0.001	0.029	0.39	-0.1	-0.1	-0.001	-0.002	0.026	0.4	0.2	0.028	1.2	
Safari	3240	0.2	-1	-1		0.001	0.07	-0.04	-0.001		0.01	-0.1	-0.1	-0.03		-0.001	0.021	0.33	-0.1	-0.1	-0.001	-0.002	0.028	0.4	0.2	0.033	1.2	
Safari	3256	-0.2	-1	-1	0.5	0.002	0.07	-0.04	-0.001	6.0	0.04	-0.1	-0.1	-0.03	1.4	0.002	0.031	0.36	-0.1	-0.1	0.002	-0.002	0.024	0.4	0.2	5.3	0.066	1.4
Safari	3268	-0.2	-1	-1		0.002	0.08	-0.04	-0.001		0.03	-0.1	-0.1	-0.03		0.003	0.048	0.41	-0.1	-0.1	0.001	-0.002	0.032	0.4	0.2	0.068	1.6	
Safari	3284	-0.2	-1	-1		0.002	0.06	-0.04	-0.001		0.01	-0.1	3.5	-0.03		0.001	0.027	0.24	-0.1	-0.1	-0.001	-0.002	0.020	0.8	-0.2	0.034	0.7	
Safari	3300	-0.2	-1	-1	0.4	0.001	0.06	-0.04	-0.001	5.7	-0.01	-0.1	0.3	-0.03	1.3	-0.001	0.026	0.33	-0.1	-0.1	-0.001	-0.002	0.026	0.4	-0.2	5	0.048	1
Safari	3312	-0.2	-1	-1		0.001	0.07	-0.04	-0.001		0.02	-0.1	0.1	-0.03		0.002	0.036	0.37	-0.1	-0.1	-0.001	-0.002	0.026	0.4	-0.2	0.074	1.2	
Safari	3324	-0.2	-1	-1		0.001	0.06	-0.04	-0.001		0.02	-0.1	-0.1	-0.03		0.003	0.03	0.32	-0.1	-0.1	-0.001	-0.002	0.022	0.4	-0.2	0.046	1.3	
Safari	3336	-0.2	-1	-1		0.001	0.07	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03		-0.001	0.028	0.41	0.3	0.2	-0.001	-0.002	0.032	0.5	-0.2	0.029	1.4	

	No.	Pt/H2 ppb	Pt/B ppb	Pt/C ppb	Sb/T ppm	Sb/H1 ppm	Sb/H2 ppm	Sb/C ppm	Sb/E ppm	Sc/T ppm	Sc/E ppm	Se/H1 ppm	Se/H2 ppm	Sm/T ppm	Sm/E ppm	Sn/H1 ppm	Sn/H2 ppm	Sn/B ppm	Sn/C ppm	Sn/E ppm	Te/H1 ppm	Te/H2 ppm	Te/A ppm	Te/C ppm	Th/T ppm	Th/H1 ppm	Th/H2 ppm		
Safari	3348	0.2	-1	-1	0.5	0.001	0.08	-0.04	-0.001	5.5	-0.01	-0.1	-0.1	-0.03	1.1	-0.001	0.029	0.38	-0.1	-0.1	-0.001	-0.002	0.028	0.4	-0.2	4.8	0.049	1.7	
Safari	3360	-0.2	-1	-1	0.5	0.001	0.08	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03			0.024	0.43	-0.1	-0.1	-0.001	-0.002	0.024	0.4	-0.2	0.037	1		
Safari	3372	0.2	-1	-1		0.003	0.07	-0.04	-0.001		0.03	-0.1	-0.1	-0.03			0.002	0.042	0.36	-0.1	-0.1	-0.001	-0.002	0.024	0.4	-0.2	0.047	1.3	
Safari	3384	-0.2	-1	-1		0.002	0.06	-0.04	-0.001		-0.01	-0.1	-0.1	-0.03			-0.001	0.038	0.34	-0.1	-0.1	-0.001	-0.002	0.026	0.4	-0.2	0.093	1.6	
Steinway	6301	2.4	-1	1	2.1	0.006	0.15	-0.04	-0.001		0.01	0.3	0.1	0.08	4.6	0.001	0.075	0.41	-0.1	-0.1	-0.001	0.070	0.082	-0.4	-0.2	15.5	0.19	1.5	
Steinway	6303	2.6	-1	-1	1.5	0.005	0.20	-0.04	-0.001		0.02	0.2	-0.1	-0.03	4.5	0.002	0.086	0.62	-0.1	-0.1	-0.001	0.022	0.080	-0.4	-0.2	12.3	0.11	1.9	
Steinway	6306	3	-1	1	1.3	0.007	0.16	-0.04	-0.001		0.02	0.2	-0.1	-0.03	4.3	-0.001	0.012	0.57	-0.1	-0.1	-0.001	0.026	0.072	-0.4	-0.2	12.9	0.15	1.6	
Steinway	6308	2.8	-1	-1	1	0.006	0.17	-0.04	-0.001		0.01	0.2	-0.1	-0.03	3.5	-0.001	0.095	0.56	-0.1	-0.1	-0.001	0.018	0.076	-0.4	-0.2	12.1	0.1	1.4	
Steinway	6309	2.6	-1	2	1.1	0.007	0.21	-0.04	-0.001		0.01	0.2	-0.1	-0.03	4.5	0.002	0.014	0.68	-0.1	-0.1	-0.001	0.014	0.080	-0.4	-0.2	10.9	0.093	1.6	
Steinway	6310	2	-1	-1	1.4	0.006	0.16	-0.04	-0.001		0.01	0.2	-0.1	-0.03	4.5	-0.001	0.012	0.58	-0.1	-0.1	-0.001	0.016	0.076	-0.4	-0.2	11.9	0.084	1.3	
Steinway	6311	2.2	-1	-1	1	0.007	0.18	-0.04	-0.001		0.01	0.3	-0.1	-0.03	5.9	0.002	0.016	0.76	-0.1	-0.1	-0.001	0.012	0.100	-0.4	-0.2	12.2	0.057	1.2	
Steinway	6312	2.2	-1	1	1.8	0.009	0.16	-0.04	-0.001		0.01	0.3	-0.1	-0.03	4.9	0.002	0.013	0.58	-0.1	-0.1	-0.001	0.028	0.078	-0.4	-0.2	12.4	0.087	0.96	
Steinway	6313	2.4	-1	-1	1.6	0.010	0.19	-0.04	-0.001		0.02	0.3	-0.1	-0.03	5.3	0.002	0.015	0.62	-0.1	-0.1	-0.001	0.034	0.100	-0.4	-0.2	13.1	0.14	2	
Steinway	6314	2.2	-1	1	1.7	0.009	0.17	-0.04	-0.001		0.01	0.2	-0.1	-0.03	4.7	0.003	0.012	0.53	-0.1	-0.1	-0.001	0.036	0.088	-0.4	-0.2	11.6	0.11	1.1	
Steinway	6315	1.8	-1	-1	1.5	0.010	0.18	-0.04	-0.001		0.02	0.3	0.1	0.07	5.0	0.002	0.021	0.65	-0.1	-0.1	-0.001	0.042	0.092	-0.4	-0.2	11.8	0.11	1.7	
Steinway	6316	2.4	-1	2	0.9	0.009	0.15	-0.04	0.001		0.02	0.3	-0.1	-0.03	4.5	0.001	0.013	0.53	-0.1	-0.1	-0.001	0.046	0.084	-0.4	-0.2	9.7	0.14	0.99	
Steinway	6317	2.2	-1	-1	1.1	0.009	0.17	-0.04	-0.001		-0.01	0.3	-0.1	0.05	4.3	0.001	0.013	0.51	-0.1	-0.1	-0.001	0.046	0.100	-0.4	-0.2	9.4	0.12	1	
Steinway	6318	2.8	-1	1	1.1	0.020	0.17	-0.04	-0.001		0.01	0.3	0.1	0.09	4.1	-0.001	0.013	0.53	-0.1	-0.1	-0.001	0.048	0.084	-0.4	-0.2	8.8	0.13	1.3	
Steinway	6319	2.8	-1	1	0.8	0.010	0.19	-0.04	-0.001		-0.01	0.3	0.1	-0.03	3.6	-0.001	0.012	0.49	-0.1	-0.1	-0.001	0.060	0.120	-0.4	-0.2	8.3	0.15	1.1	
Steinway	6324	2.2	-1	2	1.7	0.007	0.12	-0.04	-0.001		0.01	0.3	-0.1	-0.03	4.8	-0.001	0.014	0.38	-0.1	-0.1	-0.001	0.012	0.058	-0.4	-0.2	11.5	0.1	0.73	
Steinway	6326	2	-1	-1	1.1	0.009	0.13	-0.04	0.001		0.01	0.3	0.1	-0.03	4.6	0.002	0.014	0.35	-0.1	-0.1	-0.001	0.042	0.078	-0.4	-0.2	10.8	0.14	0.73	
Steinway	6328	2.6	-1	-1	1.9	0.011	0.15	-0.04	-0.001		-0.01	0.4	0.1	-0.03	5.1	0.003	0.011	0.33	-0.1	-0.1	-0.001	0.042	0.094	-0.4	-0.2	10.6	0.16	0.87	
Apollo	3949	1	-1	-1	0.3	0.020	0.10	-0.04	-0.001	4.9	0.03	-0.1	-0.1	-0.03	1.1	-0.001	0.015	0.36	-0.1	-0.1	-0.001	0.006	0.026	0.4	-0.2	3.1	0.12	0.91	
Apollo	3953	1.2	-1	-1	0.4	0.007	0.05	-0.04	-0.001	4.7	0.02	-0.1	-0.1	-0.03	1.0	-0.001	0.034	0.13	-0.1	-0.1	-0.001	0.014	0.038	0.4	-0.2	3	0.089	0.54	
Apollo	3955	1.4	-1	-1	0.3	0.006	0.05	-0.04	-0.001	5.6	0.02	-0.1	-0.1	-0.03	1.0	-0.001	0.03	0.13	-0.1	-0.1	-0.001	0.012	0.042	0.8	-0.2	3.1	0.085	0.49	
Apollo	3957	1.6	-1	-1	0.4	0.006	0.05	-0.04	-0.001	6.4	0.01	0.1	0.1	-0.03	1.2	-0.001	0.038	0.12	-0.1	-0.1	-0.001	0.024	0.064	0.4	-0.2	4	0.097	0.57	
Apollo	3959	2	-1	-1	0.3	0.006	0.05	-0.04	-0.001	5.8	0.02	0.1	-0.1	-0.03	1.2	-0.001	0.033	0.12	-0.1	-0.1	-0.001	0.014	0.040	0.4	0.2	3.4	0.085	0.72	
Apollo	3961	2.2	-1	-1	0.3	0.007	0.05	-0.04	-0.001	7.1	0.01	0.1	-0.1	-0.03	1.6	-0.001	0.053	0.17	-0.1	-0.1	-0.001	0.020	0.064	0.4	0.2	4.1	0.077	0.64	
Apollo	3963	1.6	-1	-1	0.3	0.014	0.06	-0.04	-0.001	7.5	0.02	0.2	-0.1	-0.03	2.0	-0.001	0.041	0.13	-0.1	-0.1	-0.001	0.040	0.074	-0.4	-0.2	4.1	0.2	0.63	
Apollo	3965	2.2	1	2	0.4	0.011	0.07	-0.04	-0.001	9.0	0.02	0.2	-0.1	0.07	2.3	-0.001	0.06	0.22	-0.1	-0.1	-0.001	0.016	0.030	-0.4	-0.2	5	0.36	1.4	
Apollo	3967	2.4	1	1	0.4	0.015	0.07	-0.04	-0.001	8.9	0.02	0.2	-0.1	-0.03	2.2	-0.001	0.05	0.2	-0.1	-0.1	-0.001	0.006	0.030	-0.4	-0.2	4.9	0.11	1.1	
Apollo	3969	2.6	-1	2	0.3	0.020	0.08	-0.04	-0.001	9.3	0.02	0.1	-0.1	-0.03	2.1	-0.001	0.045	0.22	-0.1	-0.1	-0.001	0.006	0.028	-0.4	-0.2	4.9	0.12	1.3	
Apollo	3971	1.8	-1	-1	0.3	0.011	0.08	-0.04	0.001	8.8	0.03	0.1	-0.1	-0.03	2.1	0.002	0.045	0.2	-0.1	-0.1	-0.001	0.004	0.022	-0.4	-0.2	5	0.098	0.97	
Apollo	3973	2.8	-1	2	0.5	0.008	0.07	-0.04	-0.001	9.8	0.03	0.1	-0.1	-0.03	2.6	0.001	0.045	0.23	-0.1	-0.1	-0.001	0.020	0.034	-0.4	-0.2	5.1	0.12	1.2	
Apollo	3975	3	1	1	0.4	0.007	0.08	-0.04	-0.001	10.6	0.03	0.2	0.1	-0.03	2.5	-0.001	0.055	0.25	-0.1	-0.1	-0.001	0.014	0.034	-0.4	-0.2	5.6	0.14	1.6	
Apollo	3977	3.4	-1	2	0.5	0.008	0.08	-0.04	-0.001	10.7	0.02	0.2	-0.1	-0.03	2.8	0.001	0.051	0.28	-0.1	-0.1	-0.001	0.018	0.044	-0.4	-0.2	5.7	0.29	1.7	
Apollo	3979	3.8	-1	2	0.3	0.007	0.07	-0.04	-0.001	10.1	-0.01	0.2	-0.1	-0.03	2.5	0.001	0.074	0.26	-0.1	-0.1	-0.001	0.016	0.036	-0.4	-0.2	5.1	0.33	1.7	
Apollo	3981	3.4	1	2	0.3	0.007	0.10	-0.04	-0.001	9.6	0.01	0.1	-0.1	-0.03	2.3	0.003	0.057	0.28	-0.1	-0.1	-0.001	0.014	0.038	-0.4	-0.2	5.6	0.34	2.1	
Apollo	3983	1.6	-1	-1	0.4	0.005	0.07	-0.04	-0.001	11.9	0.03	0.1	-0.1	-0.03	2.1	0.002	0.047	0.22	-0.1	-0.1	-0.001	0.006	0.030	-0.4	-0.2	5.3	0.11	1.1	
Apollo	3986	3	-1	1	0.4	0.006	0.07	-0.04	-0.001	14.3	0.03	1.1	1.3	-0.03	2.8	0.002	0.048	0.23	-0.1	-0.1	-0.001	0.006	0.036	-0.4	-0.2	6.4	0.17	1.4	
Apollo	3989	3	1	2	0.5	0.006	0.09	-0.04	-0.001	14.3	0.03	1.1	1.3	-0.03	2.9	0.001	0.056	0.28	-0.1	-0.1	-0.001	0.020	0.036	-0.4	-0.2	6.7	0.24	1.8	

	No.	Th/A ppm	Th/C ppm	Th/E ppm	Tl/H1 ppb	Tl/H2 ppb	Tl/B ppb	Tl/C ppb	Tl/E ppb	U/T ppm	U/H1 ppm	U/H2 ppm	U/A ppm	U/B ppm	U/C ppm	U/E ppm	V/T ppm	V/E ppm	W/T ppm	W/H1 ppm	W/H2 ppm	W/C ppm	W/E ppm	Yb/T ppm	Yb/E ppm	Zn/T ppm	Zn/H1 ppm	Zn/H2 ppm
Baxter	394	0.35	0.18	-0.001	26	82	36	36	2	1	0.15	0.3	0.105	0.009	0.077	-0.001	158	0.135	1	-0.0005	0.13	0.05	0.001	4.44	-0.001	63	1.4	3.1
Baxter	406	0.27	0.04	-0.001	11	15	-18	18	-1	2	0.38	0.6	0.226	0.007	0.122	0.003	145	0.057	1	-0.0005	0.089	0.05	-0.001	3.69	-0.001	57	1.5	2.3
Baxter	409	0.35	-0.02	-0.001	12	43	-18	-18	1	3	0.54	0.87	0.316	0.004	0.128	0.004	154	0.058	1	-0.0005	0.12	0.05	-0.001	3.87	0.002	89	2.2	3.4
Baxter	410	0.16	0.04	-0.001	5.5	9	-18	-18	1	3	0.23	0.42	0.125	0.005	0.079	0.001	156	0.035	1	-0.0005	0.079	0.05	-0.001	3.2	-0.001	53	0.5	1.4
Baxter	415	0.20	0.04	-0.001	8	35	-18	-18	-1	2	0.33	0.54	0.172	0.011	0.074	0.002	156	0.07	1	-0.0005	0.087	0.05	0.001	3.71	-0.001	59	0.6	1.8
Baxter	416	0.25	0.05	-0.001	18	34	-18	-18	2	4	0.3	0.53	0.170	0.013	0.081	0.002	155	0.103	1	-0.0005	0.1	0.05	0.001	3.88	-0.001	63	1.1	2.1
Baxter	417	0.27	0.02	-0.001	14	20	-18	-18	1	3	0.41	0.62	0.230	0.009	0.103	0.004	155	0.059	1	-0.0005	0.11	0.05	0.001	3.5	-0.001	58	1	1.9
Baxter	418	0.23	0.05	-0.001	10	11	-18	-18	-1	3	0.45	0.7	0.199	0.007	0.135	0.002	163	0.043	4	-0.0005	0.12	0.05	0.001	3.15	-0.001	62	0.6	1.5
Baxter	419	0.16	0.04	0.002	38	80	36	18	3	2	0.36	0.58	0.176	0.011	0.101	-0.001	152	0.201	1	-0.0005	0.09	0.05	0.002	4.42	-0.001	81	5	5.6
Baxter	423	0.20	-0.02	-0.001	10	15	-18	-18	-1	2	0.31	0.44	0.164	0.005	0.063	0.003	158	0.052	1	-0.0005	0.071	0.05	0.001	3.5	-0.001	60	1.6	2.1
Baxter	426	0.31	0.02	-0.001	14	24	-18	-18	1	1	0.39	0.61	0.254	0.007	0.106	0.003	172	0.053	1	-0.0005	0.084	0.05	-0.001	3.31	-0.001	59	1.8	2
Baxter	427	0.27	0.04	-0.001	22	43	-18	18	2	4	0.42	0.58	0.203	0.013	0.115	0.002	170	0.063	1	-0.0005	0.075	0.05	0.001	4.05	-0.001	57	1.1	1.6
Baxter	437	0.23	-0.02	-0.001	11	24	-18	-18	1	3	0.35	0.53	0.199	0.007	0.059	0.002	152	0.035	1	-0.0005	0.072	0.05	-0.001	4.17	-0.001	57	0.8	1.4
Baxter	440	0.20	-0.02	-0.001	13	16	-18	-18	-1	3	0.4	0.71	0.176	0.004	0.052	0.004	153	0.033	1	-0.0005	0.1	0.05	0.002	3.78	0.001	57	1.2	2.3
Baxter	441	0.16	-0.02	-0.001	4	8.5	-18	-18	-1	3	0.31	0.61	0.164	0.005	0.056	0.004	156	0.057	4	-0.0005	0.096	0.05	-0.001	3.67	0.001	66	0.6	1.4
Baxter	442	0.20	-0.02	-0.001	7	19	-18	-18	-1	4	0.33	0.59	0.218	0.004	0.054	0.004	153	0.048	1	-0.0005	0.083	0.05	-0.001	4.2	-0.001	58	0.7	1.6
Baxter	443	0.23	-0.02	-0.001	13	22	-18	-18	1	3	0.42	0.64	0.277	0.005	0.085	0.006	144	0.041	1	-0.0005	0.066	0.05	0.001	4.25	0.001	58	1.1	2.1
Baxter	444	0.27	0.02	-0.001	11	18	-18	-18	-1	3	0.38	0.63	0.254	0.005	0.083	0.003	157	0.059	1	-0.0005	0.097	0.05	0.001	4.13	-0.001	60	1	1.9
Baxter	445	0.31	0.04	-0.001	18	26	-18	-18	2	3	0.37	0.62	0.218	0.013	0.090	0.003	166	0.078	1	-0.0005	0.1	0.05	0.001	3.77	-0.001	58	0.9	1.7
Baxter	448	0.20	0.02	-0.001	10	35	18	18	1	3	0.35	0.62	0.183	0.009	0.083	0.002	148	0.068	1	-0.0005	0.11	0.05	0.001	3.6	-0.001	62	1.7	2.4
Fender	4401	0.04	0.05	0.005	14	21	-18	-18	-1	1	0.17	0.26	0.090	0.009	0.083	0.003	0.181	5	0.021	0.27	0.05	0.003	1.91	-0.001	0.7	1.1		
Fender	4406	0.08	0.07	0.008	11	25	-18	-18	-1	9	0.29	0.46	0.207	0.016	0.122	0.002	0.35	5	0.009	0.097	0.05	0.007	1.98	-0.001	1.1	2.7		
Fender	4411	0.08	-0.02	-0.001	5	8	-18	-18	-1	3	0.15	0.29	0.101	0.002	0.049	0.002	0.03	5	0.035	0.47	0.05	0.003	0.67	-0.001	2.8	3		
Fender	4412	0.23	-0.02	-0.001	7	10	-18	-18	-1	8	0.46	0.65	0.296	0.004	0.131	0.003	0.047	5	0.055	0.71	0.05	0.002	1.63	-0.001	2.8	2.8		
Fender	4413	0.16	-0.02	-0.001	7.5	11	-18	-18	-1	8	0.36	0.62	0.302	0.003	0.108	0.005	0.082	5	0.029	0.43	0.05	0.006	1.71	-0.001	4.4	4		
Fender	2649	0.08	-0.02	0.012	22	41	-18	-18	-1	4	0.42	0.77	0.374	0.009	0.252	0.02	0.318	1	0.11	0.81	0.05	0.026	2.53	0.001	0.4	1		
Fender	2653	0.04	-0.02	0.029	14	29	-18	-18	-1	4	0.37	0.68	0.273	0.011	0.234	0.011	0.358	1	0.067	0.76	0.05	0.045	2.9	0.002	0.4	0.8		
Fender	2658	0.04	0.02	0.005	16	30	-18	-18	-1	6	0.45	0.69	0.308	0.016	0.180	0.006	0.285	3	0.17	1.5	0.05	0.117	2.84	-0.001	1.1	1.5		
Fender	2663	0.08	0.02	0.032	10	14	-18	-18	-1	6	0.62	1.1	0.429	0.016	0.270	0.016	0.452	1	0.039	0.38	0.05	0.051	3.22	0.003	0.7	1.2		
Fender	2668	0.04	0.02	0.035	15	36	-18	-18	-1	4	0.46	0.79	0.335	0.020	0.234	0.015	0.372	1	0.12	1	0.05	0.065	2.67	0.003	0.7	1.1		
Fender	2673	0.04	0.02	0.028	14	20	-18	-18	-1	7	0.66	0.93	0.468	0.029	0.252	0.02	0.408	3	0.16	1.2	0.05	0.149	2.39	0.003	0.9	1		
Fender	2680	0.04	0.05	0.031	16	26	-18	-18	-1	6	0.77	1.1	0.507	0.025	0.342	0.022	69	0.547	1	0.17	1.1	0.05	0.101	2.71	0.002	30	0.5	0.8
Fender	2688	0.04	0.04	0.011	19	34	-18	-18	-1	4	0.51	0.86	0.332	0.023	0.252	0.02	0.245	1	0.11	1.4	0.05	0.053	2.84	0.001	1.2	1.8		
Fender	2696	-0.04	0.05	0.011	17	36	-18	-18	-1	4	0.42	0.71	0.273	0.020	0.234	0.02	0.306	1	0.21	1.8	0.05	0.076	2.91	0.001	0.9	1.1		
Fender	2707	-0.04	0.27	0.012	8.5	11	-18	-18	-1	3	0.12	0.2	0.047	0.011	0.068	0.003	0.243	5	0.16	1.1	0.09	0.137	3.21	-0.001	0.9	0.9		
Fender	2718	0.08	0.09	0.019	28	47	-18	-18	-1	5	0.63	0.94	0.429	0.020	0.324	0.011	0.321	1	0.53	2.9	0.05	0.284	2.9	0.002	0.7	1		
Fender	2732	0.08	0.04	0.032	20	49	-18	-18	-1	4	0.71	1	0.507	0.027	0.378	0.021	0.399	5	0.37	2.5	0.05	0.341	2.31	0.003	6.3	7		
Fender	2746	0.08	0.04	0.008	19	46	-18	-18	-1	3	0.35	0.7	0.296	0.013	0.198	0.009	0.222	1	0.12	1	0.05	0.053	2.13	0.001	0.5	1.2		
Fender	2759	0.08	0.04	0.026	13	30	-18	-18	-1	3	0.34	0.92	0.429	0.011	0.252	0.018	0.437	2	0.068	0.98	0.05	0.138	2.37	0.003	0.5	1.2		
Fender	2771	0.23	0.04	0.020	11	16	-18	-18	-1	5	0.82	0.93	0.585	0.016	0.270	0.015	0.34	1	0.12	0.82	0.05	0.077	2.53	0.003	0.6	0.7		
Fender	2780	0.08	0.32	0.025	2.5	6	-18	-18	-1	4	0.18	0.57	0.148	0.036	0.198	0.009	0.875	1	0.056	0.86	0.05	0.138	2.56	0.001	0.2	0.8		

	No.	Th/A ppm	Th/C ppm	Th/E ppm	Tl/H1 ppb	Tl/H2 ppb	Tl/B ppb	Tl/C ppb	Tl/E ppb	U /T ppm	U/H1 ppm	U/H2 ppm	U/A ppm	U/B ppm	U/C ppm	U/E ppm	V/T ppm	V/E ppm	W /T ppm	W/H1 ppm	W/H2 ppm	W/C ppm	W/E ppm	Yb/T ppm	Zn/T ppm	Zn/H1 ppm	Zn/H2 ppm	
Fender	2788	0.12	0.04	0.012	12	20	-18	-18	-1	5	0.47	0.68	0.308	0.011	0.234	0.008	57	0.342	4	0.22	1.7	0.05	0.334	2.49	0.001	27	0.6	0.8
Fender	2796	0.12	0.07	0.017	21	46	-18	-18	-1	3	0.44	0.68	0.339	0.011	0.252	0.02		0.329	4	0.29	1.8	0.05	0.277	3.15	0.002	0.7	0.8	
Fender	2802	0.08	0.02	0.013	27	44	-18	-18	-1	3	0.46	0.68	0.308	0.007	0.198	0.009		0.301	1	0.27	1.5	0.05	0.187	3.13	0.002	0.5	0.8	
Fender	2808	0.12	0.02	0.018	26	44	-18	-18	-1	5	0.31	0.6	0.234	0.011	0.157	0.008		0.225	3	0.15	1.6	0.05	0.094	2.77	0.002	0.5	0.9	
Fender	2813	0.08	0.04	0.008	26	41	-18	-18	-1	4	0.32	0.49	0.187	0.009	0.198	0.005		0.283	2	0.19	1.2	0.05	0.054	2.4	0.001	0.7	0.9	
Fender	2818	0.08	0.05	0.020	28	54	18	18	-1		0.37	0.56	0.191	0.014	0.198	0.006		0.241		0.59	3.4	0.05	0.177		0.001	1	1.1	
Fender	2822	0.04	0.05	0.020	22	51	18	-18	-1	5	0.26	0.45	0.156	0.016	0.128	0.005		0.271	1	0.31	1.9	0.05	0.045	2.19	-0.001	0.7	1.1	
Fender	2827	0.12	0.02	0.016	20	44	-18	-18	-1	4	0.27	0.48	0.195	0.009	0.173	0.006		0.253	1	0.085	0.86	0.05	0.021	2.11	0.002	0.4	0.6	
Fender	2832	0.08	0.05	0.020	19	38	-18	-18	-1	6	0.34	0.62	0.211	0.011	0.198	0.009		0.305	1	0.13	1.3	0.05	0.037	2.74	0.002	0.4	0.7	
Fender	2837	0.12	0.04	0.011	22	51	-18	-18	-1	4	0.27	0.48	0.199	0.011	0.155	0.005		0.304	5	0.35	3	0.05	0.08	2.63	0.002	0.5	0.8	
Fender	2842	0.08	0.05	0.008	17	42	-18	-18	-1	5	0.3	0.52	0.195	0.009	0.146	0.005		0.31	1	0.11	1.2	0.05	0.111	2.72	-0.001	0.8	0.9	
Fender	2847	0.08	0.04	0.016	27	49	-18	-18	-1	5	0.27	0.5	0.207	0.004	0.148	0.007		0.411	1	0.15	1.1	0.05	0.091	3.96	0.002	0.7	1	
Fender	2853	0.08	0.02	0.020	23	67	18	-18	-1	6	0.33	0.72	0.304	0.009	0.198	0.02		0.28	5	0.2	1.7	0.05	0.138	2.95	0.002	0.5	0.9	
Fender	2860	0.12	0.02	0.007	21	40	-18	-18	-1	3	0.28	0.55	0.195	0.004	0.178	0.005		0.137	1	0.054	0.61	0.05	0.026	2.47	-0.001	0.4	0.7	
Fender	2867	0.12	0.02	0.019	27	44	-18	-18	-1	5	0.57	0.8	0.355	0.009	0.216	0.011		0.45	1	0.15	0.84	0.05	0.05	2.93	0.002	0.5	0.7	
Fender	2874	0.16	0.04	0.012	27	48	-18	-18	-1	3	0.7	1.1	0.624	0.007	0.324	0.012		0.269	1	0.15	0.99	0.05	0.033	3.34	0.002	0.5	0.7	
Fender	2882	0.16	0.05	0.026	31	64	18	18	-1	5	0.7	0.98	0.507	0.014	0.306	0.013		0.274	1	0.29	1.9	0.05	0.075	3.02	0.003	0.9	1	
Bronzewing	2718	0.04	-0.02	-0.001	12	38	-18	-18	2	4	0.75	1	0.269	0.009	0.171	0.004	128	0.162	1	-0.0005	0.1	0.05	-0.001	2.2	-0.001	43	1.2	1.8
Bronzewing	2719	0.04	-0.02	-0.001	23	61	36	-18	4	2	0.82	1	0.296	0.005	0.169	0.003	123	0.091	1	-0.0005	0.1	0.05	0.001	2.34	0.001	36	0.8	1.5
Bronzewing	2720	-0.04	0.04	-0.001	27	55	18	-18	8	3	0.42	0.75	0.191	0.007	0.121	0.002	108	0.098	1	-0.0005	0.096	0.05	0.001	2.21	0.002	29	0.1	1
Bronzewing	2721	-0.04	-0.02	-0.001	14	19	-18	-18	2	3	0.57	0.82	0.242	0.002	0.124	0.002	108	0.046	1	-0.0005	0.11	0.05	0.001	1.94	-0.001	31	0.2	1.1
Bronzewing	2722	0.08	0.02	-0.001	22	48	-18	-18	2	4	0.76	1.1	0.429	0.007	0.216	0.004	125	0.098	1	-0.0005	0.13	0.05	0.001	2.19	-0.001	38	0.6	1.8
Bronzewing	2801	0.08	0.04	-0.001	34	80	36	-18	4	3	0.63	0.88	0.328	0.007	0.173	0.003	125	0.072	1	-0.0005	0.12	0.05	0.001	2.23	0.001	30	0.4	1.5
Bronzewing	2802	0.04	-0.02	-0.001	15	33	-18	-18	2	1	0.82	1.2	0.429	-0.002	0.216	0.005	137	0.065	1	-0.0005	0.11	0.05	0.001	2.6	0.002	47	1.3	2.7
Bronzewing	2803	0.10	0.01	-0.001	22	35	13.5	-18	3	3	0.5	0.77	0.281	0.009	0.159	0.003	110	0.071	1	-0.0005	0.1	0.05	0.001	1.93	0.001	36	0.8	1.9
Bronzewing	2804	0.04	-0.02	-0.001	34	85	54	18	3	2	0.61	0.89	0.363	0.007	0.216	0.003	117	0.065	1	-0.0005	0.11	0.05	0.001	2.21	-0.001	34	0.7	1.8
Bronzewing	2805	0.04	0.04	-0.001	30	98	54	18	3	3	0.79	0.92	0.347	0.011	0.198	0.002	114	0.095	1	-0.0005	0.11	0.05	0.001	2.07	-0.001	32	1	2.2
Bronzewing	2806	0.08	-0.02	-0.001	13	25	-18	-18	-1	1	0.93	1.3	0.468	0.005	0.306	0.004	141	0.088	1	-0.0005	0.12	0.05	0.001	2.34	-0.001	45	1.2	2.7
Bronzewing	2807	0.04	-0.02	-0.001	24	69	36	-18	3	3	1	1.4	0.546	0.004	0.324	0.005	136	0.104	1	-0.0005	0.13	0.05	0.001	2.29	0.001	52	3	4.5
Bronzewing	2808	0.08	0.04	-0.001	25	61	36	-18	3	3	0.84	1.2	0.429	0.009	0.270	0.003	123	0.111	1	-0.0005	0.12	0.05	0.001	2.37	-0.001	41	1.1	2.7
Bronzewing	2809	0.08	0.02	-0.001	29	61	36	36	5	1	0.58	0.87	0.277	0.007	0.180	0.002	116	0.09	1	-0.0005	0.12	0.05	0.001	2.19	0.001	31	0.4	1.7
Bronzewing	2810	0.04	0.02	-0.001	18	38	18	36	3	3	0.74	1	0.277	0.007	0.198	0.004	121	0.068	1	-0.0005	0.11	0.05	-0.001	2.34	0.001	33	0.3	1.6
Bronzewing	2811	0.04	0.02	-0.001	16	95	18	-18	2	3	0.52	0.86	0.238	0.007	0.146	0.002	106	0.106	1	-0.0005	0.11	0.05	0.001	2.04	0.001	33	0.5	1.7
Curara	1048	0.39	-0.02	0.001	7.5	10	-18	-18	-1	2	0.71	1	0.507	0.004	0.216	0.009	73	0.033	1	-0.0005	0.13	0.05	0.001	1.01	-0.001	22	1.4	1.6
Curara	1050	0.23	0.02	0.002	3.5	5.5	-18	-18	-1	2	0.38	0.7	0.363	0.004	0.169	0.013	77	0.027	1	-0.0005	0.095	0.05	-0.001	0.74	-0.001	14	0.2	0.5
Curara	1051	0.47	-0.02	0.002	11	19	-18	-18	-1	2	0.73	0.99	0.546	0.002	0.216	0.007	102	0.084	1	-0.0005	0.17	0.05	-0.001	1.44	0.002	35	1.7	2.3
Curara	1052	0.55	0.02	0.001	10	18	-18	-18	-1	3	0.9	1.3	0.663	0.005	0.288	0.005	120	0.102	1	-0.0005	0.22	0.05	-0.001	1.66	0.001	46	2.3	2.9
Curara	1053	0.51	0.02	0.003	12	21	-18	-18	-1	4	0.91	1.4	0.780	0.004	0.378	0.006	114	0.129	1	-0.0005	0.21	0.05	0.001	1.63	0.001	40	1.7	2.5
Curara	1054	0.66	0.04	0.004	20	27	-18	-18	1	3	1.2	1.5	0.780	0.005	0.396	0.005	144	0.143	1	-0.0005	0.26	0.05	0.002	1.84	0.002	53	2.5	2.9
Curara	1055	0.55	-0.02	0.004	13	20	-18	-18	1	4	1	1.5	0.741	0.005	0.288	0.006	128	0.131	2	-0.0005	0.25	0.05	0.002	1.85	0.001	55	3.6	3.9
Curara	1056	0.55	0.04	0.007	12	17	-18	-18	-1	4	1.2	1.5	0.819	0.007	0.414	0.008	131	0.154	1	-0.0005	0.22	0.05	0.001	1.88	0.001	45	1.7	2.2

	No.	Th/A ppm	Th/C ppm	Th/E ppm	Tl/H1 ppb	Tl/H2 ppb	Tl/B ppb	Tl/C ppb	Tl/E ppb	U /T ppm	U/H1 ppm	U/H2 ppm	U/A ppm	U/B ppm	U/C ppm	U/E ppm	V/T ppm	V/E ppm	W /T ppm	W/H1 ppm	W/H2 ppm	W/C ppm	W/E ppm	Yb/T ppm	Zn/T ppm	Zn/H1 ppm	Zn/H2 ppm	
Curara	1057	0.51	0.04	0.008	24	36	-18	-18	-1	5	1	1.4	0.780	0.007	0.450	0.006	133	0.208	1	-0.0005	0.23	0.05	0.002	1.89	0.002	46	2.2	2.7
Curara	1058	0.55	0.02	0.007	12	24	-18	-18	-1	3	0.8	1.2	0.624	0.005	0.270	0.007	108	0.152	1	-0.0005	0.22	0.05	0.002	1.53	0.002	35	1.5	2.6
Curara	1059	0.47	-0.02	0.002	8	13	-18	-18	-1	1	0.62	1	0.507	0.004	0.198	0.008	89	0.082	1	-0.0005	0.17	0.05	-0.001	1.31	0.002	31	2.7	2.4
Curara	1060	0.41	0.01	0.002	7.5	15	-18	-18	-1	2	0.69	1.1	0.488	0.005	0.261	0.007	102	0.113	1	-0.0005	0.18	0.05	-0.001	1.36	0.001	29	1.2	2.1
Curara	1061	0.43	0.02	0.007	12	31	-18	-18	-1	3	0.57	0.95	0.507	0.005	0.198	0.009	103	0.241	1	-0.0005	0.17	0.05	0.002	1.38	0.002	32	1	2
Curara	1062	0.55	0.04	0.004	10	19	-18	-18	1	3	0.46	0.85	0.468	0.004	0.216	0.016	101	0.282	2	-0.0005	0.19	0.05	0.002	1.31	0.005	36	1.2	2.6
Curara	1063	0.59	0.02	0.002	5.5	13	-18	-18	-1	4	0.46	0.74	0.429	0.004	0.252	0.004	96	0.092	1	-0.0005	0.16	0.05	-0.001	1.37	-0.001	34	1.3	2.4
Curara	1065	0.55	0.04	0.002	8.5	15	-18	-18	-1	2	0.72	1	0.546	-0.002	0.180	0.008	98	0.047	1	-0.0005	0.16	0.05	0.001	1.14	0.002	30	1.2	2.6
Curara	1067	0.47	0.05	0.001	4.5	7.5	-18	-18	-1	3	0.54	0.89	0.429	0.002	0.234	0.007	78	0.029	1	-0.0005	0.13	0.05	-0.001	0.97	0.001	24	0.5	1.5
Curara	1070	0.43	0.04	0.002	3	5	-18	-18	-1	1	0.36	0.71	0.320	0.002	0.180	0.009	67	0.022	1	-0.0005	0.1	0.05	-0.001	0.84	-0.001	19	0.2	1.2
Curara	2276	0.39	0.04	0.001	2.5	4	-18	-18	-1		0.38	0.58	0.324	-0.002	0.166	0.006		0.028		-0.0005	0.14	0.05	-0.001	-0.001		0.6	1.5	
Curara	2278	0.35	-0.02	0.002	6.5	11	-18	-18	-1	2	0.58	0.96	0.507	-0.002	0.270	0.008		0.051	1	-0.0005	0.11	0.05	0.001	1.2	0.001		1	2.2
Curara	2280	0.39	0.04	0.002	4.5	7.5	-18	-18	-1		0.5	0.89	0.378	0.002	0.234	0.007		0.024		-0.0005	0.12	0.05	0.001	-0.001		1	2.4	
Curara	2282	0.35	0.04	0.002	4	6.5	-18	-18	-1		0.38	0.67	0.316	0.002	0.155	0.007		0.017		-0.0005	0.12	0.05	-0.001	-0.001		0.5	1.7	
Curara	2283	0.55	0.05	0.001	4	7.5	-18	-18	-1		0.44	0.78	0.382	0.004	0.234	0.006		0.032		-0.0005	0.11	0.05	-0.001	-0.001		0.8	2	
Curara	2285	0.39	-0.02	0.002	5.5	8.5	-18	-18	-1		0.42	0.7	0.304	-0.002	0.160	0.007		0.037		-0.0005	0.12	0.05	-0.001	0.001		1.3	2.7	
Curara	2288	0.43	0.04	0.002	4	7.5	-18	-18	-1		0.4	0.78	0.367	-0.002	0.198	0.007		0.018		-0.0005	0.11	0.05	-0.001	-0.001		0.3	1.5	
Curara	2291	0.43	0.04	-0.001	4.5	7.5	-18	-18	-1		0.41	0.78	0.339	-0.002	0.234	0.004		0.034		-0.0005	0.11	0.05	-0.001	-0.001		1	2.1	
Curara	2294	0.39	0.02	0.002	4	7	-18	-18	-1		0.38	0.75	0.316	0.007	0.169	0.006		0.021		-0.0005	0.11	0.05	0.001	-0.001		0.6	1.8	
Curara	2297	0.27	-0.02	0.001	5	8	-18	-18	1		0.25	0.51	0.234	0.009	0.113	0.004		0.018		-0.0005	0.092	0.05	-0.001	-0.001		0.2	1.3	
Safari	2994	-0.04	-0.02	0.001	5.5	13	-18	-18	-1	1	0.035	0.098	0.043	-0.002	0.018	-0.001		0.212	1	0.001	0.11	0.05	0.003	0.66	-0.001	0.4	1.4	
Safari	3016	-0.04	-0.02	0.002	4.5	11	-18	-18	-1		0.024	0.076	0.039	-0.002	0.018	-0.001		0.231		0.0005	0.099	0.05	0.004	-0.001		-0.1	1.2	
Safari	3038	-0.04	-0.02	0.003	4.5	11	-18	-18	-1		0.025	0.063	0.031	-0.002	0.020	-0.001		0.266		0.002	0.082	0.05	0.004	-0.001		0.2	1.3	
Safari	3060	-0.04	-0.02	0.002	5	14	-18	-18	-1		0.045	0.097	0.047	-0.002	0.020	-0.001		0.26		0.001	0.1	0.05	0.005	-0.001		0.3	1.3	
Safari	3082	-0.04	-0.02	0.004	5.5	11	-18	-18	-1		0.041	0.08	0.047	-0.002	0.022	-0.001		0.268	1	0.002	0.1	0.05	0.006	0.25	-0.001	0.2	1.2	
Safari	3100	-0.04	-0.02	0.004	5.5	14	-18	-18	-1		0.033	0.087	0.035	-0.002	0.016	-0.001		0.201		0.0025	0.13	0.05	0.006	-0.001		0.2	1.3	
Safari	3122	-0.04	-0.02	0.003	6	15	-18	-18	-1		0.039	0.087	0.039	-0.002	0.022	-0.001		0.249		0.0055	0.16	0.05	0.011	-0.001		0.2	1.1	
Safari	3140	-0.04	-0.02	0.003	6	14	-18	-18	-1		0.058	0.11	0.062	-0.002	0.036	-0.001		0.219	1	0.001	0.095	0.05	0.004	0.7	-0.001	0.1	0.8	
Safari	3158	-0.04	-0.02	0.004	7	15	-18	-18	-1		0.059	0.11	0.059	-0.002	0.025	-0.001		0.236		0.001	0.099	0.05	0.004	-0.001		0.1	0.9	
Safari	3176	0.04	-0.02	0.004	7	16	-18	-18	-1		0.046	0.093	0.053	-0.002	0.019	-0.001		0.173	1	0.004	0.14	0.05	0.02	0.69	-0.001	0.3	1.1	
Safari	3192	0.04	-0.02	0.002	7.5	16	-18	-18	-1		0.063	0.11	0.062	-0.002	0.027	-0.001		0.205		0.0025	0.14	0.05	0.006	-0.001		0.3	1.3	
Safari	3208	-0.04	-0.02	0.007	6	16	-18	-18	-1		0.053	0.11	0.062	-0.002	0.031	-0.001		0.312		0.0035	0.1	0.05	0.006	-0.001		0.2	0.9	
Safari	3224	-0.04	-0.02	0.003	7	16	-18	-18	-1		0.037	0.088	0.035	-0.002	0.023	-0.001		0.261		0.0015	0.11	0.05	0.004	-0.001		0.2	1	
Safari	3240	0.04	-0.02	0.002	5.5	15	-18	-18	-1		0.041	0.099	0.066	-0.002	0.029	-0.001		0.179		0.0015	0.099	0.05	0.003	-0.001		0.1	1	
Safari	3256	0.08	-0.02	0.020	8.5	17	-18	-18	-1		0.081	0.14	0.090	0.002	0.047	0.001		0.304	1	0.004	0.14	0.05	0.009	0.7	-0.001	0.2	0.9	
Safari	3268	0.04	-0.02	0.008	8	17	-18	-18	-1		0.092	0.16	0.101	-0.002	0.050	0.002		0.395		0.003	0.12	0.05	0.02	0.001		0.2	1	
Safari	3284	0.04	-0.02	0.001	7.5	7	-18	-18	-1		0.062	0.064	0.062	-0.002	0.040	-0.001		0.218		0.0025	0.072	0.05	0.005	-0.001		0.2	0.8	
Safari	3300	0.04	-0.02	0.001	8.5	15	-18	-18	-1		0.061	0.1	0.062	-0.002	0.041	-0.001		0.179	1	0.003	0.1	0.05	0.003	0.63	-0.001	0.1	0.9	
Safari	3312	0.08	-0.02	0.004	7.5	16	-18	-18	-1		0.07	0.12	0.070	-0.002	0.043	0.001		0.261		0.02	0.11	0.05	0.009	0.001		0.6	0.9	
Safari	3324	0.08	-0.02	0.004	9	12	-18	-18	-1		0.081	0.11	0.086	-0.002	0.047	0.001		0.171		0.0075	0.16	0.05	0.007	-0.001		0.3	1.1	
Safari	3336	0.03	-0.02	0.001	7	22	-18	-18	-1		0.044	0.17	0.045	-0.002	0.028	-0.001		0.185		0.0025	0.18	0.05	0.004	-0.001		0.1	1.1	

	No.	Th/A ppm	Th/C ppm	Th/E ppm	Tl/H1 ppb	Tl/H2 ppb	Tl/B ppb	Tl/C ppb	Tl/E ppb	U / T ppm	U/H1 ppm	U/H2 ppm	U/A ppm	U/B ppm	U/C ppm	U/E ppm	V/T	V/E ppm	W / T ppm	W/H1 ppm	W/H2 ppm	W/C ppm	W/E ppm	Yb/T ppm	Yb/E ppm	Zn/T ppm	Zn/H1 ppm	Zn/H2 ppm
Safari	3348	-0.04	-0.02	0.001	7	18	-18	-18	-1		0.051	0.095	0.039	-0.002	0.034	-0.001		0.213		0.0005	0.11	0.05	0.004		-0.001		0.2	1
Safari	3360	0.04	-0.02	0.001	5.5	18	-18	-18	-1	3	0.045	0.11	0.055	-0.002	0.038	-0.001	0.191	1	0.0002	0.12	0.05	0.003	0.53	-0.001		-0.1	0.7	
Safari	3372	0.04	-0.02	0.003	6.5	17	-18	-18	-1		0.04	0.075	0.035	-0.002	0.029	-0.001	0.392		0.0002	0.099	0.05	0.007		-0.001		0.3	0.9	
Safari	3384	0.08	-0.02	0.001	9.5	17	-18	-18	-1		0.049	0.081	0.043	-0.002	0.022	-0.001	0.19		-0.0005	0.1	0.05	0.003		-0.001		0.3	0.8	
Steinway	6301	0.47	-0.02	-0.001	22	45	-18	-18	-1	5	2.6	2.1	1.326	-0.002	0.234	0.007	0.681	5	0.018	0.77	0.05	0.035	1.87	-0.001	50	2.6	4	
Steinway	6303	0.35	-0.02	-0.001	25	50	-18	-18	-1	1	0.68	0.86	0.507	-0.002	0.119	0.004	0.724	4	0.021	1.4	0.05	0.038	1.8	-0.001	67	2.7	6.1	
Steinway	6306	0.31	-0.02	0.002	31	42	-18	-18	-1	1	2.2	1.5	0.897	-0.002	0.198	0.007	0.488	1	0.011	0.58	0.05	0.009	1.84	-0.001	61	3.3	5.4	
Steinway	6308	0.16	-0.02	0.001	14	32	-18	-18	-1	3	0.83	1.1	0.624	-0.002	0.119	0.007	0.409	5	0.011	0.63	0.05	0.006	1.62	-0.001	63	3.6	5.5	
Steinway	6309	0.20	-0.02	-0.001	35	59	-18	-18	-1	1	1.1	1.1	0.663	-0.002	0.139	0.004	0.731	5	0.032	1.2	0.05	0.026	1.71	-0.001	91	4.9	7.9	
Steinway	6310	0.20	-0.02	-0.001	24	42	-18	-18	-1	1	0.22	0.25	0.144	-0.002	0.036	0.002	0.699	7	0.013	0.7	0.05	0.017	1.98	-0.001	87	3.9	5.8	
Steinway	6311	0.16	-0.02	-0.001	34	57	-18	-18	-1	1	0.49	0.58	0.335	-0.002	0.092	0.002	0.394	1	0.022	0.93	0.05	0.029	2.53	-0.001	112	6.2	11	
Steinway	6312	0.27	-0.02	-0.001	27	44	-18	-18	-1	1	0.59	0.59	0.347	-0.002	0.077	0.002	0.602	5	0.0095	0.66	0.05	0.015	1.96	-0.001	93	5.5	7.2	
Steinway	6313	0.23	-0.02	-0.001	32	42	-18	-18	-1	1	0.51	0.44	0.289	-0.002	0.088	0.002	0.746	6	0.018	0.76	0.05	0.017	2.08	-0.001	92	6.2	8.6	
Steinway	6314	0.23	-0.02	-0.001	27	47	-18	-18	-1	1	0.7	0.64	0.402	-0.002	0.098	0.003	0.568	5	0.019	0.68	0.05	0.025	1.84	-0.001	79	4.9	7.5	
Steinway	6315	0.27	-0.02	-0.001	38	48	-18	-18	-1	2	0.51	0.41	0.261	-0.002	0.088	0.002	0.565	14	0.057	1.4	0.05	0.026	2.16	-0.001	96	8.9	9.6	
Steinway	6316	0.31	-0.02	-0.001	26	49	-18	-18	-1	1	0.32	0.35	0.199	-0.002	0.070	0.001	0.642	1	0.0045	0.55	0.05	0.025	1.84	-0.001	85	6.9	8.6	
Steinway	6317	0.31	-0.02	-0.001	30	47	-18	-18	-1	1	0.34	0.34	0.199	-0.002	0.063	0.002	0.614	1	0.018	0.69	0.05	0.021	1.79	-0.001	77	5	8.3	
Steinway	6318	0.35	-0.02	-0.001	31	50	-18	-18	-1	1	0.7	0.64	0.390	-0.002	0.139	0.002	0.542	1	0.019	0.69	0.05	0.018	1.69	-0.001	76	4.1	8.1	
Steinway	6319	0.35	-0.02	-0.001	26	45	-18	-18	-1	1	0.57	0.56	0.363	-0.002	0.097	0.003	0.522	1	0.0075	0.62	0.05	0.015	1.67	-0.001	75	4.6	9.3	
Steinway	6324	0.16	-0.02	-0.001	25	38	-18	-18	-1	1	0.18	0.19	0.121	-0.002	0.052	0.001	0.47	5	0.004	0.36	0.05	0.022	2.1	-0.001	101	4.2	7.6	
Steinway	6326	0.30	-0.02	-0.001	26	31	-18	-18	-1	1	0.45	0.36	0.266	-0.002	0.081	0.002	0.561	1	0.005	0.34	0.05	0.015	2.01	-0.001	81	5	7.2	
Steinway	6328	0.35	-0.02	-0.001	26	32	-18	-18	-1	3	1	0.78	0.624	-0.002	0.149	0.004	0.583	4	0.018	0.39	0.05	0.013	2.28	-0.001	78	3.8	6.1	
Apollo	3949	0.20	-0.02	0.004	8	15	-18	-18	-1	1	0.28	0.37	0.269	0.004	0.059	0.004	0.177	1	0.026	0.23	0.05	0.009	0.59	-0.001	43	16	12	
Apollo	3953	0.20	-0.02	0.003	8.5	13	-18	-18	-1	1	0.25	0.29	0.254	0.004	0.059	0.003	0.239	1	0.015	0.13	0.05	0.013	0.25	-0.001	26	7.2	4.8	
Apollo	3955	0.20	-0.02	0.002	10	14	-18	-18	-1	1	0.22	0.26	0.203	0.002	0.047	0.003	0.233	1	0.009	0.12	0.05	0.012	0.52	-0.001	33	10	4.7	
Apollo	3957	0.27	-0.02	0.001	15	18	-18	-18	-1	1	0.49	0.43	0.390	-0.002	0.072	0.005	0.453	1	0.003	0.087	0.05	0.007	0.84	-0.001	30	4.4	2.8	
Apollo	3959	0.23	-0.02	0.002	11	18	-18	-18	-1	1	0.34	0.38	0.429	-0.002	0.077	0.003	0.37	1	0.0095	0.12	0.05	0.008	0.68	-0.001	26	4.7	2.9	
Apollo	3961	0.31	-0.02	0.001	13	19	-18	-18	-1	1	0.59	0.54	1.053	0.004	0.101	0.005	0.372	1	0.0055	0.14	0.05	0.016	0.83	-0.001	35	7.6	3.7	
Apollo	3963	0.25	-0.02	0.002	14	17	-18	-18	-1	1	1.5	1	0.761	-0.002	0.094	0.006	0.311	1	0.003	0.1	0.05	0.006	1.1	-0.001	139	93	67	
Apollo	3965	0.20	-0.02	0.001	16	24	-18	-18	-1	1	0.61	0.46	0.390	0.002	0.085	0.004	0.264	1	0.0005	0.15	0.05	0.005	1.26	-0.001	537	420	280	
Apollo	3967	0.16	-0.02	0.002	14	22	-18	-18	-1	1	0.22	0.22	0.191	-0.002	0.047	0.003	0.278	1	0.003	0.12	0.05	0.008	1.41	-0.001	336	270	150	
Apollo	3969	0.23	-0.02	0.003	15	30	-18	-18	-1	1	0.2	0.26	0.207	-0.002	0.065	0.003	0.374	1	0.001	0.14	0.05	0.008	1.03	-0.001	289	180	130	
Apollo	3971	0.12	-0.02	0.004	15	23	-18	-18	-1	1	0.16	0.17	0.125	-0.002	0.040	0.002	0.198	1	0.0015	0.12	0.05	0.007	1.12	-0.001	187	100	94	
Apollo	3973	0.20	-0.02	0.003	15	23	-18	-18	-1	1	0.31	0.34	0.289	-0.002	0.079	0.003	0.299	1	-0.0005	0.12	0.05	0.008	1.33	-0.001	137	73	54	
Apollo	3975	0.23	-0.02	0.002	17	39	-18	-18	-1	1	0.56	0.33	0.507	0.002	0.112	0.004	0.402	1	-0.0005	0.14	0.05	0.007	1.18	-0.001	143	73	19	
Apollo	3977	0.27	-0.02	0.002	22	30	-18	-18	-1	1	0.42	0.43	0.367	-0.002	0.077	0.003	0.325	1	-0.0005	0.13	0.05	0.009	1.44	-0.001	120	52	38	
Apollo	3979	0.23	-0.02	0.003	20	29	-18	-18	-1	1	0.83	0.74	0.585	-0.002	0.113	0.004	0.256	1	0.002	0.15	0.05	0.005	1.27	-0.001	209	130	93	
Apollo	3981	0.23	-0.02	0.001	17	28	-18	-18	-1	1	0.31	0.38	0.296	0.002	0.072	0.008	0.822	1	-0.0005	0.16	0.05	0.015	1.21	0.001	78	29	20	
Apollo	3983	0.12	-0.02	0.002	14	22	-18	-18	-1	1	0.19	0.22	0.179	-0.002	0.040	0.004	0.296	1	0.0005	0.11	0.05	0.009	0.97	-0.001	82	32	23	
Apollo	3986	0.12	-0.02	0.004	24	25	-18	-18	-1	1	0.28	0.55	0.250	0.002	0.079	0.004	0.345	1	-0.0005	0.12	0.05	0.012	1.2	0.001	82	24	47	
Apollo	3989	0.16	-0.02	0.002	27	38	-18	-18	-1	1	0.24	0.25	0.183	0.002	0.068	0.004	0.514	1	-0.0005	0.13	0.05	0.017	1.43	-0.001	101	32	21	

	No.	Zn/A ppm	Zn/B ppm	Zn/C ppm	Zn/E ppm	Zn/M ppm	Zr/H1 ppm	Zr/H2 ppm	Zr/A ppm	Zr/B ppm	Zr/C ppm	Zr/E ppm	Ci/E ppm	Dy/E ppb	Er/E ppb	Ga/E ppb	Gd/E ppb	Ge/E ppb	I/E ppm	Nd/E ppb	Pr/E ppb	Re/E ppb	Sr/E ppm	Ta/E ppb	Tb/E ppb	Ti/E ppb	Y/E ppb	Pd/M ppb	K/T %	Lu/T ppm	S/T ppm
Baxter	394	1.2	0.5	0.9	0.13	0.68	0.75	3.9	0.04	-0.02	0.03	-0.001	56	2	-1	1	3	-1	0.10	13	3	164	0.061	-1	-1	-0.1	11	0.49	0.8	0.7	170
Baxter	406	1.2	0.2	0.5	0.10	0.74	0.25	1.5	0.06	-0.02	0.05	0.002	14	-1	-1	-1	1	-1	0.07	4	1	107	0.042	-1	-1	-0.1	3	0.31	0.9	0.5	140
Baxter	409	1.2	0.4	0.9	0.17	0.98	0.3	1.4	0.14	-0.02	0.09	0.007	12	4	2	2	5	-1	0.10	25	5	132	0.109	-1	-1	-0.1	17	0.42	0.9	0.5	180
Baxter	410	0.4	-0.2	0.4	0.22	0.38	0.3	1.8	0.08	-0.02	0.06	0.004	10	-1	-1	-1	-1	-1	0.07	4	-1	168	0.031	-1	-1	-0.1	2	0.37	0.8	0.5	170
Baxter	415	0.4	0.5	0.4	0.12	0.38	0.55	2.3	0.06	-0.02	0.04	-0.001	16	1	-1	-1	2	-1	0.01	8	2	131	0.039	-1	-1	-0.1	5	0.28	0.8	0.5	120
Baxter	416	0.8	0.2	0.4	0.17	0.14	0.25	1.8	0.05	-0.02	0.02	-0.001	20	1	-1	1	1	-1	0.03	7	2	117	0.084	-1	-1	-0.1	4	0.3	0.9	0.6	130
Baxter	417	0.8	0.2	0.5	0.05	0.5	0.2	1.5	0.06	-0.02	0.05	-0.001	183	-1	-1	8	1	-1	0.04	6	1	133	0.037	-1	-1	-0.1	3	0.38	0.9	0.5	230
Baxter	418	0.4	-0.2	0.4	0.01	0.26	0.4	1.8	0.08	-0.02	0.07	-0.001	172	-1	-1	-1	-1	-1	0.02	1	-1	87	0.009	-1	-1	-0.1	-1	0.39	0.9	0.5	140
Baxter	419	2	1.3	1.4	0.23	1.66	0.25	1.5	0.04	-0.02	0.03	0.011	150	-1	-1	6	-1	-1	0.01	4	1	156	0.356	-1	-1	-0.1	3	-0.25	0.9	0.6	90
Baxter	423	1.2	0.2	0.5	0.14	0.78	0.3	0.85	0.10	-0.02	0.06	-0.001	24	1	-1	-1	1	-1	0.01	6	1	114	0.049	-1	-1	-0.1	4	0.36	0.9	0.5	120
Baxter	426	1.2	-0.2	0.5	0.14	0.72	0.3	1.6	0.10	-0.02	0.06	-0.001	18	-1	-1	-1	1	-1	0.05	5	1	111	0.034	-1	-1	-0.1	3	0.35	0.9	0.5	170
Baxter	427	0.8	0.2	0.4	0.10	0.58	0.25	1.1	0.06	-0.02	0.04	-0.001	18	-1	-1	-1	-1	-1	0.03	4	1	119	0.04	-1	-1	-0.1	2	-0.25	0.9	0.6	180
Baxter	437	0.8	0.5	0.4	0.05	0.4	0.2	1.2	0.06	-0.02	0.04	-0.001	7	-1	-1	-1	-1	-1	-0.01	3	-1	131	0.021	-1	-1	-0.1	1	0.28	0.9	0.6	190
Baxter	440	0.8	5.8	0.4	0.08	0.56	0.35	1.3	0.12	0.05	0.05	0.001	14	3	1	-1	3	-1	0.03	16	4	157	0.053	-1	-1	-0.1	10	0.35	0.9	0.5	190
Baxter	441	0.4	0.2	0.4	0.10	0.37	0.2	1	0.08	-0.02	0.05	-0.001	18	2	-1	2	3	-1	0.02	12	2	178	0.061	-1	-1	-0.1	7	-0.25	0.9	0.5	140
Baxter	442	0.8	0.4	0.4	0.11	0.46	0.2	0.9	0.10	-0.02	0.05	0.001	11	2	-1	-1	3	-1	0.06	13	3	112	0.04	-1	-1	-0.1	8	0.45	0.9	0.7	180
Baxter	443	1.2	0.2	0.4	0.12	0.78	0.35	1.1	0.08	-0.02	0.05	-0.001	18	2	-1	-1	3	-1	0.11	10	2	108	0.036	-1	-1	-0.1	6	0.32	0.8	0.6	120
Baxter	444	1.2	-0.2	0.4	0.09	0.76	0.3	1.2	0.10	-0.02	0.05	-0.001	14	-1	-1	-1	-1	-1	0.05	3	-1	111	0.028	-1	-1	-0.1	2	-0.25	0.9	0.5	180
Baxter	445	1.2	0.2	0.5	0.11	0.52	0.25	1.5	0.06	-0.02	0.04	-0.001	14	-1	-1	-1	1	-1	0.01	7	2	126	0.047	-1	-1	-0.1	3	0.29	0.9	0.6	170
Baxter	448	1.2	0.4	0.5	0.18	0.76	0.25	1.1	0.08	-0.02	0.05	-0.001	18	-1	-1	-1	1	-1	0.04	4	1	141	0.043	-1	-1	-0.1	3	0.31	0.9	0.5	180
Fender	4401	1.2	0.4	0.7	0.02	0.16	0.35	1.7	-0.04	-0.02	-0.02	0.009	4	-1	-1	4	-1	-1	0.24	3	1	41	0.09	-1	-1	-0.1	4	0.62	1.5	0.3	
Fender	4406	1.2	0.4	1.1	0.02	0.34	0.45	1.6	0.06	-0.02	-0.02	0.030	-3	1	-1	7	2	1	0.23	10	4	43	0.065	-1	-1	-0.1	10	0.45	1.5	0.3	
Fender	4411	2	0.4	1.1	0.12	1.1	0.1	0.35	0.04	-0.02	0.02	0.007	-3	-1	-1	1	-1	-1	0.05	2	-1	76	0.145	-1	-1	-0.1	2	0.34	1.5	0.1	
Fender	4412	2	0.4	1.1	0.08	0.92	0.15	0.5	0.10	-0.02	0.04	-0.001	-3	-1	-1	-1	-1	-1	0.03	2	-1	85	0.145	-1	-1	-0.1	2	0.55	1.5	0.1	
Fender	4413	2.55	0.4	1.5	0.14	2.1	0.05	0.45	0.09	-0.02	0.03	-0.001	25	-1	-1	-1	1	-1	0.02	6	2	112	0.229	-1	-1	-0.1	5	-0.25	1.5	0.1	
Fender	2649	1.2	0.4	0.4	0.04	0.34	0.1	0.35	-0.04	-0.02	0.02	0.033	263	3	1	9	4	-1	0.13	20	5	70	0.254	1	-1	0.1	17	-0.25	1.5	0.4	
Fender	2653	0.8	-0.2	0.9	0.06	0.18	0.05	0.25	-0.04	-0.02	0.03	0.080	117	6	3	20	8	2	0.45	38	9	122	0.475	3	1	0.3	38	-0.25	1.3	0.4	
Fender	2658	0.8	-0.2	1.1	0.01	0.48	0.1	0.35	-0.04	-0.02	0.03	-0.001	199	2	-1	3	3	-1	0.50	13	3	54	2.204	-1	-1	-0.1	11	-0.25	2.3	0.4	
Fender	2663	0.8	-0.2	0.9	0.08	0.38	0.05	0.2	0.04	-0.02	0.03	0.081	287	6	3	19	8	2	0.32	37	11	142	0.214	3	1	0.3	32	-0.25	2.9	0.4	
Fender	2668	0.8	-0.2	0.7	0.08	0.36	0.05	0.2	-0.04	-0.02	0.02	0.083	146	5	3	20	6	2	0.22	30	9	133	0.276	3	-1	0.3	29	-0.25	2.0	0.4	
Fender	2673	0.8	-0.2	0.9	0.07	0.42	0.1	0.25	-0.04	-0.02	0.02	0.067	155	5	2	22	7	2	0.50	32	8	129	0.349	3	-1	0.2	31	-0.25	2.5	0.3	
Fender	2680	0.8	-0.2	0.7	0.06	0.18	0.15	0.6	-0.04	-0.02	0.02	0.097	115	5	2	20	6	2	0.18	32	9	115	0.111	4	-1	0.3	31	-0.25	1.8	0.4	60
Fender	2688	0.8	-0.2	0.9	0.04	0.36	0.1	0.5	-0.04	-0.02	0.02	0.031	44	3	1	6	4	1	0.12	17	6	81	0.239	1	-1	0.1	18	-0.25	2.1	0.4	
Fender	2696	0.8	-0.2	0.9	0.04	0.34	0.15	0.55	-0.04	-0.02	0.03	0.028	86	3	1	11	5	-1	0.14	16	5	85	0.262	-1	-1	-0.1	20	-0.25	2.0	0.4	
Fender	2707	-0.4	0.4	1.3	0.03	0.24	0.35	1.4	-0.04	-0.02	-0.02	0.024	150	-1	-1	7	1	-1	0.11	7	2	76	0.098	2	-1	0.1	5	-0.25	1.8	0.4	
Fender	2718	-0.4	0.2	0.9	0.05	0.32	0.25	0.8	-0.04	-0.02	0.02	0.055	292	4	2	15	5	1	0.44	22	6	108	0.694	2	-1	0.2	22	-0.25	1.9	0.4	
Fender	2732	4.3	0.9	2.5	0.11	3.86	0.1	0.4	-0.04	-0.02	0.02	0.092	124	7	3	23	7	2	0.50	39	12	145	0.41	4	1	0.3	32	0.32	1.8	0.4	
Fender	2746	-0.4	-0.2	1.1	0.03	0.24	0.05	0.2	-0.04	-0.02	0.05	0.013	167	2	1	9	3	-1	0.21	14	4	71	0.247	-1	-1	-0.1	14	-0.25	1.3	0.3	
Fender	2759	-0.4	0.4	1.1	0.05	0.28	-0.05	0.4	-0.04	-0.02	0.03	0.061	66	5	2	21	7	1	0.21	31	9	101	0.228	3	-1	0.2	28	-0.25	1.6	0.3	
Fender	2771	-0.4	0.2	0.9	0.05	0.22	0.15	0.25	-0.04	-0.02	0.04	0.073	149	5	2	18	7	2	0.56	37	9	100	0.53	3	1	0.2	33	-0.25	2.0	0.4	
Fender	2780	-0.4	-0.2	1.1	0.04	0.12	0.5	1.8	-0.04	-0.02	-0.02	0.064	333	1	-1	18	2	2	0.44	10	4	100	0.138	4	-1	0.2	11	-0.25	2.6	0.4	

	No.	Zn/A ppm	Zn/B ppm	Zn/C ppm	Zn/E ppm	Zn/M ppm	Zr/H1 ppm	Zr/H2 ppm	Zr/A ppm	Zr/B ppm	Zr/C ppm	Zr/E ppm	Ci/E ppm	Dy/E ppb	Er/E ppb	Ga/E ppb	Gd/E ppb	Ge/E ppb	I/E ppm	Nd/E ppb	Pr/E ppb	Re/E ppb	Sr/E ppm	Ta/E ppb	Tb/E ppb	Ti/E ppm	Y/E ppb	Pd/M ppb	K/T %	Lu/T ppm	S/T ppm
Fender	2788	-0.4	0.2	0.9	0.03	0.18	0.1	0.35	-0.04	-0.02	0.03	0.042	273	3	1	10	3	-1	0.37	17	5	77	0.244	1	-1	0.1	15	-0.25	2.7	0.4	55
Fender	2796	-0.4	0.2	0.9	0.03	0.18	0.1	0.25	-0.04	-0.02	0.05	0.051	154	5	2	14	6	2	0.30	29	8	95	0.151	2	-1	0.2	26	-0.25	2.0	0.5	
Fender	2802	-0.4	-0.2	0.7	0.03	0.22	0.1	0.3	-0.04	-0.02	0.02	0.032	245	3	1	11	5	1	0.20	26	7	95	0.344	2	-1	0.1	21	-0.25	1.8	0.5	
Fender	2808	-0.4	0.2	0.9	0.05	0.32	0.05	0.2	0.04	-0.02	-0.02	0.060	25	5	2	18	7	2	0.39	33	10	112	0.361	2	-1	0.2	31	-0.25	1.9	0.5	
Fender	2813	-0.4	-0.2	0.7	0.02	0.18	0.1	0.25	-0.04	-0.02	-0.02	0.023	245	2	-1	9	3	1	0.20	14	4	65	0.35	-1	-1	-0.1	13	-0.25	1.3	0.4	
Fender	2818	-0.4	0.4	1.1	0.03	0.36	0.1	0.4	-0.04	-0.02	-0.02	0.031	221	3	1	8	3	-1	0.48	15	4	68	0.476	-1	-1	0.1	14	-0.25			
Fender	2822	-0.4	0.4	0.7	0.03	0.3	0.1	0.4	-0.04	-0.02	-0.02	0.027	58	2	-1	7	3	-1	0.28	12	3	69	0.259	-1	-1	-0.1	10	0.25	1.3	0.3	
Fender	2827	-0.4	-0.2	0.5	0.05	0.2	0.05	0.2	-0.04	-0.02	-0.02	0.063	148	3	1	12	4	1	0.26	19	6	77	0.16	2	-1	0.2	18	-0.25	1.3	0.3	
Fender	2832	-0.4	-0.2	0.7	0.05	0.16	0.1	0.35	-0.04	-0.02	-0.02	0.059	93	4	2	17	6	1	0.28	29	8	87	0.083	3	-1	0.2	24	-0.25	0.9	0.4	
Fender	2837	0.4	0.4	0.9	0.05	0.26	0.05	0.25	-0.04	-0.02	-0.02	0.036	118	3	1	13	4	1	0.44	21	7	100	0.589	2	-1	0.1	19	-0.25	1.2	0.4	
Fender	2842	-0.4	0.2	0.9	0.03	0.26	0.1	0.35	0.06	-0.02	-0.02	0.024	127	2	-1	9	3	-1	0.34	13	4	73	0.179	-1	-1	-0.1	12	-0.25	1.8	0.4	
Fender	2847	-0.4	0.2	0.9	0.07	0.22	0.1	0.35	-0.04	-0.02	0.02	0.041	95	4	2	19	6	2	0.65	29	7	116	0.425	2	-1	0.2	23	-0.25	1.1	0.5	
Fender	2853	-0.4	0.2	0.7	0.08	0.22	0.05	0.25	-0.04	-0.02	-0.02	0.061	16	4	2	13	5	2	0.28	25	7	111	0.207	2	-1	0.2	23	-0.25	1.1	0.4	
Fender	2860	-0.4	-0.2	0.7	0.03	0.16	-0.05	0.2	-0.04	-0.02	-0.02	0.017	26	2	-1	5	2	-1	0.13	9	3	70	0.156	-1	-1	-0.1	10	-0.25	1.8	0.3	
Fender	2867	-0.4	-0.2	0.7	0.07	0.16	0.1	0.3	-0.04	-0.02	-0.02	0.067	117	5	2	16	7	2	0.25	31	8	115	0.238	3	-1	0.2	28	-0.25	1.5	0.4	
Fender	2874	-0.4	-0.2	0.9	0.03	0.14	0.1	0.3	-0.04	-0.02	-0.02	0.037	230	4	1	11	5	-1	0.13	21	6	95	0.527	2	-1	0.1	19	-0.25	2.0	0.5	
Fender	2882	-0.4	0.4	0.9	0.07	0.28	0.1	0.35	0.04	-0.02	-0.02	0.074	11	7	3	28	7	2	0.26	36	10	141	0.304	3	1	0.2	34	-0.25	2.5	0.4	
Bronzewing	2718	1.6	0.4	0.4	0.20	0.42	0.2	1.6	-0.04	-0.02	0.02	-0.001	9	2	-1	1	2	-1	0.38	11	3	132	0.232	-1	-1	-0.1	8	0.33	0.3	90	
Bronzewing	2719	1.6	0.4	0.4	0.18	0.32	0.35	2	0.04	-0.02	0.04	-0.001	24	3	1	2	4	-1	0.42	17	4	127	0.198	-1	-1	-0.1	12	0.32	0.3	110	
Bronzewing	2720	1.6	0.4	0.4	0.16	0.16	0.25	2.7	-0.04	-0.02	0.02	0.004	13	4	2	6	7	-1	0.55	29	7	116	0.158	-1	-1	-0.1	23	-0.25	0.3	110	
Bronzewing	2721	0.8	0.4	0.4	0.10	0.14	0.25	2.5	0.04	-0.02	0.04	-0.001	382	2	-1	-1	3	-1	0.45	12	3	123	0.78	-1	-1	-0.1	9	-0.25	0.3	180	
Bronzewing	2722	0.8	0.4	0.4	0.06	0.28	0.35	2.4	-0.04	-0.02	0.03	-0.001	14	2	-1	3	3	-1	0.49	10	2	111	0.23	-1	-1	-0.1	8	0.34	0.3	110	
Bronzewing	2801	1.6	0.4	0.4	0.05	0.18	0.35	2.3	0.04	-0.02	0.03	0.006	6	3	1	3	3	-1	0.50	16	4	115	0.225	-1	-1	-0.1	13	0.29	0.3	100	
Bronzewing	2802	1.6	0.4	0.7	0.06	0.44	0.25	1.7	0.06	-0.02	0.04	-0.001	36	3	1	7	5	-1	0.35	21	5	93	0.264	-1	-1	-0.1	18	0.36	0.4	140	
Bronzewing	2803	0.9	0.3	0.4	0.09	0.32	0.3	1.6	0.04	-0.02	0.03	-0.001	15	2	1	2	3	-1	0.20	14	3	126	0.217	-1	-1	-0.1	11	0.36	0.2	120	
Bronzewing	2804	1.6	0.4	0.4	0.10	0.3	0.3	1.8	-0.04	-0.02	0.05	-0.001	27	2	1	3	3	-1	0.23	16	4	122	0.473	-1	-1	-0.1	13	-0.25	0.3	150	
Bronzewing	2805	1.6	0.4	0.7	0.11	0.42	0.3	2.5	-0.04	-0.02	0.02	-0.001	88	2	-1	5	3	-1	0.33	14	3	116	0.448	-1	-1	-0.1	9	0.49	0.3	100	
Bronzewing	2806	1.6	0.4	0.7	0.03	0.36	0.15	1.6	0.04	-0.02	0.04	0.002	20	1	-1	-1	2	-1	0.44	7	2	127	0.144	-1	-1	-0.1	6	0.44	0.3	130	
Bronzewing	2807	1.6	0.4	1.8	0.09	0.76	0.3	1.9	0.04	-0.02	0.08	-0.001	30	3	1	1	4	-1	0.32	19	5	135	0.263	-1	-1	-0.1	16	0.49	0.3	160	
Bronzewing	2808	0.8	0.4	0.4	0.08	0.36	0.3	2.4	-0.04	-0.02	0.03	-0.001	7	1	-1	2	1	-1	0.36	8	2	109	0.352	-1	-1	-0.1	6	0.45	0.3	140	
Bronzewing	2809	0.8	0.4	0.4	0.06	0.18	0.4	2.2	0.06	-0.02	0.03	-0.001	-3	3	-1	3	3	-1	0.30	17	4	129	0.262	-1	-1	-0.1	14	-0.25	0.3	150	
Bronzewing	2810	0.8	0.4	0.4	0.04	0.14	0.35	2.5	0.04	-0.02	0.03	-0.001	23	3	1	2	4	-1	0.30	19	5	117	0.212	-1	-1	-0.1	14	0.29	0.3	120	
Bronzewing	2811	0.8	0.4	0.4	0.09	0.24	0.3	2.4	-0.04	-0.02	0.02	-0.001	22	2	-1	3	4	-1	0.35	15	3	114	0.31	-1	-1	-0.1	13	-0.25	0.3	110	
Curara	1048	3.9	-0.2	-0.2	0.03	0.18	0.25	0.5	0.10	-0.02	0.05	-0.001	6	1	-1	-1	2	-1	0.21	11	3	78	0.163	-1	-1	-0.1	7	-0.25	1.3	0.1	
Curara	1050	-0.4	-0.2	-0.2	0.02	0.06	0.2	0.5	0.16	-0.02	0.06	-0.001	3	-1	-1	1	2	-1	0.09	8	2	84	0.07	-1	-1	-0.1	3	0.28	1.6	0.1	
Curara	1051	0.8	-0.2	0.7	0.05	0.5	0.25	0.4	0.08	-0.02	0.05	-0.001	4	3	2	5	4	-1	0.12	19	5	84	0.488	-1	-1	-0.1	14	0.32	1.3	0.2	
Curara	1052	1.6	-0.2	0.9	0.05	0.7	0.2	0.65	0.06	-0.02	0.04	0.002	18	2	-1	2	4	-1	0.07	17	4	95	0.219	-1	-1	-0.1	13	0.32	1.3	0.3	
Curara	1053	1.2	-0.2	1.1	0.06	0.6	0.15	0.6	0.06	-0.02	0.03	0.012	16	2	1	4	3	-1	0.10	13	3	91	0.282	-1	-1	-0.1	11	0.29	1.1	0.2	
Curara	1054	1.6	-0.2	1.1	0.07	1.2	0.25	0.8	0.06	-0.02	0.04	0.020	25	4	2	5	5	-1	0.09	26	6	120	0.296	-1	-1	-0.1	21	0.39	1.3	0.3	
Curara	1055	1.6	-0.2	1.3	0.09	1.02	0.25	0.65	0.10	-0.02	0.05	0.020	-3	3	1	6	3	-1	0.07	17	4	90	0.346	-1	-1	-0.1	12	0.33	1.2	0.3	
Curara	1056	0.8	-0.2	0.7	0.05	0.66	0.25	0.7	0.06	-0.02	0.04	0.014	6	2	1	9	3	-1	0.05	14	4	99	0.223	-1	-1	-0.1	12	0.32	1.4	0.3	

	No.	Zn/A ppm	Zn/B ppm	Zn/C ppm	Zn/E ppm	Zn/M ppm	Zr/H1 ppm	Zr/H2 ppm	Zr/A ppm	Zr/B ppm	Zr/C ppm	Zr/E ppm	Cl/E ppm	Dy/E ppb	Er/E ppb	Ga/E ppb	Gd/E ppb	Ge/E ppb	I/E ppm	Nd/E ppb	Pr/E ppb	Re/E ppb	Sr/E ppm	Ta/E ppb	Tb/E ppb	Ti/E ppm	Y/E ppb	Pd/M ppb	K/T %	Lu/T ppm	S/T ppm
Curara	1057	0.8	0.5	1.1	0.07	0.9	0.2	0.65	0.04	-0.02	0.04	0.025	18	3	2	5	5	1	0.08	22	6	74	0.216	-1	-1	-0.1	16	0.37	1.2	0.3	
Curara	1058	1.2	-0.2	0.5	0.06	0.7	0.15	0.6	0.08	-0.02	0.04	0.023	31	5	2	6	7	1	0.10	28	7	84	0.132	-1	-1	0.1	23	0.28	1.3	0.2	
Curara	1059	0.8	-0.2	0.5	0.05	0.52	0.15	0.45	0.06	0.03	0.05	-0.001	20	4	2	2	5	-1	0.06	22	5	110	0.368	-1	-1	-0.1	17	0.34	1.2	0.2	
Curara	1060	0.8	0.2	0.3	0.05	0.54	0.15	0.45	0.05	-0.02	0.03	-0.001	6	3	1	3	4	-1	0.06	16	4	108	0.214	-1	-1	-0.1	12	-0.25	1.4	0.1	
Curara	1061	0.4	0.4	0.5	0.05	0.48	0.15	0.5	0.04	-0.02	0.04	0.020	17	4	2	9	5	-1	0.10	28	7	109	0.23	-1	-1	-0.1	21	-0.25	1.3	0.1	
Curara	1062	0.4	0.2	0.7	0.10	0.62	0.1	0.5	0.04	-0.02	0.04	0.002	-3	13	5	5	18	-1	0.06	88	23	131	0.462	-1	2	-0.1	68	0.35	1.3	0.1	
Curara	1063	3.5	-0.2	0.9	0.06	0.52	0.15	0.45	0.10	-0.02	0.06	0.002	-3	3	1	2	3	-1	-0.01	15	4	60	0.215	-1	-1	-0.1	11	0.27	1.3	0.1	
Curara	1065	0.8	-0.2	0.4	0.03	0.5	0.4	0.85	0.12	-0.02	0.06	-0.001	10	4	1	-1	5	-1	0.10	23	6	124	0.18	-1	-1	-0.1	15	0.3	1.2	0.1	
Curara	1067	-0.4	-0.2	0.2	0.03	0.26	0.3	0.9	0.10	-0.02	0.06	-0.001	-3	2	-1	-1	2	-1	0.04	14	3	118	0.085	-1	-1	-0.1	7	-0.25	1.2	0.1	
Curara	1070	0.8	-0.2	-0.2	0.02	0.24	0.3	0.65	0.12	-0.02	0.07	-0.001	-3	1	-1	-1	2	-1	0.11	9	2	84	0.092	-1	-1	-0.1	5	-0.25	1.4	0.1	
Curara	2276	0.8	-0.2	-0.2	0.25	0.52	0.25	0.65	0.12	-0.02	0.08	-0.001	1382	1	-1	1	2	-1	0.07	13	3	272	3.004	-1	-1	-0.1	6	-0.25			
Curara	2278	0.8	-0.2	0.5	0.03	0.5	0.25	0.85	0.08	-0.02	0.07	-0.001	116	2	-1	2	3	-1	0.06	15	4	176	0.371	-1	-1	-0.1	9	-0.25	1.1	0.1	
Curara	2280	0.8	-0.2	0.4	0.08	0.54	0.3	0.75	0.12	-0.02	0.08	-0.001	47	1	-1	-1	2	-1	0.03	12	3	139	0.159	-1	-1	-0.1	6	-0.25			
Curara	2282	0.4	-0.2	-0.2	0.03	0.26	0.3	0.75	0.14	-0.02	0.07	-0.001	32	2	-1	2	3	-1	0.04	12	3	120	0.147	-1	-1	-0.1	6	-0.25			
Curara	2283	1.2	-0.2	0.4	0.05	0.42	0.25	0.7	0.12	-0.02	0.08	-0.001	15	2	-1	-1	3	-1	0.05	14	3	115	0.109	-1	-1	-0.1	7	-0.25			
Curara	2285	1.2	-0.2	0.5	0.07	0.58	0.25	0.5	0.10	-0.02	0.06	-0.001	30	3	1	4	4	-1	0.03	19	5	151	0.36	-1	-1	-0.1	12	-0.25			
Curara	2288	-0.4	0.4	0.4	0.04	0.14	0.25	0.75	0.14	-0.02	0.09	-0.001	13	2	-1	-1	2	-1	0.11	11	3	133	0.084	-1	-1	-0.1	6	-0.25			
Curara	2291	0.8	0.4	0.7	0.05	0.44	0.2	0.75	0.08	-0.02	0.06	-0.001	4	1	-1	-1	1	-1	0.02	7	2	136	0.147	-1	-1	-0.1	3	-0.25			
Curara	2294	0.4	0.2	0.5	0.04	0.28	0.25	0.7	0.10	-0.02	0.07	-0.001	20	2	-1	-1	3	-1	0.03	12	3	137	0.122	-1	-1	-0.1	6	-0.25			
Curara	2297	0.8	0.2	0.4	0.03	0.22	0.2	0.55	0.12	-0.02	0.06	-0.001	20	1	-1	-1	3	-1	-0.01	12	3	120	0.174	-1	-1	-0.1	6	-0.25			
Safari	2994	2.7	1.1	1.3	0.03	0.18	0.1	0.6	0.14	-0.02	0.13	0.011	85	-1	-1	5	2	-1	0.09	6	2	32	2.119	-1	-1	-0.1	5	0.28	0.5	0.1	
Safari	3016	1.6	0.5	0.9	0.02	0.12	0.1	0.65	0.10	-0.02	0.02	0.020	41	-1	-1	5	1	-1	0.08	5	1	27	1.246	-1	-1	-0.1	4	-0.25			
Safari	3038	1.6	0.7	0.9	0.02	0.16	0.1	0.5	0.08	-0.02	0.04	0.021	29	1	-1	7	1	-1	0.08	7	2	35	1.241	-1	-1	-0.1	5	-0.25			
Safari	3060	1.6	0.5	0.9	0.02	0.04	0.2	0.95	0.12	-0.02	0.04	0.023	48	-1	-1	6	-1	-1	0.18	5	1	31	2.705	-1	-1	0.1	4	-0.25			
Safari	3082	1.6	0.5	0.7	0.03	0.14	0.1	0.55	0.10	-0.02	0.05	0.024	20	1	-1	7	2	-1	0.11	7	2	45	2.235	-1	-1	0.1	6	-0.25	0.6	0.1	
Safari	3100	1.2	0.5	0.7	0.03	0.08	0.1	0.7	0.10	-0.02	0.04	0.024	27	1	-1	7	1	-1	0.10	7	2	46	2.229	-1	-1	0.1	5	-0.25			
Safari	3122	1.6	0.5	0.9	0.02	-0.04	0.15	0.8	0.10	-0.02	0.05	0.019	43	-1	-1	7	1	-1	0.13	5	2	40	3.048	-1	-1	0.1	5	-0.25			
Safari	3140	1.6	0.4	0.9	0.02	-0.04	0.1	0.5	0.10	-0.02	0.03	0.018	50	-1	-1	7	1	-1	0.14	6	2	45	2.414	-1	-1	-0.1	5	-0.25	0.4	0.1	
Safari	3158	1.2	0.4	0.7	0.03	0.06	0.1	0.5	0.18	-0.02	0.05	0.025	64	1	-1	6	2	-1	0.18	9	2	44	0.717	-1	-1	-0.1	8	-0.25			
Safari	3176	0.5	0.1	0.8	0.03	-0.04	0.15	0.6	0.11	-0.02	0.03	0.025	249	1	-1	8	2	-1	0.19	8	2	45	1.45	-1	-1	-0.1	7	-0.25	0.5	0.1	
Safari	3192	0.8	0.2	0.7	0.03	0.1	0.1	0.55	0.10	-0.02	0.05	0.013	28	-1	-1	5	1	2	0.12	6	2	26	0.897	-1	-1	-0.1	5	-0.25			
Safari	3208	0.8	0.2	0.7	0.04	0.04	0.1	0.55	0.08	-0.02	0.10	0.037	30	1	-1	9	2	-1	0.12	8	2	38	0.575	-1	-1	0.2	6	-0.25			
Safari	3224	0.4	0.5	0.7	0.03	0.12	0.1	0.55	0.06	-0.02	0.03	0.016	22	1	-1	7	1	-1	0.09	6	2	35	0.777	-1	-1	-0.1	5	-0.25			
Safari	3240	0.8	0.2	0.7	0.02	0.06	0.1	0.6	0.08	-0.02	0.03	0.020	9	-1	-1	2	1	-1	0.12	5	1	28	0.902	-1	-1	-0.1	5	-0.25			
Safari	3256	0.4	-0.2	0.9	0.05	0.08	0.15	0.75	0.08	-0.02	0.02	0.055	476	2	-1	12	2	1	0.17	13	4	53	0.783	-1	-1	0.2	11	-0.25	0.6	0.1	
Safari	3268	0.4	-0.2	0.9	0.05	0.06	0.15	0.8	0.08	-0.02	0.04	0.053	50	2	-1	12	3	2	0.27	17	5	42	0.397	-1	-1	0.2	12	-0.25			
Safari	3284	0.4	1.1	1.8	0.01	0.06	0.1	0.4	0.08	-0.02	0.02	0.004	160	-1	-1	2	1	-1	0.18	6	1	25	1.106	-1	-1	-0.1	5	-0.25			
Safari	3300	0.8	1.1	1.8	-0.01	0.08	0.1	0.5	0.06	-0.02	-0.02	0.005	63	-1	-1	2	1	-1	0.07	5	2	16	0.415	-1	-1	-0.1	4	-0.25	0.5	0.1	
Safari	3312	0.8	1.1	1.4	0.03	0.38	0.15	0.65	0.06	0.36	0.02	0.032	23	2	-1	7	2	-1	0.14	12	4	32	0.386	-1	-1	0.1	12	-0.25			
Safari	3324	0.8	2.9	1.4	0.03	0.22	0.15	0.7	0.10	0.03	0.03	0.023	17	2	-1	9	3	-1	0.16	13	3	33	0.453	-1	-1	-0.1	11	-0.25			
Safari	3336	0.5	0.5	1.1	-0.01	0.16	0.1	0.75	0.07	-0.02	0.02	-0.001	28	-1	-1	1	1	-1	0.09	5	1	22	0.675	-1	-1	-0.1	5	-0.25			

	No.	Zn/A ppm	Zn/B ppm	Zn/C ppm	Zn/E ppm	Zn/M ppm	Zr/H1 ppm	Zr/H2 ppm	Zr/A ppm	Zr/B ppm	Zr/C ppm	Zr/E ppm	Cl/E ppm	Dy/E ppb	Er/E ppb	Ga/E ppb	Gd/E ppb	Ge/E ppb	I/E ppm	Nd/E ppb	Pr/E ppb	Re/E ppb	Sr/E ppm	Ta/E ppb	Tb/E ppb	Tl/E ppm	Y/E ppb	Pd/M ppb	K/T %	Lu/T ppm	S/T ppm
Safari	3348	0.8	0.7	1.1	-0.01	0.14	0.1	0.6	0.10	-0.02	-0.02	-0.001	39	-1	-1	-1	-1	0.05	4	1	21	0.695	-1	-1	-0.1	3	-0.25	0.5	0.1		
Safari	3360	1.6	0.4	1.1	-0.01	0.1	0.1	0.9	0.10	-0.02	0.02	0.001	17	-1	-1	2	-1	0.07	4	1	21	0.84	-1	-1	-0.1	3	-0.25	0.5	0.1		
Safari	3372	0.4	0.4	1.4	0.02	0.18	0.15	0.5	0.14	-0.02	0.05	0.021	74	1	-1	9	2	-1	0.23	8	2	34	2.199	-1	-1	-0.1	6	-0.25	0.5	0.1	
Safari	3384	0.8	0.4	1.1	0.01	0.04	0.1	0.55	0.08	-0.02	0.05	0.005	98	-1	-1	3	1	-1	0.09	6	2	26	0.899	-1	-1	-0.1	6	-0.25	0.5	0.1	
Steinway	6301	1.6	0.4	1.8	-0.01	-0.04	0.95	1.6	0.14	-0.02	0.05	0.002	1610	1	-1	-1	2	-1	1.82	9	2	8	0.927	-1	-1	-0.1	7	0.76	0.4	0.2	
Steinway	6303	1.2	0.4	4.0	0.04	-0.04	0.55	1.8	0.12	-0.02	0.08	0.002	883	2	-1	-1	2	-1	1.63	12	3	14	1.417	-1	-1	-0.1	10	0.68	0.5	0.3	
Steinway	6306	1.2	0.4	2.5	-0.01	-0.04	0.8	1.9	0.16	-0.02	0.14	-0.001	1912	1	-1	9	2	-1	1.13	7	2	22	7.25	-1	-1	0.2	7	0.82	0.8	0.3	
Steinway	6308	1.2	0.4	3.6	-0.01	-0.04	0.7	1.5	0.21	-0.02	0.12	-0.001	1100	-1	-1	-1	1	-1	1.84	6	1	21	7.971	-1	-1	0.1	4	0.76	0.6	0.2	
Steinway	6309	1.2	0.4	4.3	-0.01	-0.04	0.6	1.2	0.12	-0.02	0.06	0.003	1844	2	-1	-1	2	-1	0.98	10	2	16	1.119	-1	-1	-0.1	8	0.94	0.6	0.3	
Steinway	6310	0.8	0.4	3.2	-0.01	-0.04	0.45	1.3	0.08	-0.02	0.06	-0.001	258	-1	-1	-1	1	-1	0.42	6	1	16	0.89	-1	-1	-0.1	5	0.82	0.6	0.3	
Steinway	6311	1.2	0.7	5.4	-0.01	0.04	0.3	1.3	0.10	-0.02	0.05	-0.001	493	2	-1	-1	3	-1	0.42	12	3	12	1.524	-1	-1	-0.1	10	0.68	0.8	0.4	
Steinway	6312	1.6	0.4	5.0	-0.01	-0.04	0.5	1.5	0.16	-0.02	0.11	-0.001	669	2	-1	-1	2	-1	0.93	10	3	17	1.674	-1	-1	-0.1	10	0.62	0.6	0.3	
Steinway	6313	1.2	0.4	5.8	-0.01	-0.04	0.9	1.6	0.18	-0.02	0.07	0.005	826	3	1	1	4	-1	1.09	19	4	11	0.723	-1	-1	-0.1	15	0.66	0.7	0.3	
Steinway	6314	0.9	0.2	5.1	-0.01	-0.04	0.55	1.6	0.14	0.02	0.10	-0.001	485	3	1	-1	4	-1	1.26	17	4	11	1.72	-1	-1	-0.1	14	0.8	0.7	0.2	
Steinway	6315	2.7	0.4	7.9	-0.01	0.04	0.65	1.5	0.12	-0.02	0.05	-0.001	927	2	-1	1	3	-1	1.04	9	2	10	1.098	-1	-1	-0.1	8	0.7	0.6	0.3	
Steinway	6316	1.6	0.4	7.2	-0.01	-0.04	0.55	1.8	0.14	0.03	0.13	-0.001	278	1	-1	-1	1	-1	0.56	5	1	9	1.724	-1	-1	-0.1	5	0.74	1.0	0.3	
Steinway	6317	1.6	0.4	5.8	-0.01	-0.04	0.65	1.7	0.14	-0.02	0.07	-0.001	317	1	-1	6	2	-1	1.15	6	2	8	1.416	-1	-1	-0.1	6	0.8	0.5	0.3	
Steinway	6318	1.2	0.4	5.8	-0.01	-0.04	0.75	1.5	0.16	-0.02	0.08	-0.001	1119	-1	-1	-1	2	-1	1.97	6	2	6	2.093	-1	-1	-0.1	5	0.92	-0.5	0.2	
Steinway	6319	1.6	0.4	5.0	-0.01	-0.04	0.75	1.8	0.16	0.02	0.12	-0.001	768	1	-1	-1	1	-1	2.80	6	1	4	1.788	-1	-1	-0.1	5	1	0.4	0.2	
Steinway	6324	1.2	0.4	5.4	-0.01	-0.04	0.45	1.1	0.10	-0.02	0.07	-0.001	321	-1	-1	-1	1	-1	0.63	5	1	11	2.094	-1	-1	-0.1	5	1.02	0.7	0.3	
Steinway	6326	1.2	0.4	5.4	-0.01	-0.04	0.65	1.3	0.16	-0.02	0.11	-0.001	679	2	-1	-1	2	-1	2.06	10	2	7	1.541	-1	-1	-0.1	8	0.93	0.6	0.2	
Steinway	6328	1.2	0.4	4.3	-0.01	-0.04	0.85	1.3	0.16	-0.02	0.12	-0.001	840	2	-1	-1	3	-1	2.68	14	4	5	1.262	-1	-1	-0.1	11	0.9	0.6	0.3	
Apollo	3949	20.3	2.5	4.3	0.11	0.8	0.5	0.75	0.21	-0.02	0.03	0.020	362	1	-1	8	1	-1	0.81	5	1	43	0.819	-1	-1	0.1	5	0.51	-0.5	0.1	
Apollo	3953	8.6	1.4	2.5	0.07	0.4	0.4	0.55	0.20	-0.02	0.03	0.017	845	-1	-1	7	-1	-1	1.33	6	1	29	1.016	-1	-1	-0.1	5	0.46	-0.5	0.1	
Apollo	3955	9	1.1	2.5	0.05	0.26	0.45	0.6	0.25	-0.02	0.04	0.020	498	-1	-1	4	1	-1	0.94	5	1	28	0.932	-1	-1	-0.1	5	0.65	-0.5	0.1	
Apollo	3957	3.9	0.4	2.5	0.02	0.08	0.7	0.65	0.20	-0.02	0.02	0.001	162	1	-1	-1	1	-1	1.07	6	1	15	0.712	-1	-1	-0.1	5	0.64	-0.5	0.1	
Apollo	3959	3.9	0.4	1.8	0.03	0.08	0.4	0.55	0.18	-0.02	0.02	0.014	509	-1	-1	5	-1	-1	0.56	3	1	25	1.001	-1	-1	-0.1	3	0.53	-0.5	0.1	
Apollo	3961	113.1	1.8	15.5	0.02	0.18	0.45	0.55	0.20	-0.02	0.02	0.005	380	-1	-1	2	1	-1	1.08	5	1	20	0.573	-1	-1	-0.1	5	0.76	-0.5	0.1	
Apollo	3963	62	1.4	11.2	0.30	9.2	0.75	0.65	0.15	-0.02	0.03	0.008	1369	-1	-1	3	-1	-1	1.71	3	1	21	0.843	-1	-1	-0.1	2	0.81	-0.5	0.1	
Apollo	3965	507	17.3	52.2	1.41	74.6	0.95	0.8	0.08	-0.02	0.02	-0.001	1333	-1	-1	-1	-1	-1	1.64	3	1	17	0.54	-1	-1	-0.1	3	0.75	-0.5	0.1	
Apollo	3967	261.3	12.8	39.6	1.00	36.8	0.35	0.6	0.06	-0.02	0.02	0.009	209	-1	-1	5	1	-1	0.56	5	1	22	0.56	-1	-1	-0.1	5	0.68	-0.5	0.1	
Apollo	3969	206.7	18.0	39.6	0.56	13.6	0.4	0.75	0.06	-0.02	0.02	0.017	187	1	-1	5	-1	-1	0.42	5	1	24	0.462	-1	-1	-0.1	5	0.88	0.5	0.1	
Apollo	3971	120.9	9.5	25.2	0.87	14.5	0.35	0.55	0.04	-0.02	0.02	0.033	877	2	-1	8	2	-1	0.30	11	3	31	0.415	-1	-1	-0.1	10	0.71	-0.5	0.1	
Apollo	3973	70.2	6.1	21.6	0.28	4.86	0.45	0.75	0.08	-0.02	0.02	0.023	916	1	-1	4	2	-1	0.44	8	2	22	0.69	-1	-1	-0.1	7	0.99	0.6	0.1	
Apollo	3975	70.2	5.9	18.0	0.26	3.7	0.5	0.95	0.06	-0.02	0.02	0.016	444	-1	-1	5	1	-1	0.51	6	2	25	0.746	-1	-1	-0.1	6	0.95	0.5	0.1	
Apollo	3977	50.7	3.4	19.8	0.14	2.48	0.45	1.4	0.08	-0.02	0.27	0.030	847	-1	-1	4	1	-1	0.27	7	2	21	0.781	-1	-1	-0.1	6	0.92	-0.5	0.1	
Apollo	3979	179.4	9.7	32.4	0.52	10.2	0.8	1.1	0.08	-0.02	0.03	0.013	964	1	-1	5	2	-1	0.84	8	2	21	0.409	-1	-1	-0.1	8	0.99	-0.5	0.1	
Apollo	3981	19.1	3.2	9.9	0.14	0.74	1	1.6	0.06	-0.02	0.02	-0.001	247	2	-1	1	3	-1	1.65	12	3	13	0.483	-1	-1	-0.1	10	1.08	-0.5	0.1	
Apollo	3983	24.2	3.2	8.3	0.14	1.84	0.35	0.65	0.06	-0.02	0.02	0.005	414	2	-1	3	2	-1	0.94	12	3	13	0.331	-1	-1	-0.1	10	0.78	-0.5	0.1	
Apollo	3986	15.6	3.1	9.2	0.12	1.2	0.5	0.8	0.04	-0.02	-0.02	0.032	630	2	-1	6	2	-1	0.65	13	3	20	0.28	-1	-1	-0.1	10	0.84	0.5	0.1	
Apollo	3989	17.9	4.0	11.2	0.13	1.44	0.6	1.3	0.04	-0.02	-0.02	0.004	301	1	-1	3	2	-1	0.54	8	2	14	0.178	-1	-1	-0.1	6	0.9	0.6	0.1	

Appendix 2: Comparative Element Plots




Figure A2.1: Mean Ag extraction data for all sites.




Figure A2.2: Mean As extraction data for all sites.




Figure A2.3: Mean Au extraction data for all sites.




Figure A2.4: Mean Ba extraction data for all sites.




Figure A2.5: Mean Br extraction data for all sites.




Figure A2.6: Mean Ca extraction data for all sites.




Figure A2.7: Mean Cd extraction data for all sites.




Figure A2.8: Mean Ce extraction data for all sites.




Figure A2.9: Mean Co extraction data for all sites.




Figure A2.10: Mean Cu extraction data for all sites.




Figure A2.11: Mean Fe extraction data for all sites.




Figure A2.12: Mean Li extraction data for all sites.




Figure A2.13: Mean Mn extraction data for all sites.




Figure A2.14: Mean Ni extraction data for all sites.




Figure A2.15: Mean Pb extraction data for all sites.




Figure A2.16: Mean Sb extraction data for all sites.




Figure A2.17: Mean Th extraction data for all sites.




Figure A2.18: Mean U extraction data for all sites.




Figure A2.19: Mean W extraction data for all sites.




Figure A2.20: Mean Zn extraction data for all sites.

**Appendix 3: 4 M HCl vs. Combined
Selective Extractions**




Figure A3.1: 4 M HCl vs. selective extractions for Ba.




Figure A3.2: 4 M HCl vs. selective extractions for Be.




Figure A3.3: 4 M HCl vs. selective extractions for Ca.




Figure A3.4: 4 M HCl vs. selective extractions for Ce.




Figure A3.5: 4 M HCl vs. selective extractions for Co.




Figure A3.6: 4 M HCl vs. selective extractions for Cu.




Figure A3.7: 4 M HCl vs. selective extractions for Fe.




Figure A3.8: 4 M HCl vs. selective extractions for Li.




Figure A3.9: 4 M HCl vs. selective extractions for Mn.




Figure A3.10: 4 M HCl vs. selective extractions for Ni.




Figure A3.11: 4 M HCl vs. selective extractions for Pb.




Figure A3.12: 4 M HCl vs. selective extractions for Th.




Figure A3.13: 4 M HCl vs. selective extractions for U.




Figure A3.14: 4 M HCl vs. selective extractions for Zn.




Figure A3.15: 4 M HCl vs. selective extractions for Zn (expanded view).




Figure A3.16: 4 M HCl vs. selective extractions for Zr.

**Appendix 4: Mobile Metal Ion
vs. 4 M HCl Extraction**




Figure A4.1: MMI vs. 4 M HCl extractions for Ag.




Figure A4.2: MMI vs. 4 M HCl extractions for Au.




Figure A4.3: MMI vs. iodide extractions for Au.




Figure A4.4: MMI vs. Total Au.




Figure A4.5: MMI vs. 4 M HCl extractions for Cd.




Figure A4.6: MMI vs. 4 M HCl extractions for Co.




Figure A4.7: MMI vs. 4 M HCl extractions for Cu.




Figure A4.8: MMI vs. 4 M HCl extractions for Ni.




Figure A4.9: MMI vs. 4 M HCl extractions for Pb.




Figure A4.10: MMI vs. 4 M HCl extractions for Zn.




Figure A4.11: MMI vs. 4 M HCl extractions for Zn (expanded view).

**Appendix 5: Mobile Metal Ion
vs. Enzyme Leach**




Figure A5.1: MMI vs. Enzyme leach for Ag.




Figure A5.2: MMI vs. Enzyme leach for Au.




Figure A5.3: MMI vs. Enzyme leach for Cd.




Figure A5.4: MMI vs. Enzyme leach for Co.




Figure A5.5: MMI vs. Enzyme leach for Cu.




Figure A5.6: MMI vs. Enzyme leach for Ni.




Figure A5.7: MMI vs. Enzyme leach for Pb.




Figure A5.8: MMI vs. Enzyme leach for Zn.




Figure A5.9: MMI vs. Enzyme leach for Zn
(expanded view).

**Appendix 6: Selected
Enzyme Leach Plots**




Figure A6.1: Enzyme leach vs. total Br.




Figure A6.2: Enzyme leach Co vs. Mn.




Figure A6.3: Enzyme leach Cs vs. Fe.




Figure A6.4: Enzyme leach Ga vs. Fe.




Figure A6.5: Enzyme leach Hf vs. Fe.




Figure A6.6: Enzyme leach La vs. Fe.




Figure A6.7: Enzyme leach Li vs. Fe.




Figure A6.8: Enzyme leach Mn vs. Fe.




Figure A6.9: Enzyme leach Re vs. Fe.




Figure A6.10: Enzyme leach Sb vs. Fe.




Figure A6.11: Enzyme leach Sc vs. Fe.




Figure A6.12: Enzyme leach Sn vs. Fe.




Figure A6.13: Enzyme leach Sr vs. Fe.




Figure A6.14: Enzyme leach Th vs. Fe.




Figure A6.15: Enzyme leach Ti vs. Fe.




Figure A6.16: Enzyme leach Tl vs. Fe.




Figure A6.17: Enzyme leach U vs. Fe.




Figure A6.18: Enzyme leach V vs. Fe.




Figure A6.19: Enzyme leach W vs. Fe.




Figure A6.20: Enzyme leach Zn vs. Fe.




Figure A6.21: Enzyme leach Zr vs. Fe.

Appendix 7: Traverse Data for Baxter




Figure A7.1: Total and extractable Ag from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.2: Total and extractable Ag from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.3: Total and extractable Au from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.4: Total and extractable Au from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.5: Total and extractable Ca from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.6: Total and extractable Ca from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.7: Total and extractable Cd from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.8: Total and extractable Cd from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.9: Total and extractable Ce from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.10: Total and extractable Ce from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.11: Total and extractable Co from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.12: Total and extractable Co from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.13: Total and extractable Cu from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.14: Total and extractable Cu from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.15: Total and extractable Fe from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.16: Total and extractable Fe from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.17: Total and extractable Mn from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.18: Total and extractable Mn from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.19: Total and extractable Ni from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.20: Total and extractable Ni from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.21: Total and extractable Pb from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.22: Total and extractable Pb from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.23: Total and extractable W from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.24: Total and extractable W from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.25: Total and extractable Zn from Baxter line 12600N.
(Shaded area represents Au content in overburden-saprolite unconformity).




Figure A7.26: Total and extractable Zn from Baxter traverse A.
(Shaded area represents Au content in overburden-saprolite unconformity).

Appendix 8: Traverse Data for Fender




Figure A8.1: HCl extractable Ag from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.2: pH 5 acetate and hydroxylamine extractable Ag from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.3: Enzyme leach and MMI Ag from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.4: Total and HCl extractable Au from Fender lines 400, 340 and 240 N.
 (Shaded area represents highest determined Au content in top 8 m).




Figure A8.5: pH 5 acetate and hydroxylamine extractable Au from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.6: Enzyme leach and MMI Au from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.7: HCl extractable Ca from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.8: pH 5 acetate and hydroxylamine extractable Ca from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.9: HCl extractable Cd from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.10: pH 5 acetate and hydroxylamine extractable Cd from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.11: Enzyme leach and MMI Cd from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.12: Total and HCl extractable Ce from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.13: pH 5 acetate and hydroxylamine extractable Ce from Fender lines 400, 340 and 240 N.
 (Shaded area represents highest determined Au content in top 8 m).




Figure A8.14: Enzyme leach Ce from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.15: Total and HCl extractable Co from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.16: pH 5 acetate and hydroxylamine extractable Co from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.17: Enzyme leach and MMI Co from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.18: HCl extractable Cu from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.19: pH 5 acetate and hydroxylamine extractable Cu from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.20: Enzyme leach and MMI Cu from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.21: Total and HCl extractable Fe from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.22: pH 5 acetate and hydroxylamine extractable Fe from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.23: Enzyme leach Fe from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.24: HCl and pH 5 acetate extractable Mn from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.25: Hydroxylamine and enzyme leach extractable Mn from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.26: Total and HCl extractable Ni from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.27: pH 5 acetate and hydroxylamine extractable Ni from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.28: Enzyme leach and MMI Ni from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.29: HCl extractable Pb from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.30: pH 5 acetate and hydroxylamine extractable Pb from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.31: Enzyme leach and MMI Pb from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.32: Total and HCl extractable W from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.33: Enzyme leach W from Fender lines 400, 340 and 240 N (pH 5 acetate and hydroxylamine results below detection).
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.34: HCl extractable Zn from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).




Figure A8.35: pH 5 acetate and hydroxylamine extractable Zn from Fender lines 400, 340 and 240 N.
 (Shaded area represents highest determined Au content in top 8 m).




Figure A8.36: Enzyme leach and MMI Zn from Fender lines 400, 340 and 240 N.
(Shaded area represents highest determined Au content in top 8 m).

Appendix 9: Traverse Data for Bronzewing




Figure A9.1: Total and extractable Ag from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.2: Total and extractable Au from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.3: Total and extractable Ca from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.4: Total and extractable Cd from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.5: Total and extractable Ce from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.6: Total and extractable Co from Bronzewing line 9800N.
 (Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.7: Total and extractable Cu from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.8: Total and extractable Fe from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.9: Total and extractable Mn from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.10: Total and extractable Ni from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.11: Total and extractable Pb from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.12: Total and extractable W from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).




Figure A9.13: Total and extractable Zn from Bronzewing line 9800N.
(Shaded area is lateritic Au concentration and hatched area position of mineralization at 100 m).

Appendix 10: Traverse Data for Curara




Figure A10.1: Total and extractable Ag from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.2: Total and extractable Au from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.3: Total and extractable Ca from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.4: Total and extractable Cd from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.5: Total and extractable Ce from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.6: Total and extractable Co from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.7: Total and extractable Cu from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.8: Total and extractable Fe from Curara line 27500N.
(Shaded area represents Au content of buried laterite).

GSI




Figure A10.9: Total and extractable Mn from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.10: Total and extractable Ni from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.11: Total and extractable Pb from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.12: Total and extractable W from Curara line 27500N.
(Shaded area represents Au content of buried laterite).




Figure A10.13: Total and extractable Zn from Curara line 27500N.
(Shaded area represents Au content of buried laterite).

Appendix 11: Traverse Data for Safari




Figure A11.1: Total and extractable Ag from Safari line 6732300N.
 (Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.2: Total and extractable Au from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.3: Total and extractable Ca from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.4: Total and extractable Cd from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.5: Total and extractable Ce from Safari line 6732300N.
 (Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.6: Total and extractable Co from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.7: Total and extractable Cu from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.8: Total and extractable Fe from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.9: Total and extractable Mn from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.10: Total and extractable Ni from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.11: Total and extractable Pb from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.12: Total and extractable W from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).




Figure A11.13: Total and extractable Zn from Safari line 6732300N.
(Shaded area represents highest determined Au content in top 3 m of Archaean).

Appendix 12: Traverse Data for Steinway

S71




Figure A12.1: Total and extractable Ag from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.2: Total and extractable Au from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.3: Total and extractable Ca from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.4: Total and extractable Cd from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.5: Total and extractable Ce from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.6: Total and extractable Co from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.7: Total and extractable Cu from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.8: Total and extractable Fe from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.9: Total and extractable Mn from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.10: Total and extractable Ni from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).

S81




Figure A12.11: Total and extractable Pb from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.12: Total and extractable W from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).




Figure A12.13: Total and extractable Zn from Steinway line 4250N.
(Shaded area represents Au mineralization in Archaean).

Appendix 13: Traverse Data for Apollo




Figure A13.1: Total and extractable Ag from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.2: Total and extractable Au from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.3: Total and extractable Ca from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.4: Total and extractable Cd from Apollo line 526080N.
 (Shaded area represents Au mineralization in Archaean).




Figure A13.5: Total and extractable Ce from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.6: Total and extractable Co from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.7: Total and extractable Cu from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.8: Total and extractable Fe from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.9: Total and extractable Mn from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.10: Total and extractable Ni from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.11: Total and extractable Pb from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.12: Total and extractable W from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).




Figure A13.13: Total and extractable Zn from Apollo line 526080N.
(Shaded area represents Au mineralization in Archaean).