

**GEOCHEMICAL ORIENTATION SOIL-LAG
TRAVERSE AT THE EDWARDS CREEK
BASE-METAL PROSPECT,
STRANGWAYS RANGE,
NORTHERN TERRITORY**

M.S. Skwarnecki and S.J. Fraser

CRC LEME OPEN FILE REPORT 84

January 2002

(CSIRO Exploration and Mining Report 747R/CRC LEME Report 149R, 2000.
Second impression 2002)

© CRC LEME 2000

© CRC LEME

This report presents outcomes of research by CRC LEME for Gutnick Resources NL as support for their search for Witwatersrand style Au deposits in the Ngalia and Amadeus basins, Northern Territory. The Project was commenced in April 1999, concluded in 2000 and was led by Dr I.D.M. Robertson. Agreement was reached between Gutnick Resources NL and CRC LEME on 19th December 2001 to release CRC LEME Reports 144R, 148R and 149R into the public domain through the CRC LEME Open File Report series. It is intended that publication of the reports will be an additional factor in transferring technology to aid the Australian mineral industry.

This report (CRC LEME Open File Report 84) is a second impression (second printing) of CSIRO Exploration and Mining Restricted Report 747R / CRC LEME Report 149R, first issued in 2000.

Copies of this publication can be obtained from:

The Publication Officer, c/- CRC LEME, CSIRO Exploration and Mining, P.O. Box 1130, Bentley, WA 6102, Australia. Information on other publications in this series may be obtained from the above or from <http://leme.anu.edu.au/>

Cataloguing-in-Publication:

Skwarnecki, M.S.

Geochemical orientation soil-lag traverse at the Edwards Creek Base Metal Prospect, Strangways Range, Northern Territory

ISBN 0 643 06775 2

1. Geochemistry 2. Gold - Northern Territory - Strangways Range 3. Soils - Northern Territory - Strangways Range

I. Fraser, S.J. II. Title

CRC LEME Open File Report 84.

ISSN 1329-4768

Addresses of authors

M. Skwarnecki

Cooperative Research Centre for Landscape
Evolution and Mineral Exploration
c/- CSIRO Land and Water
Private Mail Bag 2
Glen Osmond SA 5064
Australia

S.J. Fraser

CSIRO Exploration and Mining
QCAT, P.O. Box 883
Kenmore,
QLD 4069
Australia

PREFACE AND EXECUTIVE SUMMARY

This study is part of a collaborative research initiative between Gutnick Resources N.L. and CRC LEME. The CRC provided a geochemical and regolith research background to a major exploration program being undertaken by Gutnick Resources N.L. for Witwatersrand-style gold mineralization in the sediments of the Ngalia and Amadeus Basins. The objectives were to map and characterise the regolith within the Amadeus and Ngalia basins at reconnaissance and local scales and to understand its development. Then, to translate this into sampling and exploration strategies. This report covers an orientation study around a small base metal deposit to investigate dispersion of a large range of pathfinder elements into the lag and soil, contributing to more informed decisions on exploration techniques.

At the Edwards Creek Prospect, Au-poor base-metal mineralisation consists of disseminated sphalerite, galena, chalcopyrite and pyrite in marble, enveloped in gneisses of the Strangways Metamorphic Complex. Soil-lag samples were collected along a traverse across the gossan. Seven size fractions for each sample were analysed for a broad range of elements by ICP. Silver, As, Bi, Cu, Mn, Mo, Pb, S, Sb, Se, Sn, W and Zn indicate the mineralised zone. The best responses for Ag, Bi, Cu, Mn, Mo, Pb, S, Sb and Se are in the 6-2 mm fraction, Sn and W are best displayed 1-0.25 mm fractions and Au by the <75 μm fraction. The responses for As and Zn are similar in all fractions. The preferred sampling medium is the 6-2mm fraction of the soil, although the <6 mm fraction is a satisfactory compromise which would simplify sample preparation.

Weathering is slight and dispersion is largely mechanical. Dispersion from the mineralisation is limited, many elements displaying single-point anomalies. A few, notably Cu, Pb and Zn show a slight rise in concentrations in samples adjacent to the single maximum. Dispersions are 40-50 m wide at best and in some cases substantially less. This emphasises the need for closely-spaced samples to detect small targets in such an erosional terrain.

I.D.M. Robertson
Project Leader